

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>AGRIA</b>							
155-19	155-19	PA	INT	155	154.8	33.9	4.80
179-3	179-3	ST	EXT	3	179.5	111.3	2.70
<b>AISIN WARNER</b>							
157-54	157-54	PA	INT	54	157.0	136.2	1.70
160-55	160-55	PA	INT	55	159.8	138.4	1.65
163-40-A	163-40-A	ST	EXT	40	162.8	141.2	1.75
165-36-B	165-36-B	ST	EXT	36	165.5	143.2	1.75
166-54	166-54	PA	INT	54	165.6	136.2	1.70
171-36-A	171-36-A	ST	EXT	36	170.8	141.2	2.30
171-36-B	171-36-B	ST	EXT	36	170.8	141.5	4.00
186-60	186-60	PA	INT	60	185.6	160.2	1.70
195-28	195-28	ST	EXT	28	195.0	173.0	1.75
24220563	141-47	PA		47	141.0	118.3	1.70
24220650	137-49	PA	INT	49	136.5	108.6	1.70
34633-30010	97101	PA		24	165.9	135.8	2.10
34633-40010	97101	PA		24	165.9	135.8	2.10
34633-50010	97101	PA		24	165.9	135.8	2.10
34633-60010	97101	PA		24	165.9	135.8	2.10
3520895-8	97103A	PA		32	131.5	100.7	2.00
3520917-0	97104	PA		32	129.2	104.0	1.70
3549121-6	97101	PA		24	165.9	135.8	2.10
3549182-8	97108	PA		32	126.2	100.6	2.00
35633-14010	97108	PA		32	126.2	100.6	2.00
35633-30040	97108	PA		32	126.2	100.6	2.00
35633-33020	97103	PA		40	131.5	100.6	2.10
35633-33040	97103	PA		40	131.5	100.6	2.10
35633-80A010	112-30	PA		30	112.0	90.6	1.85
35633-80A030	168-36	PA		36	167.8	136.1	1.85
35667-30020	97103A	PA		32	131.5	100.7	2.00
35667-50010	97103	PA		40	131.5	100.6	2.10
35667-50020	97103A	PA		32	131.5	100.7	2.00
35667-60010	97103A	PA		32	131.5	100.7	2.00
35667-80A020	119-36	PA		36	118.9	94.2	1.85
35677-26010	97107	PA		40	126.3	100.5	1.70
35677-30080	97104	PA		32	129.2	104.0	1.70
35677-30090	97102	PA		40	126.3	100.5	2.10
35677-30110	97104	PA		32	129.2	104.0	1.70
35677-30130	97104	PA		32	129.2	104.0	1.70
35677-30150	97102B	PA		40	126.3	100.5	2.00
35677-30170	97102B	PA		40	126.3	100.5	2.00
35677-40010	97103	PA		40	131.5	100.6	2.10
35677-50010	97102A	PA		40	126.3	100.5	1.90
35677-50030	97103	PA		40	131.5	100.6	2.10

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
35677-80A040	117-30	PA		30	117.3	94.9	1.85
35682-80A020	154-50	PA		50	153.9	125.6	1.85
35683-80A020	144-48	PA		48	143.6	120.7	1.85
8-94479-773-0	97102	PA		40	126.3	100.5	2.10
8-94479-808-0	97103A	PA		32	131.5	100.7	2.00
8-94479-866-0	97101	PA		24	165.9	135.8	2.10
8-97256-970-0	135-10-17	ST	EXT	10	135.0	101.5	1.75
8-97256-972-0	135-10-25	ST	EXT	10	135.0	101.5	2.50
9034 8774	MG79774	ST		12	116.0	91.5	1.80
9034 8774	59109	ST		12	116.0	91.5	1.80
9034 8775	35022	PA		34	107.7	85.4	1.70
9034 8775	59100-X	PA		34	113.8	85.2	1.60
9034 8775	59100	PA		34	107.7	85.4	1.70
9034 8775	MG79775	PA		34	107.7	85.4	1.70
9034 8778	MG79778	ST		12	143.0	113.9	1.80
9034 8778	59107	ST		12	143.0	113.9	1.80
9034 8779	35020	PA		46	136.2	102.0	1.70
9034 8779	MG79779	PA		46	136.2	102.0	1.70
9034 8779	59104	PA		46	136.2	102.0	1.70
9034 8787	MG79787	ST		8	116.0	91.5	1.80
9034 8787	59101	ST		8	116.0	91.5	1.80
9034 8795	59103	ST		10	168.7	143.7	1.70
9034 8795	MG79795	ST		10	168.7	143.7	1.70
9034 8796	59102	PA		33	159.8	138.3	1.70
9034 8796	35026	PA		33	159.8	138.3	1.70
9034 8796	MG79796	PA		33	159.8	138.3	1.70
9034 8807	MG79807	ST		15	168.9	143.6	1.80
9034 8807	59105	ST		15	168.9	143.6	1.80
9034 8808	MG79796A	PA		0	159.8	138.3	1.70
9034 8808	35024	PA		33	159.8	138.3	1.70
90444546	59111	PA		42	126.0	104.0	1.80
90444550	59101A-3	ST		16	149.8	104.2	3.00
90444669	59100B	PA		51	142.1	113.4	1.80
90444685	59100A	PA		42	126.0	104.0	1.70
90444863-	59101A	ST	EXT	16	149.8	104.2	1.80
90444863--	90444863	ST	EXT	16	149.8	104.2	1.80
9054 2947	59106	PA		33	159.8	138.3	1.70
937414450	176-24-A18	ST		24	176.0	149.3	1.80
93741449	168-36	PA		36	167.8	136.1	1.85
93741450	176-24-A	ST		24	176.0	149.3	2.00
93741571	112-30	PA		30	112.0	90.6	1.85
93741572	120-18	ST		18	119.9	96.2	1.75
93741585	125-16	ST		16	125.1	101.6	1.75
93741587	124-24	ST		24	124.1	100.4	1.75
93741588	124-24	ST		24	124.1	100.4	1.75

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
93741611	117-30	PA		30	117.3	94.9	1.85
93741615	154-50	PA		50	153.9	125.6	1.85
93741616	144-48	PA		48	143.6	120.7	1.85
93741617	163-20	ST		20	162.7	130.7	2.00
93741618	155-20	ST		20	154.8	128.0	1.75
96017371	54206-A	PA		12	98.5	72.2	2.50
96741600	119-36	PA		36	118.9	94.2	1.85
9725023-SEL	184-20-2	PA	INT	20	183.5	137.5	2.10
97256	135-4	ST	EXT	4	135.1	101.6	5.00
97256938	175-70-2	PA	INT	70	174.9	146.4	2.10
97256954	175-70-17	PA	INT	70	174.9	146.4	1.70
97256973	127-46	PA	INT	46	126.6	95.5	2.10
97256973-SEL	127-46-18	PA	INT	46	126.6	95.5	1.80
97257023	184-20	PA	INT	20	183.5	137.5	1.60
97257043	127-47	PA	INT	47	126.6	97.1	2.10
MR166369	97103A	PA		32	131.5	100.7	2.00
MR166400	97104	PA		32	129.2	104.0	1.70
MR166437	97101	PA		24	165.9	135.8	2.10
MR166472	97108	PA		32	126.2	100.6	2.00
<b>ALLIS CHALMERS</b>							
1018238	190-59-BZ	BZ	INT	59	190.0	147.0	3.00
70256524	152-28-BZ	BZ	INT	28	152.0	86.2	3.00
70261212	178-32-BZ	BZ	INT	32	177.6	99.7	3.00
70265486	177-3	ST	EXT	3	176.8	97.6	1.75
<b>ALLISON</b>							
1566384	177-24	PA	INT	24	177.5	98.7	4.80
23010122	254-60	BZ	INT	60	253.6	187.4	4.00
23010123	304-57	PA	INT	57	303.6	235.3	4.00
23010124	372-73	BZ	INT	73	371.5	302.8	5.20
23010125	400-16	PA	INT	16	399.9	214.7	5.00
23010147	372-73	BZ	INT	73	371.5	302.8	5.20
23010436	319-62	PA	INT	62	318.7	259.5	3.50
23010437	372-73	BZ	INT	73	371.5	302.8	5.20
23010438	372-72	PA	INT	72	371.5	303.0	5.30
23015971	433-89	PA	INT	89	433.2	371.4	5.20
23016606	247-36	ST	EXT	36	247.2	186.4	2.50
23016608	292-11	ST	EXT	11	292.1	224.3	2.50
23016610	194-18	ST	EXT	18	193.8	140.2	2.50
23017553	139-54	ST	INT	54	139.1	98.5	1.80
23040848	319-62	PA	INT	62	318.7	259.5	3.50
23041097	207-60	PA	INT	60	207.5	154.5	2.50
23041615	433-89	PA	INT	89	433.2	371.4	5.20
23041616	372-72	PA	INT	72	371.5	303.0	5.30
23041786	319-62	PA	INT	62	318.7	259.5	3.50

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION	
23042197	149-42	PA	INT	42	149.5	110.0	2.00
23042198	207-60	PA	INT	60	207.5	154.5	2.50
23042199	232-80	PA	INT	80	231.6	174.0	2.50
23042200	182-30	PA	INT	30	182.4	129.5	2.50
23042201	275-50	PA	INT	50	275.3	213.3	3.20
23042202	319-62	PA	INT	62	318.7	259.5	3.50
23042239	215-59	PA	INT	59	214.5	145.1	4.50
23045454	372-72	PA	INT	72	371.5	303.0	5.30
23045455	254-60	BZ	INT	60	253.6	187.4	4.00
23045554	247-9	ST	EXT	9	247.2	185.0	2.50
23045573	285-48	ST	EXT	48	285.0	207.2	2.50
23045588	180-42	PA	EXT	42	179.6	115.9	2.50
23045589	165-44	ST	INT	44	164.9	108.0	2.50
23046108	315-56	PA	INT	56	314.6	231.0	4.70
23047289	372-73	BZ	INT	73	371.5	302.8	5.20
23048510	372-73	BZ	INT	73	371.5	302.8	5.20
23048511	372-73	BZ	INT	73	371.5	302.8	5.20
23048628	268-82	PA	INT	82	267.6	207.8	2.50
23048735	218-34	PA	INT	34	218.2	165.0	4.00
256-6	256-6	PA	INT	6	256.0	204.0	6.35
29501423	262-24	ST	EXT	24	261.6	195.4	2.50
29503141	282-48	ST	EXT	48	281.5	217.0	2.50
29505771	352-56	ST	EXT	56	352.2	279.0	2.50
29505823	314-99	PA	INT	99	314.0	245.3	3.20
29511462	204-38	PA	EXT	38	204.0	132.2	3.20
29515399	247-9	ST	EXT	9	247.2	185.0	2.50
29516171	242-75	PA	INT	75	242.3	185.3	2.50
29516172	254-79	PA	INT	79	254.2	197.9	3.20
29527014	321-76-A	PA	INT	76	320.7	266.5	3.75
29529291	321-76	PA	INT	76	320.7	266.5	3.80
29529492	232-80	PA	INT	80	231.6	174.0	2.50
29530312	129-36	PA	EXT	36	128.7	82.1	2.50
29530313	191-24-A	PA	INT	24	190.8	149.0	2.50
29530315	204-42	ST	EXT	42	203.5	160.1	2.30
29530330	160-12	ST	EXT	12	159.5	116.0	2.00
29531048	243-27	ST	EXT	27	242.6	180.5	2.50
29531049	220-117	PA	INT	117	220.2	171.9	2.50
29531058	220-115	PA	INT	115	220.0	173.4	2.50
29532371	254-79	PA	INT	79	254.2	197.9	3.20
29536334	180-42	PA	EXT	42	179.6	115.9	2.50
29536335	268-82	PA	INT	82	267.6	207.8	2.50
29536336	242-75	PA	INT	75	242.3	185.3	2.50
29536337	254-79	PA	INT	79	254.2	197.9	3.20
29536338	204-38	PA	EXT	38	204.0	132.2	3.20
29536339	314-99	PA	INT	99	314.0	245.3	3.20

**RATEK INDUSTRIES LTD.**

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
29536343	165-44	ST	INT	44	164.9	108.0	2.50	
29536344	282-48	ST	EXT	48	281.5	217.0	2.50	
29536345	262-24	ST	EXT	24	261.6	195.4	2.50	
29536346	285-48	ST	EXT	48	285.0	207.2	2.50	
29536347	190-48	ST	INT	48	189.9	117.8	2.50	
29536348	328-56	ST	EXT	56	327.9	255.1	2.50	
29536349	352-24	ST	EXT	24	352.3	279.2	2.50	
29536350	352-56	ST	EXT	56	352.2	279.0	2.50	
29536481	246-36-2	ST	EXT	36	246.3	180.5	2.00	
29536482	246-36	ST	EXT	36	246.3	180.5	2.50	
29536483	246-36-3	ST	EXT	36	246.3	180.5	3.00	
29537393	220-115	PA	INT	115	220.0	173.4	2.50	
29537887	232-80	PA	INT	80	231.6	174.0	2.50	
29538468	129-36	PA	EXT	36	128.7	82.1	2.50	
29538469	191-24-A	PA	INT	24	190.8	149.0	2.50	
5196303	215-3	ST	EXT	3	215.0	155.6	1.70	
5197160	133-45-A	PA	INT	45	133.2	92.8	1.60	
6769326	387-30	ST	EXT	30	286.3	322.4	5.00	
6770916	211-8-5	ST	EXT	8	210.5	157.3	5.00	
6772093	211-8-75	ST	EXT	8	210.5	157.3	7.50	
6776610	387-30-3	ST	EXT	30	386.3	322.4	3.00	
6777796	450-35	ST	EXT	35	450.5	389.5	5.00	
6830221	254-60	BZ	INT	60	253.6	187.4	4.00	
6830293	304-57	PA	INT	57	303.6	235.3	4.00	
6830295	372-73	BZ	INT	73	371.5	302.8	5.20	
6830368	254-60	BZ	INT	60	253.6	187.4	4.00	
6830920	372-72	PA	INT	72	371.5	303.0	5.30	
6830950	200-59	PA	INT	59	200.3	145.1	3.80	
6831641	247-9	ST	EXT	9	247.2	185.0	2.50	
6831705	220-30	ST	EXT	30	219.5	167.0	2.50	
6832138	433-89-52	PA	INT	89	433.2	371.4	5.00	
6833906	315-56	PA	INT	56	314.6	231.0	4.70	
6833972	372-73	BZ	INT	73	371.5	302.8	5.20	
6834348	247-36	ST	EXT	36	247.2	186.4	2.50	
6834370	182-30	PA	INT	30	182.4	129.5	2.50	
6834374	194-18	ST	EXT	18	193.8	140.2	2.50	
6834679	244-14	ST		14	244.7	183.0	2.50	
6835151	149-42	PA	INT	42	149.5	110.0	2.00	
6835152	207-60	PA	INT	60	207.5	154.5	2.50	
6835329	400-16	PA	INT	16	399.9	214.7	5.00	
6835475	194-18	ST	EXT	18	193.8	140.2	2.50	
6835687	232-80	PA	INT	80	231.6	174.0	2.50	
6835707	292-11	ST	EXT	11	292.1	224.3	2.50	
6835720	275-50	PA	INT	50	275.3	213.3	3.20	
6835748	319-62	PA	INT	62	318.7	259.5	3.50	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
6836518	160-12	ST	EXT	12	159.5	116.0	2.00
6882826	232-80	PA	INT	80	231.6	174.0	2.50
6884958	232-80	PA	INT	80	231.6	174.0	2.50
6885138	207-60	PA	INT	60	207.5	154.5	2.50
8625197	160-12	ST	EXT	12	159.5	116.0	2.00
8625797	160-12	ST	EXT	12	159.5	116.0	2.00
<b>AUSTIN WESTER</b>							
510/630	203-52	ST	INT	52	202.6	107.5	2.30
510/630-	224-24	BZ	EXT	24	223.8	137.8	3.50
<b>B.E</b>							
62028-SS	200-55	ST	INT	55	200.0	135.5	6.30
<b>BALKANCAR</b>							
6855.02.00.07	139-45	ST	EXT	45	139.0	90.1	1.50
KTM 1490	132-34	PA	INT	34	131.7	83.3	1.90
TBA15	139-45-A	ST	EXT	45	138.6	90.0	4.00
<b>BELL</b>							
224967	462-72-5	ST	EXT	72	462.0	350.0	5.00
<b>BENATI</b>							
321 2112	154-60	ST	EXT	60	154.2	113.8	1.80
321 3587	139-54	ST	INT	54	139.1	98.5	1.80
321 3743	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
321 3744	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
3242336	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
<b>BESSER</b>							
.	178-35	PA	INT	35	177.7	111.2	2.70
...	238-4-A	ST	EXT	4	238.0	120.7	2.30
....	238-4-B	ST	EXT	4	238.0	120.7	2.30
<b>BITTELI</b>							
711314 PART	151-32	ST	INT	32	151.3	91.1	1.60
711314-PART	164-76	PA	EXT	76	164.0	103.5	2.90
<b>BMW</b>							
134-61	134-61	ST	INT	61	134.3	95.7	1.20
138-72	138-72	PA	EXT	72	138.3	100.5	1.60
<b>BOMAG</b>							
058 15571	188-22	BZ	INT	22	188.1	110.0	2.10
058 15580	199-38	ST	EXT	38	198.5	151.8	1.60
173-68	173-68	ST	EXT	68	172.9	118.0	1.00
<b>BOSS</b>							
BL 8827661	139-54	ST	INT	54	139.1	98.5	1.80
BL 8827688	133-45-EG	PA	INT	45	133.2	92.8	2.50

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>BRADEN</b>							
PP 12	126-8	ST	EXT	8	125.5	91.2	0.80
TBA3	119-39-23	PA	INT	39	119.0	78.6	2.30
<b>BRAY</b>							
C35433A	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
P11294/22	224-22A-BZ	BZ	INT	22	224.0	53.3	4.80
P11294/23	228-2	ST	EXT	1	228.0	127.0	2.60
P15306/81	204-22-48Z	BZ	INT	22	204.5	53.3	4.80
P15306/82	209-2-A	ST	EXT	2	209.3	114.3	2.70
<b>BROCKHOUSE</b>							
F 14915/3	137-64	ST	EXT	64	137.0	96.2	1.50
G 16540	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
G 19130	171-40	ST	EXT	40	171.0	130.0	1.40
G 33246M	162-38	PA		38	162.0	121.1	2.50
G 33249	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
G14640	144-33	ST	EXT	33	144.1	94.5	1.40
G15640	144-33	ST	EXT	33	144.1	94.5	1.40
G15685	169-79	ST	EXT	70	168.6	104.0	1.50
G15686	163-38-24	BZ	INT	38	163.2	92.6	2.40
<b>BTR</b>							
0585-666007	666007	PA		46	126.5	96.3	2.00
0585-666010	666010	PA		41	116.8	85.7	2.00
0585-666013	666013	PA		46	126.5	96.3	2.00
<b>BW</b>							
134-61-	134-61	ST	INT	61	134.3	95.7	1.20
138-72-	138-72	PA	EXT	72	138.3	100.5	1.60
19205	114-44	ST	EXT	44	113.6	79.6	1.70
19206-A	108-36	PA	INT	36	107.8	73.7	1.60
3164863	19222	ST		44	113.5	79.6	1.80
3164873	19205	ST		44	113.5	79.6	1.80
3198571	19206A	PA		36	108.0	78.0	1.50
<b>BZ</b>							
108	108-24-A	BZ	INT	24	107.7	69.0	2.20
152	152-28-BZ	BZ	INT	28	152.0	86.2	3.00
178	178-32-BZ	BZ	INT	32	177.6	99.7	3.00
212	212-99-BZ	BZ	EXT	99	211.6	158.6	4.00
238	238-6-A	BZ		6	238.0	158.5	3.90
<b>CARLO GRAZIANO</b>							
314503	175-72	ST	EXT	72	175.0	118.2	1.50
<b>CARRARO</b>							
001	107-3	ST	INT	3	106.7	70.9	1.40
119682	261-27	PA	INT	27	260.8	66.0	10.10

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
121656	215-15-A	PA	INT	15	214.6	43.4	10.10	
130403	195-4	ST	EXT	2	195.8	109.9	2.50	
132690	272-36	PA	INT	36	271.9	71.1	5.00	
133924	151-6-25	ST	EXT	6	151.0	98.0	2.50	
134181	215-13	PA	INT	13	214.5	36.3	10.00	
136112	224-36	PA	INT	36	223.6	71.0	4.90	
136132	224-36	PA	INT	36	223.6	71.0	4.90	
136155	230-64	ST	EXT	64	229.8	152.8	5.00	
148795	289-15	PA	INT	15	289.5	43.4	6.70	
8C7448	147-50	PA	INT	50	147.5	107.8	2.80	
9W4954	147-50	PA	INT	50	147.5	107.8	2.80	
TBA4	119-8	PA	EXT	8	119.0	85.6	1.60	
<b>CASA GRANDE</b>								
100-22	100-22	ST	INT	22	99.8	64.1	1.75	
109-26	109-26	PA	EXT	26	109.0	72.2	1.95	
<b>CASE</b>								
100050A1	438-104	PA	INT	104	437.9	0.0	5.30	
128114A1	158-6-2	ST	EXT	6	158.0	107.0	2.00	
133100270067	178-41-A2	ST	INT	41	177.6	119.0	2.00	
133100270178	194-6-C	BZ	EXT	6	194.0	136.2	3.00	
1342285C1	203-19-1	BZ	INT	19	203.0	58.0	4.70	
148962A1	201-16	PA	INT	16	201.0	40.6	4.80	
148963A1	219-6	ST	EXT	6	219.5	145.5	2.70	
181159A1	151-6-25	ST	EXT	6	151.0	98.0	2.50	
190462	224-36	PA	INT	36	223.6	71.0	4.90	
192310290701	178-12-A	ST	INT	12	178.0	117.2	2.00	
198122BC	137-22	PA	INT	22	136.6	67.3	3.80	
1981246C1	134-24	PA	EXT	24	133.7	95.0	1.70	
1995264C2	113-25-A	PA	INT	25	112.8	51.0	3.00	
1997129C1	127-40-B	PA	INT	40	127.0	82.0	2.50	
1997907C1	141-48-A	PA	INT	48	141.0	98.5	2.00	
235031A2	113-25	PA	INT	25	112.8	51.0	3.50	
237017A1	272-36	PA	INT	36	271.9	71.1	5.00	
242154A1	190-4-35	ST	EXT	4	190.3	92.3	3.50	
242155A1	190-4-3	ST	EXT	4	190.3	92.3	3.00	
242156A1	190-4-3	ST	EXT	4	190.3	92.3	3.00	
242157A1	190-4-27	ST	EXT	4	190.3	92.3	2.70	
242158A1	190-4-32	ST	EXT	4	190.3	92.3	3.20	
245297A1	127-40-A	PA	INT	40	127.0	82.0	2.50	
291578A1	139-54-H	PA	EXT	54	139.1	98.5	1.90	
291579A1	139-54-G	PA	EXT	54	139.1	98.5	2.60	
291580A1	133-45-ST	ST	INT	45	133.2	92.8	2.00	
308030A1	230-64	ST	EXT	64	229.8	152.8	5.00	
331387A1	159-44-A	PA	EXT	44	158.7	111.5	2.80	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
331388A1	151-42	ST	INT	42	150.7	102.3	2.50	
331518B	189-88	PA	EXT	88	189.3	142.0	3.00	
331519B	215-100	PA	EXT	100	214.8	151.5	3.00	
331520B	240-93	PA	EXT	93	239.8	171.6	3.60	
331893A2	177-34	PA	EXT	34	177.4	111.5	2.00	
331894A1	177-34-A	PA	EXT	34	177.4	111.5	2.80	
331895A1	167-42	ST	INT	42	167.0	101.5	2.50	
335165A1	196-64	PA	EXT	64	196.3	142.0	2.30	
351175A1	300-16-K	PA	INT	16	300.0	54.0	6.50	
366999A1	274-12	PA	INT	12	273.7	45.5	6.80	
384322A1	345-64	PA	INT	64	344.9	252.4	4.50	
384323A1	378-20	ST	EXT	20	377.7	262.4	4.00	
413586A1	274-12	PA	INT	12	273.7	45.5	6.80	
66595	167-15	PA	INT	15	166.8	44.5	3.20	
84300613	189-46	BZ	EXT	46	189.0	136.3	3.20	
8603582-	378-20	ST	EXT	20	377.7	262.4	4.00	
86900816	195-6-E	ST	EXT	6	195.2	122.0	1.40	
87341835	345-64	PA	INT	64	344.9	252.4	4.50	
87441328	378-20-2	ST	EXT	20	377.7	262.4	2.00	
87521419	378-20-23	ST	EXT	20	377.7	262.4	2.30	
87588632	378-20-A	PA	EXT	20	377.7	262.4	3.50	
87708433	336-12-5	ST	EXT	12	335.6	188.4	5.00	
87708435	336-12-8	ST	EXT	12	335.6	188.4	8.00	
87715377	3611	PA		0	0.0	0.0	10.90	
8900126641	196-64	PA	EXT	64	196.3	142.0	2.30	
8900126642	196-64-A	PA	EXT	64	196.3	142.0	1.90	
93190C1	158-6-A	ST	EXT	6	157.9	107.2	2.00	
A14509	340-0	ST		0	340.0	133.3	1.50	
A155461	204-72	ST	INT	72	204.0	149.5	2.30	
A155859	386-12	ST	EXT	12	386.0	254.2	8.00	
A159102	340-12-C	ST	EXT	12	340.0	222.0	6.00	
A168483	238-6-A	BZ		6	238.0	158.5	3.90	
A175072	127-40	PA	INT	40	127.0	82.0	2.50	
A175806	143-26	ST	EXT	26	143.0	89.5	2.30	
A178856	176-6	ST	EXT	6	176.0	92.0	4.00	
A17921	154-60	ST	EXT	60	154.2	113.8	1.80	
A182507	204-36	ST	INT	36	204.0	73.0	3.00	
A188412	300-14	PA	INT	14	300.0	50.0	6.10	
A188946	127-40	PA	INT	40	127.0	82.0	2.50	
A190067	300-16	PA	INT	16	300.0	54.0	6.50	
A41005	143-8	ST	EXT	8	142.5	99.3	1.60	
A41355	133-45-16Z	BZ	INT	45	133.1	92.7	1.60	
A52252	209-2-3	ST	EXT	2	209.3	121.0	3.00	
A52253	203-19-1	BZ	INT	19	203.0	58.0	4.70	
A52393	203-19-1	BZ	INT	19	203.0	58.0	4.70	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
A61981	212-99-BZ	BZ	EXT	99	211.6	158.6	4.00	
A63198	387-3	ST	EXT	3	387.3	266.7	6.30	
A63199	351-6	ST	EXT	6	351.1	266.7	6.30	
A64525	127-40	PA	INT	40	127.0	82.0	2.50	
A65525	238-6-2	ST	EXT	6	238.0	158.4	3.50	
A66364	134-24	PA	EXT	24	133.7	95.0	1.70	
A66365	127-17	ST	INT	17	126.9	70.0	1.00	
A67130	137-22	PA	INT	22	136.6	67.3	3.80	
A67156	150-70	ST	EXT	70	149.8	77.1	2.30	
A67336	305-6	ST	EXT	6	304.8	177.8	4.00	
A75105	343-6	ST	EXT	6	343.0	260.0	3.20	
A77071	254-77	PA	INT	77	254.2	159.4	3.70	
D50040.	190-59-BZ	BZ	INT	59	190.0	147.0	3.00	
D50041	215-3	ST	EXT	3	215.0	155.6	1.70	
D50082	133-45-16Z	BZ	INT	45	133.1	92.7	1.60	
D50083	139-54	ST	INT	54	139.1	98.5	1.80	
D70672	133-45-A	PA	INT	45	133.2	92.8	1.60	
D72327	139-54	ST	INT	54	139.1	98.5	1.80	
D77063	148-52-29Z	BZ	INT	52	148.5	107.4	2.90	
D87201	340-0	ST		0	340.0	133.3	1.50	
E135797	261-27	PA	INT	27	260.8	66.0	10.10	
E159987	139-54-3	ST	EXT	54	139.1	98.5	3.00	
K200550	183-2-A	ST	EXT	2	170.0	93.0	2.70	
K202905	178-26	BZ	INT	26	178.0	63.6	4.80	
K945755	228-2-A	ST	EXT	2	228.0	127.0	2.50	
K963647	228-2-A	ST	EXT	2	228.0	127.0	2.50	
N7022	254-60	BZ	INT	60	253.6	187.4	4.00	
N7217	133-45-16Z	BZ	INT	45	133.1	92.7	1.60	
N7219	139-54	ST	INT	54	139.1	98.5	1.80	
S73416	190-59-BZ	BZ	INT	59	190.0	147.0	3.00	
S73873	154-60	ST	EXT	60	154.2	113.8	1.80	

## CASE/NEW HOLLAND

1-33-744-605	170-12-A	PA	INT	12	169.9	32.7	4.80
155700340071	242-28	PA	INT	28	242.4	56.0	4.80
33-1518T2	189-88	PA	EXT	88	189.3	142.0	3.00
33152OT2	240-93	PA	EXT	93	239.8	171.6	3.60
345334A1	134-40	PA	INT	40	133.8	82.0	2.90
345335A2	142-66-A	ST	EXT	66	142.2	89.5	1.80
374032R91	163-12-BZ	BZ	EXT	12	163.3	95.3	2.90
376825R91	163-12-BZ	BZ	EXT	12	163.3	95.3	2.90
427534A1	215-100	PA	EXT	100	214.8	151.5	3.00
47127225	190-22	ST	INT	22	189.9	98.2	4.50
47127719	180-34	ST	INT	34	180.0	98.2	4.50
5094585	165-22-A	PA	INT	22	165.0	41.0	4.80

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
5111276	215-52-A	ST	INT	52	214.6	132.2	7.00
5178903	247-42	PA	INT	42	246.9	175.1	4.50
5180633	260-13	PA	INT	13	260.0	50.4	10.00
5191497	327-12	PA	INT	12	327.0	53.3	10.00
5196708	179-27	ST	INT	27	179.2	73.3	5.00
71702031	223-28-A	PA	INT	28	223.2	56.0	4.50
71702155	247-42	PA	INT	42	246.9	175.1	4.50
71702159	91-8	ST	INT	8	90.5	30.1	4.00
71702167	190-22	ST	INT	22	189.9	98.2	4.50
71717062	165-22-A	PA	INT	22	165.0	41.0	4.80
81868964	203-8	ST	INT	8	203.0	257.2	4.70
841598803	134-40	PA	INT	40	133.8	82.0	2.90
84190977	260-14	PA	INT	14	260.0	50.2	9.50
84201664	327-14-B	PA	INT	14	326.8	60.1	9.60
86014786	368-15	PA	INT	15	367.5	88.1	9.00
8603203	148-26	PA	INT	26	147.8	75.3	2.95
87397895	327-14-A	PA	INT	14	326.8	60.1	9.60
87708434	289-15	PA	INT	15	289.5	43.4	6.70
E135004	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
S2080S00F	177-52-24	ST	INT	52	177.0	129.5	2.40
S2080S00F-	177-52	ST	INT	52	177.0	129.5	2.30
S2090S00F	177-52-21	ST	INT	52	177.0	129.5	2.10
S4070S00F	203-56-23	ST	INT	56	203.2	140.0	2.30
S4110S00F	203-56	ST	INT	56	203.2	140.0	2.00
S5120S00F	228-62-27	ST	INT	62	228.4	155.3	2.70
S5130S00F	228-62	ST	INT	62	228.4	155.3	2.30
<b>CATERPILLAR</b>							
105-8750	325-30	PA	INT	30	324.8	112.0	6.70
106 3117	480-64	ST	EXT	64	479.6	372.3	3.20
118-66068	357-6-5	ST	EXT	6	356.5	166.5	5.00
118-6606A	357-6-12	ST	EXT	6	356.5	166.5	12.00
1217632	179-35-A	PA	INT	35	179.0	103.0	3.50
122 1880	143-26	ST	EXT	26	143.0	89.5	2.30
122 1881	127-40	PA	INT	40	127.0	82.0	2.50
126 7924	300-18	PA	INT	18	300.0	65.2	7.00
130 5860	479-18	PA	INT	18	479.0	105.9	5.10
133-7234	205-22-BZ	BZ	INT	22	204.5	53.3	4.80
1368068	115-3-B	ST	EXT	3	114.9	65.0	1.50
194 3811	603-6	ST	EXT	6	603.0	436.0	6.50
1990750	260-29	PA	INT	29	259.7	85.2	4.50
1990786	301-8	ST	EXT	8	301.0	177.6	6.00
1S0057	342-12	ST	EXT	12	342.5	210.0	6.30
230-4017	204-22-K	PA	INT	22	204.0	53.4	4.90
2383309	236-36	ST	INT	36	235.8	144.3	2.50

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
2385291	260-29	PA	INT	29	259.7	85.2	4.50	
2633704	263-8	PA	EXT	8	262.6	155.4	4.40	
2G9908	256-54	PA	INT	54	255.6	168.4	2.80	
2G9909	306-64	PA	INT	64	306.2	198.5	3.50	
2G9911	408-88	PA	INT	88	407.8	274.0	4.00	
2P0337	216-24	ST	INT	24	215.8	156.5	2.70	
2P2903	305-10	ST	EXT	10	304.8	213.4	6.30	
2P3719	216-54-A	PA	INT	54	215.8	168.4	2.90	
2P3747	121-24	PA	INT	24	120.7	73.3	3.00	
2P4370	268-56	ST	INT	56	267.8	174.0	3.20	
2P4371	278-75	PA	EXT	75	277.7	189.0	3.30	
2P4472	411-10	ST	EXT	5	411.5	317.5	6.30	
2P9343	278-75	PA	EXT	75	277.7	189.0	3.30	
2V7268	463-60	PA	INT	60	462.8	300.0	5.30	
2V7269	487-94	ST	EXT	94	487.2	318.5	2.40	
3K1385	386-10	ST	EXT	10	385.6	263.6	6.30	
3P0337	216-24	ST	INT	24	215.8	156.5	2.70	
3P0340	225-32	PA	EXT	32	224.9	165.2	4.30	
3P0392	281-40	PA	EXT	40	280.5	200.0	4.30	
3P0801	225-32-A	ST	EXT	32	224.6	178.0	4.70	
3P0805	216-54-A	PA	INT	54	215.8	168.4	2.90	
3P2855	269-28	ST	INT	28	268.5	191.6	2.70	
3P3241	370-72	ST	EXT	72	370.0	222.2	6.35	
3P4057	529-12	ST	EXT	12	529.0	408.0	6.70	
3P7447	479-12	ST	EXT	12	479.2	355.4	6.30	
3P7489	298-40	ST	EXT	40	298.1	223.3	3.20	
3P7584	584-12	ST	EXT	12	584.0	438.0	6.30	
3P8160	273-39	ST	EXT	39	273.2	213.6	4.70	
3P8393	305-10	ST	EXT	10	304.8	213.4	6.30	
3P9403	R-3P9403	BZ	INT	81	264.9	201.7	4.70	
3P9405	305-10	ST	EXT	10	304.8	213.4	6.30	
3S 7981	R-3S7981	BZ	INT	81	264.9	201.7	4.70	
3S1168	353-10	ST	EXT	10	353.0	262.5	6.30	
3S7978	305-10	ST	EXT	10	304.8	213.4	6.30	
3T2567	206-43	ST	EXT	43	205.5	145.5	3.50	
3T3065	391-52	ST	EXT	52	390.7	320.4	6.30	
3T3089	584-12-A	ST	EXT	12	584.0	454.1	6.30	
3T3400	196-44-3	PA	INT	44	196.6	138.5	2.80	
3T4026	281-61	PA	INT	61	281.5	220.0	4.90	
3T9960	185-35	PA	INT	35	184.7	125.8	4.90	
3T9961	281-61	PA	INT	61	281.5	220.0	4.90	
4E7519	380-8	ST	EXT	8	380.0	210.0	6.80	
5C0857	120-37	ST	EXT	37	119.7	69.8	2.70	
5D6327	515-100	ST	EXT	100	514.9	328.5	2.30	
5D6329	495-62	PA	INT	62	495.0	308.0	5.00	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
5K8616	289-8	ST	INT	8	288.6	194.1	2.00
5K8617	306-95	PA	EXT	95	305.5	213.0	3.80
5V0009	487-94	ST	EXT	94	487.2	318.5	2.40
5W5690	179-35-A	PA	INT	35	179.0	103.0	3.50
618500	381-10	ST	EXT	5	381.5	285.7	5.00
643847	206-64	ST	EXT	64	205.5	145.5	1.80
6A6486	110-18	PA	INT	18	109.5	54.6	5.30
6D2358	106-18	PA	INT	18	106.0	43.2	2.50
6D8977	106-30	PA	INT	30	106.0	46.2	2.50
6I8030	423-18	PA	INT	18	423.4	87.6	9.20
6I8500	382-10	ST	EXT	10	381.5	285.5	5.00
6P3089	144-36-A	PA	INT	36	144.0	88.4	3.00
6P7968	197-28	ST	EXT	28	197.3	139.1	3.20
6T 6283	82103	PA		34	100.0	72.9	1.50
6T 8533	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
6T 9486	340-0	ST		0	340.0	133.3	1.50
6T0871	480-64-A	ST	EXT	64	479.6	342.5	3.20
6T2696	394-88-A	PA	INT	88	393.6	273.2	4.70
6T4944	278-75	PA	EXT	75	277.7	189.0	3.30
6T5099	148-52-17G	PA	INT	52	148.5	107.6	1.70
6T6277	82100	ST		24	108.0	76.3	1.80
6T7014	495-62	PA	INT	62	495.0	308.0	5.00
6T7015	463-60	PA	INT	60	462.8	300.0	5.30
6T8686	216-54-A	PA	INT	54	215.8	168.4	2.90
6T8687	144-36-A	PA	INT	36	144.0	88.4	3.00
6T9194	139-54	ST	INT	54	139.1	98.5	1.80
6T9456	154-60-3	ST	EXT	60	154.2	113.8	3.00
6Y 2085	300-18	PA	INT	18	300.0	65.2	7.00
6Y 7961	106-30	PA	INT	30	106.0	46.2	2.50
6Y1268	480-64-A	ST	EXT	64	479.6	342.5	3.20
6Y1320	382-10	ST	EXT	10	381.5	285.5	5.00
6Y1697	216-54-A	PA	INT	54	215.8	168.4	2.90
6Y2024	480-64-A	ST	EXT	64	479.6	342.5	3.20
6Y2027	311-101	PA	INT	101	311.3	252.8	5.10
6Y2082	380-18	PA	INT	18	380.0	79.3	9.10
6Y2083	270-18	PA	INT	18	270.0	60.0	7.00
6Y2084	402-18	PA	INT	18	402.0	83.0	9.20
6Y2089	423-18	PA	INT	18	423.4	87.6	9.20
6Y5352	281-61	PA	INT	61	281.5	220.0	4.90
6Y5631	139-54-3	ST	EXT	54	139.1	98.5	3.00
6Y5911	345-75	PA	INT	75	345.1	271.0	5.50
6Y5912	240-48	PA	INT	48	240.0	172.7	5.00
6Y5913	333-18	PA	INT	18	333.2	70.0	8.40
6Y5914	216-54-A	PA	INT	54	215.8	168.4	2.90
6Y5915	265-81	PA	INT	81	264.9	201.7	4.70

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
6Y7068-	133-45-D4	PA	INT	45	133.2	92.8	4.20	
6Y7909	110-18	PA	INT	18	109.5	54.6	5.30	
6Y7914	306-95	PA	EXT	95	305.5	213.0	3.80	
6Y7915	256-54	PA	INT	54	255.6	168.4	2.80	
6Y7916	306-64	PA	INT	64	306.2	198.5	3.50	
6Y7917	408-88	PA	INT	88	407.8	274.0	4.00	
6Y7919	121-24	PA	INT	24	120.7	73.3	3.00	
6Y7920	278-75	PA	EXT	75	277.7	189.0	3.30	
6Y7921	225-32	PA	EXT	32	224.9	165.2	4.30	
6Y7922	160-52	PA	INT	52	160.0	108.2	4.00	
6Y7923	281-40	PA	EXT	40	280.5	200.0	4.30	
6Y7929	133-45-BG	PA	INT	45	133.2	92.3	2.20	
6Y7933	148-52-18G	PA	INT	52	148.5	107.6	1.80	
6Y7934	144-36-A	PA	INT	36	144.0	88.4	3.00	
6Y7935	216-54-A	PA	INT	54	215.8	168.4	2.90	
6Y7946	394-88-A	PA	INT	88	393.6	273.2	4.70	
6Y7950	216-54	PA	INT	54	216.0	135.0	4.60	
6Y7956	178-24	PA	INT	24	177.8	73.3	5.30	
6Y7962	106-18	PA	INT	18	106.0	43.2	2.50	
6Y7965	216-54-A	PA	INT	54	215.8	168.4	2.90	
6Y7968	134-45	PA	INT	45	133.6	93.0	4.00	
6Y7970	270-18	PA	INT	18	270.0	60.0	7.00	
6Y7972	216-54-38	PA	INT	54	216.0	135.0	3.80	
6Y7981	225-32	PA	EXT	32	224.9	165.2	4.30	
6Y9354	480-64-A	ST	EXT	64	479.6	342.5	3.20	
6Y9373	394-88	PA	INT	88	393.5	273.3	4.70	
6Y9432	480-64-A	ST	EXT	64	479.6	342.5	3.20	
704853	216-54-38	PA	INT	54	216.0	135.0	3.80	
7D7504	515-100	ST	EXT	100	514.9	328.5	2.30	
7D8434	323-100	ST	EXT	100	322.8	226.6	1.80	
7G0437	336-6	ST	EXT	6	336.0	233.0	3.20	
7G3129	345-75	PA	INT	75	345.1	271.0	5.50	
7G5377	154-60-3	ST	EXT	60	154.2	113.8	3.00	
7T5726	394-88	PA	INT	88	393.5	273.3	4.70	
7T6994	410-128	ST	EXT	128	409.8	292.0	3.20	
7T7067	495-62	PA	INT	62	495.0	308.0	5.00	
7T7772	216-54-A	PA	INT	54	215.8	168.4	2.90	
8D1647	408-88	PA	INT	88	407.8	274.0	4.00	
8D1648	422-132	ST	EXT	132	422.5	302.5	2.30	
8D2421	306-64	PA	INT	64	306.2	198.5	3.50	
8D8794	277-86	ST	EXT	86	278.9	187.5	1.50	
8D8796	256-54	PA	INT	54	255.6	168.4	2.80	
8E1204	281-40	PA	EXT	40	280.5	200.0	4.30	
8E8832	148-52-18G	PA	INT	52	148.5	107.6	1.80	
8E8832	148-52-17G	PA	INT	52	148.5	107.6	1.70	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
8I4483	118-33	PA	INT	33	118.0	68.2	2.20	
8I4484	129-4	ST	EXT	4	129.0	76.0	1.50	
8K507	178-24	PA	INT	24	177.8	73.3	5.30	
8M8651	411-10	ST	EXT	5	411.5	317.5	6.30	
8P1656	353-10	ST	EXT	10	353.0	262.5	6.30	
8P1964	252-36	ST	EXT	36	252.0	186.0	4.00	
8P2051	382-10	ST	EXT	10	381.5	285.5	5.00	
8P8680	311-101	PA	INT	101	311.3	252.8	5.10	
8P8682	216-54-A	PA	INT	54	215.8	168.4	2.90	
8P8683	265-81	PA	INT	81	264.9	201.7	4.70	
8P9293	185-35	PA	INT	35	184.7	125.8	4.90	
8P9294	281-61	PA	INT	61	281.5	220.0	4.90	
8S3522	353-10	ST	EXT	10	353.0	262.5	6.30	
8U2375	233-48	PA	INT	48	232.7	142.0	4.00	
8U2376	244-81-25	ST	EXT	81	243.6	153.0	2.50	
8U9543	233-48	PA	INT	48	232.7	142.0	4.00	
8Y7915	256-54	PA	INT	54	255.6	168.4	2.80	
909258	227-53	ST	EXT	53	227.0	143.0	2.50	
9G7463	595-12	ST	EXT	12	595.4	454.1	6.30	
9G8542	133-45-BG	PA	INT	45	133.2	92.3	2.20	
9G9883	584-12-A	ST	EXT	12	584.0	454.1	6.30	
9M2176	286-65	PA	INT	65	285.8	204.4	5.00	
9M7471	370-72	ST	EXT	72	370.0	222.2	6.35	
9N4331	595-12	ST	EXT	12	595.4	454.1	6.30	
9N4332	584-12-A	ST	EXT	12	584.0	454.1	6.30	
9N4333	529-12	ST	EXT	12	529.0	408.0	6.70	
9P1861	240-48	PA	INT	48	240.0	172.7	5.00	
9P7101	266-6	ST	EXT	6	265.7	177.9	3.20	
9P7390	345-75-G	PA	INT	75	345.1	271.0	5.50	
9R 2477-	205-22-BZ	BZ	INT	22	204.5	53.3	4.80	
9R2476	209-2-A	ST	EXT	2	209.3	114.3	2.70	
9R9401	209-2-B	ST	EXT	2	209.3	121.0	4.50	
9S5209	129-40	ST	EXT	40	128.8	83.1	3.20	
9S5211	235-12	ST	EXT	12	234.8	177.8	3.20	
9S5261	252-6	ST	EXT	6	254.0	178.3	3.20	
9S8789	411-10	ST	EXT	5	411.5	317.5	6.30	
9S8792	305-10	ST	EXT	10	304.8	213.4	6.30	
9S9922	386-10	ST	EXT	10	385.6	263.6	6.30	
9U1738	463-62	PA	INT	62	462.8	192.7	6.10	
9U1739	487-94-A	ST	EXT	94	486.5	297.1	7.00	
9V6165	487-94	ST	EXT	94	487.2	318.5	2.40	
9W1735	133-45-BG	PA	INT	45	133.2	92.3	2.20	
9W7018	495-62	PA	INT	62	495.0	308.0	5.00	
9W7019	463-60	PA	INT	60	462.8	300.0	5.30	
9W7464	410-128	ST	EXT	128	409.8	292.0	3.20	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
BK 509	189-44	ST	EXT	44	189.3	178.9	4.50
<b>CHAMPION</b>							
11299	143-8	ST	EXT	8	142.5	99.3	1.60
11300	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
14743	154-60	ST	EXT	60	154.2	113.8	1.80
28304	139-54	ST	INT	54	139.1	98.5	1.80
28305	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
28310	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
28311	139-54	ST	INT	54	139.1	98.5	1.80
37170	343-53	PA	INT	53	342.6	220.5	6.30
37171	355-83-63	ST	EXT	83	354.8	238.7	6.30
41092	133-45-A	PA	INT	45	133.2	92.8	1.60
49987	355-83-63	ST	EXT	83	354.8	238.7	6.30
87537	355-83-35	ST	EXT	83	354.8	238.7	3.50
<b>CHRYSLER</b>							
1636262	149-8	ST		8	148.7	105.0	1.75
2801167	22595B	PA		62	169.7	134.0	2.30
2801992	22642A	PA		62	169.7	134.0	1.50
2892551	12760B	PA		45	125.8	97.6	1.50
4348894	32761	PA		47	124.3	97.7	2.30
4377134	92134	PA		32	154.0	127.0	1.80
4377135	92147	PA		31	154.0	127.0	2.20
4377137	92137	PA		28	138.0	109.0	2.20
4377138	92138	PA		28	138.0	109.0	1.80
4412247	92135	ST		14	162.3	133.6	2.50
4471439	32761	PA		47	124.3	97.7	2.30
4531024	32762	PA		49	124.3	101.9	2.00
4531175	32762	PA		49	124.3	101.9	2.00
4549996	32761	PA		47	124.3	97.7	2.30
4567212	92147	PA		31	154.0	127.0	2.20
4567887	32761	PA		47	124.3	97.7	2.30
4567910	92135	ST		14	162.3	133.6	2.50
4659054	92135	ST		14	162.3	133.6	2.50
4659635	92138-A	PA		28	138.0	109.0	1.80
4799860AA	92147	PA		31	154.0	127.0	2.20
5205675	32761	PA		47	124.3	97.7	2.30
522185	32760	PA		47	124.2	97.7	1.80
5224084	32762	PA		49	124.3	101.9	2.00
<b>CLAAS</b>							
0011317690	169-60	PA	INT	60	169.4	124.7	2.80
<b>CLARK</b>							
1018126	314-7	ST	EXT	7	314.0	227.0	2.70
1018143	292-60	PA	INT	60	292.0	207.1	3.80

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
1018338	314-21	ST	EXT	21	314.0	227.0	2.70	
121294	219-14	ST	EXT	14	218.9	158.8	2.70	
210 8994	474-30	ST	EXT	30	473.6	338.2	4.70	
2106605	414-12	ST	EXT	12	413.9	254.1	4.80	
2106606	394-36-6	PA	INT	36	394.3	237.3	6.20	
2108352	394-36-5	PA	INT	36	394.3	237.3	5.20	
2108427	477-9	ST	EXT	9	477.5	338.2	4.80	
2110852	394-36-5	PA	INT	36	394.3	237.3	5.20	
2110864	414-12	ST	EXT	12	413.9	254.1	4.80	
2111847	499-48	ST	EXT	48	498.7	338.3	4.70	
217140	257-16	ST	EXT	16	257.0	190.6	2.70	
217162	219-14	ST	EXT	14	218.9	158.8	2.70	
217163	195-60	BZ	INT	60	194.5	145.0	4.00	
224246	156-4-16	ST	EXT	4	155.6	116.0	1.60	
224246-	156-4	ST	EXT	4	155.6	116.0	1.70	
224338	340-0	ST		0	340.0	133.3	1.50	
224772	154-60	ST	EXT	60	154.2	113.8	1.80	
224774	154-60-B	ST	EXT	60	154.4	113.5	7.80	
232285	257-16	ST	EXT	16	257.0	190.6	2.70	
232394	219-14	ST	EXT	14	218.9	158.8	2.70	
232395	314-21	ST	EXT	21	314.0	227.0	2.70	
232635	257-16	ST	EXT	16	257.0	190.6	2.70	
232778	195-60	BZ	INT	60	194.5	145.0	4.00	
232780	292-60	PA	INT	60	292.0	207.1	3.80	
234108	133-45-23Z	BZ	INT	45	133.1	92.7	2.30	
234109	139-54	ST	INT	54	139.1	98.5	1.80	
234324	139-54-E	ST	INT	54	139.1	98.5	3.50	
234336	133-45-23Z	BZ	INT	45	133.1	92.7	2.30	
236989	148-52-29Z	BZ	INT	52	148.5	107.4	2.90	
237016	133-45-23Z	BZ	INT	45	133.1	92.7	2.30	
238174	219-14	ST	EXT	14	218.9	158.8	2.70	
238310-	314-7	ST	EXT	7	314.0	227.0	2.70	
238609	148-52-25	PA	INT	52	148.5	107.6	2.50	
238609-	148-52-B	PA	INT	52	148.5	107.6	2.90	
242530	133-45-23Z	BZ	INT	45	133.1	92.7	2.30	
243691	183-71	ST	EXT	71	182.7	118.0	1.80	
244980	183-71	ST	EXT	71	182.7	118.0	1.80	
245238	129-4	ST	EXT	4	129.0	76.0	1.50	
245239	118-33	PA	INT	33	118.0	68.2	2.20	
245741	133-45-E	PA	INT	45	133.2	92.8	2.30	
246614	363-8	ST	EXT	8	363.0	133.5	0.50	
246744	118-33	PA	INT	33	118.0	68.2	2.20	
247273	183-71	ST	EXT	71	182.7	118.0	1.80	
247274	154-60	ST	EXT	60	154.2	113.8	1.80	
2787359	143-26	ST	EXT	26	143.0	89.5	2.30	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
2787368	143-26	ST	EXT	26	143.0	89.5	2.30
2794675	127-40-27	PA	INT	40	127.0	82.0	2.70
2810118	148-52-BK	PA	INT	52	148.5	107.6	3.00
2821953	127-40-27	PA	INT	40	127.0	82.0	2.70
887983	190-59-BZ	BZ	INT	59	190.0	147.0	3.00
912233	179-10	ST	EXT	10	178.6	135.7	1.70
927618	152-6-A4	ST	EXT	6	152.3	95.0	4.00
927620	152-6-A	ST	EXT	6	152.3	95.0	2.00
999 729	162-63	PA	INT	63	162.3	125.0	2.00
999730	167-26	ST	EXT	26	166.6	130.0	2.00
999736	162-88	PA	INT	88	162.0	125.2	2.00
TBA20	148-52-2	PA	INT	52	148.5	107.6	2.00
TBA21	148-52-A	PA	INT	52	148.5	107.6	2.00
<b>DAEWOO</b>							
1.222-00031	233-48	PA	INT	48	232.7	142.0	4.00
1.222-00046	244-81	ST	EXT	81	243.6	152.8	2.00
2.222-00047	196-64	PA	EXT	64	196.3	142.0	2.30
2.222-00048	196-64-A	PA	EXT	64	196.3	142.0	1.90
3200513	345-75-A42	ST	EXT	75	345.0	243.0	4.20
7T2742	340-0	ST		0	340.0	133.3	1.50
A213070	122-24-A	ST	INT	24	122.4	65.8	3.00
A233399	246-6-A	ST	EXT	6	246.3	162.2	3.50
A233400	228-14	PA	INT	14	228.2	48.4	3.20
A403027	220-47	PA	INT	47	219.9	90.5	3.80
A403028	235-3	ST	EXT	3	235.2	153.0	2.50
D141112	216-54	PA	INT	54	216.0	135.0	4.60
D141113	148-52-18G	PA	INT	52	148.5	107.6	1.80
D161368	340-0	ST		0	340.0	133.3	1.50
D700251	227-53	ST	EXT	53	227.0	143.0	2.50
D700497	340-0	ST		0	340.0	133.3	1.50
K9004084	263-8	PA	EXT	8	262.6	155.4	4.40
K9004158	236-36	ST	INT	36	235.8	144.3	2.50
<b>DAIHATSU</b>							
126-30	126-30	PA		30	126.1	108.2	1.80
132-30	132-30	PA	INT	30	131.9	108.2	1.50
138-30-A	138-30-A	PA	INT	30	138.2	108.2	1.45
85-30	85-30	PA	INT	30	85.0	62.7	1.50
<b>DANA</b>							
42529	42529	PA	EXT	4	130.2	64.3	2.30
42591	42591	PA	EXT	4	130.2	64.3	2.30
CKC64525	127-40	PA	INT	40	127.0	82.0	2.50
CKC68632	127-40	PA	INT	40	127.0	82.0	2.50
CKC68633	143-26	ST	EXT	26	143.0	89.5	2.30

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>DAVID BROWN</b>							
K 9047959	162-50	ST	EXT	50	162.0	117.5	1.70
K 940 877	155-30	PA	INT	30	155.3	60.0	2.50
<b>DEMAG</b>							
53932273	76-37	ST	EXT	37	75.5	57.0	1.20
53932373	71-27	BZ	INT	27	71.0	52.6	1.70
<b>DESTA</b>							
408 49003	216-46	PA	INT	46	216.0	158.0	3.20
<b>DEUTZ</b>							
0.900.0124.7	189-46-B	BZ	EXT	46	189.2	136.2	3.20
0.900.0125.4	178-12-A	ST	INT	12	178.0	117.2	2.00
0.900.0952.7	178-12-A	ST	INT	12	178.0	117.2	2.00
0.900.1131.6	253-12	PA	EXT	12	253.0	180.5	2.50
0.900.1377.2	178-41-A2	ST	INT	41	177.6	119.0	2.00
0441 7527	223-28	PA	INT	28	223.2	56.0	4.50
0441 7528	254-4	ST	EXT	4	254.0	150.0	2.70
04416412	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
04416413	131-29-2	ST	INT	29	131.0	85.2	2.00
04417344	157-6-B	ST	EXT	6	156.9	102.1	1.75
04417600	189-46-C	BZ	EXT	46	189.2	132.0	2.60
04433619	233-40	ST	INT	40	232.5	160.5	2.70
<b>EATON</b>							
B217104	164-6	ST	EXT	6	163.7	85.8	4.00
B221015	247-27	PA	INT	27	246.7	113.9	2.00
<b>EUCLID</b>							
0232395	314-21	ST	EXT	21	314.0	227.0	2.70
4050720	319-62	PA	INT	62	318.7	259.5	3.50
4050728	372-73	BZ	INT	73	371.5	302.8	5.20
4058551	372-72	PA	INT	72	371.5	303.0	5.30
4058554	372-73	BZ	INT	73	371.5	302.8	5.20
4095205	219-14	ST	EXT	14	218.9	158.8	2.70
4095310	257-16	ST	EXT	16	257.0	190.6	2.70
E4050720	319-62	PA	INT	62	318.7	259.5	3.50
E4050741	254-60	BZ	INT	60	253.6	187.4	4.00
E4095205	219-14	ST	EXT	14	218.9	158.8	2.70
<b>FAI</b>							
CA0133924	151-6-25	ST	EXT	6	151.0	98.0	2.50
CA01366155	230-64	ST	EXT	64	229.8	152.8	5.00
CA0119682	261-27	PA	INT	27	260.8	66.0	10.10
CA0132690	272-36	PA	INT	36	271.9	71.1	5.00
CK0245238	278-46	PA	INT	46	277.7	228.0	3.00
CK0245239	118-33	PA	INT	33	118.0	68.2	2.20

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
HU734 740 2R	219-6	ST	EXT	6	219.5	145.5	2.70
HU734 761 2R	201-16-A	PA	INT	16	201.0	40.6	4.80
MI 3148073	304-14	PA	INT	14	303.7	57.0	10.00
MI3182613	151-6	ST	EXT	6	151.0	98.0	1.80
MI3183123	133-45-G	PA	INT	45	133.2	92.8	1.60
<b>FANTUZZI</b>							
1K507275223	358-70	ST	EXT	70	357.8	229.5	5.00
1K507275293	341-42-B	PA	INT	42	340.8	206.0	5.50
1K507275303	488-96-6	ST	EXT	96	487.6	310.0	6.00
1K5072753773	488-96	ST	EXT	96	487.6	310.0	4.00
D209 507-275-243	466-60	PA	INT	60	465.5	184.2	5.60
D210/507-275-303	488-96-6	ST	EXT	96	487.6	310.0	6.00
D210/507-275-773	488-96	ST	EXT	96	487.6	310.0	4.00
IK507275343	466-60	PA	INT	60	465.5	184.2	5.60
<b>FENDT</b>							
138.105.220.250	140-28-2	ST	INT	28	139.7	80.6	2.00
178.100.200.010	140-28-B	ST	INT	28	139.7	80.6	2.00
178.100.220.510	168-44	ST	INT	44	167.9	105.0	2.50
178.100.220.520	168-44-W	ST	INT	44	167.9	105.0	2.50
178.100.220.540	181-6	PA	EXT	6	181.0	115.0	3.50
182.111.200.130	155-8	PA	EXT	8	154.8	98.0	3.30
205.100.200.500	155-8	PA	EXT	8	154.8	98.0	3.30
238.108.220.300	140-28-25	ST	INT	28	139.7	80.6	2.50
395100201410	140-28-3	ST	INT	28	139.7	80.6	3.00
70806276	160-40-A	ST	INT	40	160.0	117.0	2.00
70806278.P	162-44-B	ST	INT	44	162.0	105.2	2.00
70806278-P	173-68-BZ	BZ	EXT	68	173.0	118.2	3.00
716.150.220.660	178-41-C	ST	INT	41	178.0	119.0	2.50
822100010120	178-41-BZ	BZ	INT	41	178.0	119.0	2.60
934.152.220.480	188-73	BZ	EXT	73	188.0	134.4	2.80
F180101320220	172-8-BZ	BZ	EXT	8	171.8	124.2	2.10
<b>FERMEC</b>							
6190105M1	143-26	ST	EXT	26	143.0	89.5	2.30
6190106M1	127-40	PA	INT	40	127.0	82.0	2.50
6190295M1	215-13	PA	INT	13	214.5	36.3	10.00
6193507	139-54-H	PA	EXT	54	139.1	98.5	1.90
6193508	133-45-ST	ST	INT	45	133.2	92.8	2.00
6193509	139-54-G	PA	EXT	54	139.1	98.5	2.60
<b>FERRARI</b>							
115-3	115-3-B	ST	EXT	3	114.9	65.0	1.50
<b>FIAT HITACHI</b>							
047 61032	340-0	ST		0	340.0	133.3	1.50
048 19283	340-0	ST		0	340.0	133.3	1.50

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
760 38191-	345-15	PA		15	344.5	71.0	8.00
<b>FIAT ALLIS</b>							
005 08053	152-40	ST	INT	40	152.4	82.2	1.60
049 13971	139-54-3	ST	EXT	54	139.1	98.5	3.00
051 19222	165-22	PA	INT	22	165.0	41.0	4.80
051 23165	165-22	PA	INT	22	165.0	41.0	4.80
051 59830	165-22	PA	INT	22	165.0	41.0	4.80
095 02757	154-60	ST	EXT	60	154.2	113.8	1.80
099 26135	317-63-BZ	BZ	INT	63	317.4	250.0	3.50
499 7208	261-14	PA	INT	14	260.0	50.5	10.00
511 9327	183-2	ST	EXT	2	170.0	93.0	2.70
518 4313	261-14	PA	INT	14	260.0	50.5	10.00
706 23463	343-53	PA	INT	53	342.6	220.5	6.30
706 23464	355-83-63	ST	EXT	83	354.8	238.7	6.30
706 42146	202-56	ST	EXT	56	202.2	136.9	2.30
706 42147	228-64	ST	EXT	64	227.5	157.9	2.70
706 42453	355-83-63	ST	EXT	83	354.8	238.7	6.30
706 45451	343-53-A	PA	INT	53	342.6	220.5	5.00
706 45451	343-53	PA	INT	53	342.6	220.5	6.30
706 57967	267-72	ST	INT	72	266.5	179.6	2.70
706 58187	267-72	ST	INT	72	266.5	179.6	2.70
706 76092	276-108	PA	EXT	108	276.2	191.5	3.70
70657979	276-108	PA	EXT	108	276.2	191.5	3.70
70658188	276-108	PA	EXT	108	276.2	191.5	3.70
710 04870	154-60	ST	EXT	60	154.2	113.8	1.80
714 02753	173-36	PA	INT	36	173.0	130.4	3.20
714-02-884	190-60-A	PA	INT	60	189.6	155.2	4.00
730 47703	304-57	PA	INT	57	303.6	235.3	4.00
730 58783	254-60	BZ	INT	60	253.6	187.4	4.00
730 76679	254-60	BZ	INT	60	253.6	187.4	4.00
730 77153	304-57	PA	INT	57	303.6	235.3	4.00
731 18088	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
731 18089	139-54	ST	INT	54	139.1	98.5	1.80
731 18133	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
731 29164	148-52-29Z	BZ	INT	52	148.5	107.4	2.90
731 43004	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
760 33959	325-54	PA	INT	54	324.6	224.6	4.50
760 36047	360-57	PA	INT	57	360.0	237.0	4.50
760 38136	308-15	PA	INT	15	308.0	71.0	0.00
760 38191	345-15	PA		15	344.5	71.0	8.00
760 43023	174-68-A	ST	EXT	68	173.9	113.4	1.70
760 43024	160-52-A	PA	INT	52	159.9	107.6	2.30
760 43194	400-33	PA	INT	33	399.5	122.5	6.20
760 43195	419-20	ST	EXT	20	418.7	310.9	5.00

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
760 45016	344-33	PA	INT	33	343.5	122.5	6.50
760 45017	359-16	ST	EXT	16	359.0	264.0	5.00
760 48137	360-57	PA	INT	57	360.0	237.0	4.50
760 87703	419-20	ST	EXT	20	418.7	310.9	5.00
790 10056	208-68	PA	EXT	68	208.0	145.0	3.50
790 57506	208-68	PA	EXT	68	208.0	145.0	3.50
790 72917	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
791 08023	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
85808338	139-54-H	PA	EXT	54	139.1	98.5	1.90
85808340	139-54-G	PA	EXT	54	139.1	98.5	2.60
9449008	133-45-DS	PA	INT	45	133.2	92.8	2.50
9449009	139-54-23	ST	EXT	54	139.1	98.5	2.30
9460066	162-44	PA	INT	44	162.0	105.5	2.00
<b>FORD</b>							
180 2479-	205-22-BZ	BZ	INT	22	204.5	53.3	4.80
1802479	204-22-48Z	BZ	INT	22	204.5	53.3	4.80
1808604	139-54	ST	INT	54	139.1	98.5	1.80
1808607	154-60	ST	EXT	60	154.2	113.8	1.80
183 0026	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
1L5Z-7B164BA	56304E	PA	INT	48	124.5	97.0	1.70
1P77518A	139-54	ST	INT	54	139.1	98.5	1.80
1P77519A	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
328110161	175-19	PA	INT	19	175.0	31.9	4.00
395-5538	209-2-A	ST	EXT	2	209.3	114.3	2.70
4993585	304-14	PA	INT	14	303.7	57.0	10.00
5F9Z-7B164AA	167-30-A	PA	INT	30	166.5	136.3	1.60
8180 2479	205-22-BZ	BZ	INT	22	204.5	53.3	4.80
81866478	264-4	ST	EXT	4	264.0	147.0	2.70
82001251	155-63	PA	INT	63	155.0	114.9	2.40
83925696	148-52-29Z	BZ	INT	52	148.5	107.4	2.90
83DT-7B164A1A	56404B	PA		72	118.1	95.1	1.80
83DT-7D164B1A	56304B	PA		48	124.5	97.0	1.70
86014787	368-17	PA	INT	17	367.5	78.8	9.50
87791077	120-29	ST	EXT	29	119.6	88.7	1.00
87991078	113-38	PA	INT	38	112.9	77.0	1.60
87CT-7B164-BA	43100	PA		0	168.0	0.0	0.00
87CT-7B164-BA-	168-24	PA		0	168.0	0.0	0.00
87CT-7B442-AA	43101	ST		8	176.0	125.0	2.00
89823827	154-60-25	ST	EXT	60	154.2	113.8	2.50
9846513	198-29	PA	INT	29	198.0	119.2	2.70
B8SZ7B164B	148-52-16	PA	INT	52	148.5	107.6	1.60
CONN7B164A	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
CONN7B164B	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
CONN7B164D	133-45-A	PA	INT	45	133.2	92.8	1.60

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
C0NN7B164S	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
C2AZ-7B164A	6221F	PA		45	133.4	93.0	2.40
C4AZ-7B164C	26304A	PA		42	115.8	90.1	2.30
C5AZ-7B164B	26304B	PA		42	115.8	90.1	2.00
C5NN2A097A	224-22A-BZ	BZ	INT	22	224.0	53.3	4.80
C5NN2A097B	204-22-48Z	BZ	INT	22	204.5	53.3	4.80
C5NN2A097B-	205-22-BZ	BZ	INT	22	204.5	53.3	4.80
C5NN2N315A	228-2	ST	EXT	1	228.0	127.0	2.60
C5NN2N315A	228-1-1	ST	EXT	1	228.0	127.0	2.60
C5NN2N315B	209-2-A	ST	EXT	2	209.3	114.3	2.70
C5NN7N065A	139-54-F	ST	EXT	54	139.1	98.5	5.00
C5NNP743A	133-45-2Z	BZ	INT	45	133.1	92.7	2.00
C6AZ-7B164C	36504A	PA		72	172.6	142.1	2.00
C7NN2A097B	224-22A-BZ	BZ	INT	22	224.0	53.3	4.80
C7NN7B442A	171-40	ST	EXT	40	171.0	130.0	1.40
C8AP7B442A	139-54	ST	INT	54	139.1	98.5	1.80
C8AZ-7B164A	36304	PA		64	162.0	128.0	2.00
C8AZ-7B164D	26404BR	PA		42	115.8	90.1	1.50
C8AZ-7B164D	26404B	PA		42	115.8	90.1	1.50
C8AZ-7B164G	6221G	PA		45	133.4	93.0	2.00
C9NN7R004A	239-15	ST	EXT	15	239.0	190.5	3.00
C9NNP743A	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
C9NNP743A/C/D/E	148-52-23	BZ	INT	52	148.5	107.6	2.30
C9NNP743B	133-45-2Z	BZ	INT	45	133.1	92.7	2.00
C9NNP743C	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
C9NNP743D	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
C9NNP743E	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
COAZ-7B164C	6204N	PA		45	133.4	93.0	1.90
D1NNP743A	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
D2AZ-7B164A	36404AR	PA		96	162.0	128.0	1.50
D2AZ-7B164A	36404A	PA		96	162.0	128.0	1.50
D2AZ-7B164B	36404B	PA		96	162.0	128.0	2.00
D2NN7R000A	229-80-A	BZ	INT	80	229.0	168.5	2.10
D2NN7R174A	154-60	ST	EXT	60	154.2	113.8	1.80
D3NNP743A	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
D4AA-7B164B	56304B	PA		48	124.5	97.0	1.70
D4AA-7B164B	56304	PA		48	124.5	97.0	2.00
D4ZZ-7B164A	56404B	PA		72	118.1	95.1	1.80
D4ZZ-7B164A	56404	PA		72	118.1	95.1	2.00
D6NNC730A	154-60	ST	EXT	60	154.2	113.8	1.80
D8NNC736BB	D8NNC736BB	BZ		0	0.0	0.0	7.00
D8NNC737BB	D8NNC737BB	BZ		0	0.0	0.0	7.00
D8NNP743JA	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
DOAP-7B164A	6204G	PA		45	133.4	93.0	1.50
E0NN70311AA	148-52-29Z	BZ	INT	52	148.5	107.4	2.90

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
E0NN7R000AB	229-80-B	BZ	INT	80	229.0	168.5	4.50	
E0NN7Z031AA	148-52-29Z	BZ	INT	52	148.5	107.4	2.90	
E0NNP743AA	133-45-2Z	BZ	INT	45	133.1	92.7	2.00	
E3ZZ-7B164A	56404	PA		72	118.1	95.1	2.00	
E3ZZ-7B164B	56304	PA		48	124.5	97.0	2.00	
E5NNP743AA	148-52-23Z	BZ	INT	52	148.5	107.4	2.30	
E5TZ-7B164A	56304A	PA		16	124.5	100.1	2.00	
E5TZ-7B164A	56304C	PA		16	124.5	100.1	1.80	
E6NN 2N315BB	209-4	ST	EXT	4	209.3	84.7	2.70	
E6NN2A097BB	204-22-K	PA	INT	22	204.0	53.4	4.90	
E6NN2A315BB	236-4	ST	EXT	4	209.3	84.7	2.70	
E6NN2N315AA	228-2-C	ST	EXT	8	228.0	147.0	2.70	
E92Z-7B442A	71111	ST		8	151.3	122.2	1.60	
E92Z-7B442B	71112	ST		32	136.6	112.3	1.60	
E92Z-7B442C	71113	ST		12	202.2	180.6	1.60	
E92Z-7B442D	71114A	ST		29	123.6	102.2	1.60	
E9NN2A097AA	205-22-48Z	BZ	INT	22	204.5	53.3	4.80	
E9NN2N315CB	264-4	ST	EXT	4	264.0	147.0	2.70	
E9TZ-7B442-E	36305	ST		26	166.5	130.0	2.00	
EOAZ-7B164B	76504	PA		45	133.4	93.0	2.00	
EOAZ-7B164C	76304	PA		42	118.0	87.0	2.00	
EOAZ-7B164D	76604	PA		60	179.6	143.1	2.00	
F02Z-7B442A	71114-B	ST		29	123.6	102.2	2.30	
F0TZ-7B442B	128-20	ST	EXT	20	128.3	100.6	1.60	
F1CZ 7B164 A	74101	PA		42	126.5	109.2	1.60	
F1CZ 7B164 A	74101X	PA		42	126.5	109.2	1.80	
F1CZ 7B164 B	74102	PA		16	115.0	97.2	1.60	
F1CZ 7B164 B	74102X	PA		16	115.0	97.2	1.80	
F1CZ 7B164 C	74103	PA		45	175.0	159.7	1.60	
F1CZ 7B164 C	74103X	PA		45	175.0	159.7	1.80	
F1CZ 7B164 D	74104	PA		22	110.0	92.1	1.60	
F1CZ 7B164 D	74104X	PA		22	110.0	92.1	1.80	
F1CZ 7B164 E	74105	PA		48	180.0	164.8	1.60	
F1CZ 7B164 E	74105X	PA		48	180.0	164.8	1.80	
F1CZ 7B442 A	74111	ST		32	132.9	110.6	1.60	
F1CZ 7B442 B	74112	ST		26	119.4	98.3	1.60	
F1CZ 7B442 C	74113	ST		32	181.6	160.5	1.60	
F1CZ 7B442 D	74114	ST		38	114.5	93.3	1.60	
F1CZ 7B442 E	74115	ST		16	188.1	166.4	1.60	
F1CZ 7B442 F	74114A	ST		38	114.5	93.3	2.30	
F2DZ-7B442-A	96100A	ST		34	153.7	125.3	1.70	
F2NN78442AA	167-66	ST	EXT	66	167.0	119.6	1.80	
F32Z-7B442B	71114C	ST		30	123.6	102.0	3.20	
F3RZ-7B164-AA	73108	PA		24	122.9	90.6	1.60	
F3RZ-7B164B	73100	PA		32	133.9	102.5	1.60	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
F3RZ-7B164D	73102	PA		24	133.9	97.8	1.60
F5DZ 7B442-B	MG59765	ST		32	159.9	120.9	1.80
F77Z-7B164CA	124-16	PA	INT	16	124.2	97.1	1.75
F7TZ-7B164BA	56304E	PA	INT	48	124.5	97.0	1.70
F7ZZ-7B164BA	56304E	PA	INT	48	124.5	97.0	1.70
F7ZZ-7B164CA	56404G	PA		48	124.5	97.0	1.75
F8AZ-7B164BA	76305A	PA		42	119.4	90.3	1.70
FONN2N315AA	209-2-B	ST	EXT	2	209.3	121.0	4.50
P77573A1	139-54	ST	INT	54	139.1	98.5	1.80
SBA328110120	134-16	PA	INT	16	133.9	27.0	4.80
SBA328110151	155-16	PA	INT	16	155.0	26.9	3.80
SBA328110240	139-16	PA	INT	16	138.7	26.9	4.10
SBA328110250	153-19	PA	INT	19	152.8	31.9	3.40
SBA328560190	166-2	ST	EXT	2	165.6	118.2	3.20
SBA328560210	183-2-B	ST	EXT	2	182.5	135.0	3.20
SBA328560310	140-1-A	ST	OL	1	140.0	70.1	3.20
SBA328560420	140-1	ST	OL	1	139.8	103.0	2.50
SBA328560450	158-2	ST	EXT	2	157.6	90.2	2.50
T-151-6	T3328NJR	PA	INT	6	151.3	109.8	2.10
T-151-6-	T-151-6	PA	INT	6	151.3	109.4	2.10
V102754	211-8-A	ST	EXT	8	210.8	152.6	2.00
V48551	199-34	PA	INT	34	198.5	140.5	2.50
XW4Z-7B164AA	133-89	PA	INT	89	132.8	113.7	1.80
XW4Z-7B164BA	123-48	PA	INT	48	123.3	97.2	2.10
XW4Z-7B442AB	138-27	ST	EXT	27	137.6	117.8	1.75
XW4Z-7B442BA	129-20	PA	EXT	20	128.5	101.6	2.10
ZP-2002202-019	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
<b>FRISCH-FAUN</b>							
738 124 650	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
738 2519	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
7395 157	148-52-29Z	BZ	INT	52	148.5	107.4	2.90
<b>FUNK</b>							
4002254	154-60-3	ST	EXT	60	154.2	113.8	3.00
4002787	148-52-18G	PA	INT	52	148.5	107.6	1.80
4005522	148-52-18G	PA	INT	52	148.5	107.6	1.80
4005523	147-50	PA	INT	50	147.5	107.8	2.80
40121323	154-60	ST	EXT	60	154.2	113.8	1.80
4050498	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
40RC-7683	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
ATRC-7174	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
YZ101337	169-60	PA	INT	60	169.4	124.7	2.80
YZ105481	147-50	PA	INT	50	147.5	107.8	2.80
YZ105494	147-50	PA	INT	50	147.5	107.8	2.80
YZ250314	169-60	PA	INT	60	169.4	124.7	2.80

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>FURAKAWA</b>							
05503-01066	177-52	ST	INT	52	177.0	129.5	2.30
05503-01130	202-56	ST	EXT	56	202.2	136.9	2.30
314211-2135	134-38	PA	INT	38	133.9	77.2	2.80
314351-32290	259-15	PA	INT	15	259.0	51.0	7.60
314351-32320	259-3	ST	INT	3	259.1	206.2	7.00
337231-23260	134-38	PA	INT	38	133.9	77.2	2.80
345211-21110	167-34-2	PA	INT	34	167.0	105.0	2.00
346211-22240	167-34-A	PA	INT	34	167.0	105.0	2.00
384321-01030	268-21	PA	INT	21	268.2	82.0	5.10
A10502-20864	277-34	PA	INT	34	277.4	167.0	4.50
A10503-30929	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
A10504-20857	277-34	PA	INT	34	277.4	167.0	4.50
A47440-20501	277-34	PA	INT	34	277.4	167.0	4.50
A47440-30448	293-88-45	ST	EXT	88	293.0	184.5	4.50
A47440-30449	293-88-4	ST	EXT	88	293.0	184.5	4.00
A47442-30502	293-88-4	ST	EXT	88	293.0	184.5	4.00
A47442-30503	293-88-45	ST	EXT	88	293.0	184.5	4.50
<b>G.H.H</b>							
59004-143	358-70	ST	EXT	70	357.8	229.5	5.00
59004-144	341-42-B	PA	INT	42	340.8	206.0	5.50
<b>GALION</b>							
D 72803	154-60	ST	EXT	60	154.2	113.8	1.80
D139209	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
D72330	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
D72372	190-59-BZ	BZ	INT	59	190.0	147.0	3.00
D72757	195-60	BZ	INT	60	194.5	145.0	4.00
D72818	219-14	ST	EXT	14	218.9	158.8	2.70
<b>GIRLING</b>							
6432 0832	224-22A-BZ	BZ	INT	22	224.0	53.3	4.80
6432 1507	224-27-48Z	BZ	INT	27	224.0	55.1	4.80
6432 2030	178-26	BZ	INT	26	178.0	63.6	4.80
6432 2031	183-2-A	ST	EXT	2	170.0	93.0	2.70
6432 506	228-2-A	ST	EXT	2	228.0	127.0	2.50
6432 6805	209-2-A	ST	EXT	2	209.3	114.3	2.70
6432 6810	224-22A-BZ	BZ	INT	22	224.0	53.3	4.80
6432 6812	228-2	ST	EXT	1	228.0	127.0	2.60
6432 7556	204-22-48Z	BZ	INT	22	204.5	53.3	4.80
6432 7556-	205-22-BZ	BZ	INT	22	204.5	53.3	4.80
7332 0118	178-26	BZ	INT	26	178.0	63.6	4.80
7332 0201	228-2-C	ST	EXT	8	228.0	147.0	2.70
7332 0204	209-4	ST	EXT	4	209.3	84.7	2.70
7332 0209PX	204-22-K	PA	INT	22	204.0	53.4	4.90

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
7332 0284	236-4	ST	EXT	4	209.3	84.7	2.70
73320284	209-4	ST	EXT	4	209.3	84.7	2.70
73320440	205-22-48Z	BZ	INT	22	204.5	53.3	4.80
REP 643212818	224-23	PA	INT	23	224.0	69.5	4.70
<b>GRANIT</b>							
F180101320210	160-40-A	ST	INT	40	160.0	117.0	2.00
G926150220040	173-68-BZ	BZ	EXT	68	173.0	118.2	3.00
<b>GRAZIANO</b>							
3146743	325-54	PA	INT	54	324.6	224.6	4.50
3146793.	315-75	ST	EXT	75	314.6	227.0	4.00
3146803.	315-75-45	ST	EXT	75	314.6	227.0	4.50
3146813	315-75-5	ST	EXT	75	314.6	227.0	5.00
3243223	325-54	PA	INT	54	324.6	224.6	4.50
<b>GROVE</b>							
7388000075	228-45	BZ	INT	45	228.3	137.8	4.80
7388000076	243-75	ST	EXT	75	242.8	152.3	2.00
9904101483	190-59-BZ	BZ	INT	59	190.0	147.0	3.00
<b>HALLA</b>							
3146823-	345-75-A	ST	EXT	75	345.0	243.0	5.00
3146853-	383-75	ST	EXT	75	383.0	254.0	4.00
3243223-	325-54	PA	INT	54	324.6	224.6	4.50
3243233	360-57	PA	INT	57	360.0	237.0	4.50
<b>HAMM</b>							
00363898	201-16	PA	INT	16	201.0	40.6	4.80
00363901	219-6	ST	EXT	6	219.5	145.5	2.70
<b>HAMWORTHY</b>							
630.192.041	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
660.020.054	228-2-A	ST	EXT	2	228.0	127.0	2.50
660.020.138	183-2-A	ST	EXT	2	170.0	93.0	2.70
660.020.468	178-26	BZ	INT	26	178.0	63.6	4.80
660.090.529	171-40	ST	EXT	40	171.0	130.0	1.40
<b>HANOMAG</b>							
3232317M1	277-34	PA	INT	34	277.4	167.0	4.50
49118798M1	277-34	PA	INT	34	277.4	167.0	4.50
4919530M1	293-88-4	ST	EXT	88	293.0	184.5	4.00
<b>HATRA</b>							
42 90103	141-6	ST	INT	6	141.0	91.0	2.30
<b>HESTON</b>							
700108820	174-28	BZ	INT	28	174.2	85.8	6.70
<b>HILLIARD</b>							
6203-82-002-B	102-37	PA	INT	37	101.6	78.3	1.80

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>HITACHI</b>							
1139717	263-8	PA	EXT	8	262.6	155.4	4.40
1139718	236-36	ST	INT	36	235.8	144.3	2.50
<b>HURLIMANN</b>							
0.011.9203.2	178-15-A	PA	INT	15	177.7	44.2	4.80
318-30-06-10	178-15-A	PA	INT	15	177.7	44.2	4.80
<b>HURTH</b>							
111.07.015.03	200-4	ST	EXT	4	199.5	114.0	3.80
112.07.611.02	178-54-B	PA	INT	54	178.0	105.6	3.80
112.07.613.01	201-16-G	PA	INT	16	201.0	40.6	4.80
734.07.004.02	219-6	ST	EXT	6	219.5	145.5	2.70
734.07.610.023	201-16-A	PA	INT	16	201.0	40.6	4.80
738 07 005 013	202-3	ST	EXT	3	201.6	130.0	2.70
738.07.072.01	199-6	ST	EXT	6	199.6	129.6	2.70
738.07.610.042	178-19	PA	INT	19	177.9	34.0	4.80
738.07.610.042	178-19N	PA	INT	19	177.9	34.0	4.80
<b>HYDROCAR</b>							
115-24-B	115-24-B	ST	INT	24	115.0	70.8	1.50
123-29	123-29	ST	INT	29	122.7	78.1	1.50
125-10-A	125-10-A	PA	EXT	10	124.9	85.8	2.70
<b>HYSTER</b>							
106375	139-54	ST	INT	54	139.1	98.5	1.80
1311645	133-45-E	PA	INT	45	133.2	92.8	2.30
133 987	205-22-BZ	BZ	INT	22	204.5	53.3	4.80
133 989	209-2-A	ST	EXT	2	209.3	114.3	2.70
1387237	139-54-25	ST	EXT	54	139.1	98.5	2.50
1394881	139-54-6	ST	EXT	54	138.9	98.0	6.00
1463301	133-45-E26	PA	INT	45	133.2	92.8	2.60
1469300	133-45-20G	PA	INT	45	133.2	92.3	2.20
1469301	133-45-25G	PA	INT	45	133.2	92.8	2.50
1543102KIT	143-34-27	ST	EXT	34	142.9	88.0	2.70
1543102-KIT	143-34-2	ST	EXT	34	142.9	88.0	2.00
2026434	131-42	ST	EXT	42	131.4	80.0	1.60
2026434/part	131-42-48	ST	EXT	42	131.4	80.0	4.80
2026434/part-1	125-41-A	PA	INT	41	124.9	68.3	2.60
239198	202-56	ST	EXT	56	202.2	136.9	2.30
261542	216-50	ST	INT	50	215.8	154.3	2.00
261544	228-72	PA	EXT	72	227.8	165.1	3.10
292 989	305-12	ST	EXT	12	304.8	212.6	2.50
299646	148-52-18G	PA	INT	52	148.5	107.6	1.80
3045538	150-42	PA	INT	42	149.8	107.7	2.70
319596	139-54-3	ST	EXT	54	139.1	98.5	3.00
319597	133-45-B	PA	INT	44	133.2	92.3	2.20

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
328 154	270-64	PA	INT	64	270.0	197.3	3.50	
334409	133-45-BG	PA	INT	45	133.2	92.3	2.20	
334417	139-54-3	ST	EXT	54	139.1	98.5	3.00	
346796	133-45-B	PA	INT	44	133.2	92.3	2.20	
346796-G	133-45-BG	PA	INT	45	133.2	92.3	2.20	
449273	139-54	ST	INT	54	139.1	98.5	1.80	
449461	133-45-23Z	BZ	INT	45	133.1	92.7	2.30	
77806	190-59-BZ	BZ	INT	59	190.0	147.0	3.00	
78803	304-12	ST	EXT	12	304.3	212.6	2.50	
D 96464	216-50	ST	INT	50	215.8	154.3	2.00	
H292989	304-12	ST	EXT	12	304.3	212.6	2.50	
<b>HYUNDAI</b>								
125-41-B	125-41-B	PA	INT	41	125.0	68.5	2.70	
143-30-C	143-30-C	PA	INT	30	142.6	115.0	1.80	
149-27	149-27	PA	EXT	27	148.6	121.3	1.80	
170-36-A	170-36-A	PA	INT	36	169.7	144.4	1.60	
179-36-B	179-36-B	PA	INT	36	178.9	136.2	1.60	
3146763	360-57	PA	INT	57	360.0	237.0	4.50	
3146793-	315-75	ST	EXT	75	314.6	227.0	4.00	
3146803-	315-75-45	ST	EXT	75	314.6	227.0	4.50	
3146813.	315-75-5	ST	EXT	75	314.6	227.0	5.00	
3146823	345-75-A38	ST	EXT	75	345.0	243.0	3.80	
3146823-4	345-75-A4	ST	EXT	75	345.0	243.0	4.00	
3146833	345-75-A45	ST	EXT	75	345.0	243.0	4.50	
3146843	345-75-A	ST	EXT	75	345.0	243.0	5.00	
3146853	383-75	ST	EXT	75	383.0	254.0	4.00	
3146863	383-75-45	ST	EXT	75	383.0	254.0	4.50	
3146873	383-75-5	ST	EXT	75	383.0	254.0	5.00	
3200523	383-75-42	ST	EXT	75	383.0	254.0	4.20	
45421-39510	148-30	PA		30	148.0	116.3	1.70	
45445-39500	166-30	PA		30	166.0	145.4	1.70	
45632-39500-	179-30-A	PA		30	178.5	145.3	1.70	
81F6-31140	134-38	PA	INT	38	133.9	77.2	2.80	
ZGAQ-02220	263-8	PA	EXT	8	262.6	155.4	4.40	
ZGAQ-02221	236-36	ST	INT	36	235.8	144.3	2.50	
ZGAQ-02222	236-36-2	ST	INT	36	235.8	144.3	2.00	
ZGAQ-02330	236-36	ST	INT	36	235.8	144.3	2.50	
ZGAQ-02332	236-36-3	ST	INT	36	235.8	144.3	3.00	
ZTAM-00090	201-16-B	PA	INT	16	201.0	40.6	5.00	
ZTAM-00219	219-6	ST	EXT	6	219.5	145.5	2.70	
<b>I.H.C.</b>								
10024078AA	171-2	ST	EXT	2	171.0	94.3	2.70	
10024079AA	165-14	PA	INT	14	165.0	42.1	4.90	
10049A1	455-142	ST	EXT	142	455.0	0.0	4.00	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
1027256C1	259-15	PA	INT	15	259.0	51.0	7.60	
104712C21	203-12	PA	INT	12	203.3	47.0	4.65	
104713C21	250-5	ST	EXT	5	249.6	125.0	2.30	
114622C1	259-15	PA	INT	15	259.0	51.0	7.60	
119430A1	293-88-45	ST	EXT	88	293.0	184.5	4.50	
119431A1	293-88-4	ST	EXT	88	293.0	184.5	4.00	
119433A1	277-34	PA	INT	34	277.4	167.0	4.50	
120235C94	120235C94	ST		0	0.0	0.0	0.00	
1202681H1	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
120486C1	350-10	ST	EXT	10	350.2	192.0	2.70	
120486C2	350-10	ST	EXT	10	350.2	192.0	2.70	
120488C2	305-18	PA	INT	18	305.0	108.0	5.00	
120696C1	202-6	ST	EXT	6	201.9	103.0	3.00	
120697C2	153-45	PA	INT	45	153.0	93.5	2.50	
120699C1	178-12	ST	EXT	6	178.0	103.0	2.30	
120767C3	203-35	PA	INT	35	203.0	108.1	3.00	
120768C3	244-3-5	ST	EXT	3	244.1	119.8	5.00	
120769C2	254-15	ST	EXT	15	153.3	119.5	6.30	
1244205H1	147-50	PA	INT	50	147.5	107.8	2.80	
1251698C92	146-26	PA	INT	26	145.9	63.6	3.90	
1263329H1	179-35-A	PA	INT	35	179.0	103.0	3.50	
1264581C	305-18	PA	INT	18	305.0	108.0	5.00	
1264581C3	350-10	ST	EXT	10	350.2	192.0	2.70	
1264928C2	244-3	ST	EXT	3	244.1	119.8	3.50	
1276803H1	190-67-3	ST	EXT	67	190.0	129.5	3.00	
1276804H1	190-67	ST	EXT	67	190.0	129.5	2.50	
1276805H1	190-67-3	ST	EXT	67	190.0	129.5	3.00	
1285974C1	244-8	ST	EXT	8	244.0	173.0	2.30	
1285975C2	229-39	PA	INT	39	229.0	162.0	2.90	
1286401C1	153-36	PA	INT	36	153.5	90.1	2.60	
1341163C3	175-2	ST	EXT	2	175.0	91.0	5.00	
1341170C1	143-16	PA	INT	16	143.0	64.0	6.50	
1345726C1	143-16-A	BZ	INT	16	143.0	64.0	6.30	
139189C1	386-13	ST	EXT	13	386.0	192.1	2.70	
187109H1	133-45-16Z	BZ	INT	45	133.1	92.7	1.60	
190462A1	224-36	PA	INT	36	223.6	71.0	4.90	
196073A1	224-36	PA	INT	36	223.6	71.0	4.90	
1981266C1	254-13	PA	INT	13	254.0	62.5	4.00	
1981269C1	318-78	PA	INT	78	318.0	245.2	5.00	
1981280C1	312-119	PA	INT	119	312.0	249.5	4.00	
1997959C1	229-39-A	PA	INT	39	229.0	162.0	2.90	
230017A1	272-36	PA	INT	36	271.9	71.1	5.00	
237021A1	224-36	PA	INT	36	223.6	71.0	4.90	
3125147R1	140-12-2	ST	EXT	12	139.7	98.4	2.00	
3125322R2	125-45-G	PA	INT	45	125.0	93.3	2.10	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
313807R1	387-30	ST	EXT	30	286.3	322.4	5.00	
3145546R92	226-10	PA	INT	10	226.0	48.0	8.80	
3220450R94	255-10	PA	INT	10	255.0	48.0	8.80	
324240R1	133-45-16Z	BZ	INT	45	133.1	92.7	1.60	
324241R1	143-8	ST	EXT	8	142.5	99.3	1.60	
335167A1	196-64-A	PA	EXT	64	196.3	142.0	1.90	
336823R1	202-56	ST	EXT	56	202.2	136.9	2.30	
3380999H1	179-35-A	PA	INT	35	179.0	103.0	3.50	
347470R1	228-64	ST	EXT	64	227.5	157.9	2.70	
380249R3	146-26	PA	INT	26	145.9	63.6	3.90	
381489R3	146-6	ST	EXT	6	145.7	103.5	1.70	
381490R1	135-51-A	PA	INT	51	135.0	102.2	2.00	
381490R4	135-51-A	PA	INT	51	135.0	102.2	2.00	
392554R2	392554	ST		0	241.3	177.8	0.80	
399734R1	259-15	PA	INT	15	259.0	51.0	7.60	
399736R3	259-3	ST	INT	3	259.1	206.2	7.00	
401716R2	125-45	PA	INT	45	125.0	93.3	2.10	
401717R1	140-8	ST	EXT	4	139.7	98.6	1.60	
615840C1	372-73	BZ	INT	73	371.5	302.8	5.20	
615911C1	372-72	PA	INT	72	371.5	303.0	5.30	
625615C1	254-60	BZ	INT	60	253.6	187.4	4.00	
630281C1	202-56	ST	EXT	56	202.2	136.9	2.30	
630516C2	154-60	ST	EXT	60	154.2	113.8	1.80	
634490C2	215-100	PA	EXT	100	214.8	151.5	3.00	
634534C1	133-45-16Z	BZ	INT	45	133.1	92.7	1.60	
635384R2	249-9	ST	EXT	9	248.7	143.9	2.30	
66188C1	140-12	ST	EXT	12	139.7	98.4	1.60	
66193C1	140-12	ST	EXT	12	139.7	98.4	1.60	
67402C2	489-18	PA		0	489.0	307.9	4.90	
676833R1	274-9	ST	EXT	9	273.6	177.8	2.30	
72372	190-59-BZ	BZ	INT	59	190.0	147.0	3.00	
86029058	147-50	PA	INT	50	147.5	107.8	2.80	
86990276	141-48	PA	INT	48	141.0	98.5	1.95	
922539C1	181-85-A	ST	EXT	85	180.8	86.2	1.70	
922549C1	181-85	ST	EXT	85	180.8	112.8	1.70	
922551C1	167-34-R	PA		34	166.8	105.0	1.80	
92934C2	158-6	ST	EXT	6	158.0	107.0	1.20	
92935C5	141-48	PA	INT	48	141.0	98.5	1.95	
973625C2	200-16	PA	INT	16	200.0	44.0	7.70	
984439C1	259-3	ST	INT	3	259.1	206.2	7.00	
A58056	343-9	ST	EXT	9	343.0	259.7	3.20	
A67129	318-78	PA	INT	78	318.0	245.2	5.00	
R 79021	146-26	PA	INT	26	145.9	63.6	3.90	
R155402	168-47	BZ	INT	47	167.5	117.0	2.80	
R561515	146-26	PA	INT	26	145.9	63.6	3.90	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>IKAROS</b>							
162-56	162-56	ST	INT	56	161.6	110.0	1.60
173-68-B	173-68-B	PA	EXT	68	172.5	117.9	2.60
<b>ISEKI</b>							
PF15A	153-16	PA	INT	16	153.1	26.9	4.50
<b>J.C.B.</b>							
04/500206	190-59	PA	INT	59	190.0	147.0	2.90
04/500207	215-3	ST	EXT	3	215.0	155.6	1.70
04/500229	139-54-9	ST	EXT	54	139.0	99.0	9.00
04/500230	133-45-A	PA	INT	45	133.2	92.8	1.60
04/500231	139-54	ST	INT	54	139.1	98.5	1.80
04/500235	135-8-X	ST	INT	8	135.0	74.0	1.80
04/500300	WX-2-10	ST		0	0.0	0.0	0.00
04/500301	340-0	ST		0	340.0	133.3	1.50
04/800278	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
10/300376	360-57	PA	INT	57	360.0	237.0	4.50
10/300377	383-75	ST	EXT	75	383.0	254.0	4.00
10/904323	293-88-45	ST	EXT	88	293.0	184.5	4.50
10/904336	293-88-4	ST	EXT	88	293.0	184.5	4.00
10/904338	277-34	PA	INT	34	277.4	167.0	4.50
10/905026	293-88-4	ST	EXT	88	293.0	184.5	4.00
10/905028	293-88-45	ST	EXT	88	293.0	184.5	4.50
10/905029	293-88-4	ST	EXT	88	293.0	184.5	4.00
10/905030	293-88-45	ST	EXT	88	293.0	184.5	4.50
10/905043	277-34	PA	INT	34	277.4	167.0	4.50
10/906450	315-75-5	ST	EXT	75	314.6	227.0	5.00
10/906487	315-75	ST	EXT	75	314.6	227.0	4.00
10/906488	315-75-45	ST	EXT	75	314.6	227.0	4.50
10/906586	325-54	PA	INT	54	324.6	224.6	4.50
10/906587	345-75-A38	ST	EXT	75	345.0	243.0	3.80
10/906588	345-75-A45	ST	EXT	75	345.0	243.0	4.50
10/906589	345-75-A	ST	EXT	75	345.0	243.0	5.00
10/906590	345-75-A42	ST	EXT	75	345.0	243.0	4.20
10/906812	179-35-A	PA	INT	35	179.0	103.0	3.50
10/906931	190-67-2	ST	EXT	67	190.0	129.5	2.00
10/906932	190-67	ST	EXT	67	190.0	129.5	2.50
10/906933	190-67-3	ST	EXT	67	190.0	129.5	3.00
10/907119	190-67-2	ST	EXT	67	190.0	129.5	2.00
10/907120	190-67	ST	EXT	67	190.0	129.5	2.50
10/907121	190-67-3	ST	EXT	67	190.0	129.5	3.00
10/907122	179-35-A	PA	INT	35	179.0	103.0	3.50
15/920147	298-72	PA	INT	72	298.0	215.5	4.50
178-54-B	178-54-B	PA	INT	54	178.0	105.6	3.80

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
200/42308P	169-79	ST	EXT	70	168.6	104.0	1.50	
200-4	200-4	ST	EXT	4	199.5	114.0	3.80	
200-4239P	163-38-24	BZ	INT	38	163.2	92.6	2.40	
3146793	315-75	ST	EXT	75	314.6	227.0	4.00	
3146803	315-75-45	ST	EXT	75	314.6	227.0	4.50	
3146813-	315-75-5	ST	EXT	75	314.6	227.0	5.00	
331/16516	147-57	ST	EXT	57	147.1	99.5	2.00	
331/16520	140-45	PA	INT	45	140.0	92.9	2.40	
440/00706	166-16	PA	INT	16	165.8	34.3	4.50	
440/00707	175-9	ST	EXT	3	175.0	80.0	3.20	
440/00720	175-9-A	ST	EXT	3	175.0	80.0	3.80	
440/00721	166-16-A	PA	INT	16	165.8	34.3	3.80	
445/01802	230-8-B	ST	EXT	8	230.0	0.0	2.30	
445/03205	133-45-G	PA	INT	45	133.2	92.8	1.60	
445/03206	151-6	ST	EXT	6	151.0	98.0	1.80	
445/03217	133-45-1	ST	INT	45	133.2	92.8	1.00	
445/05106	102-28	BZ	INT	28	101.7	57.1	2.00	
445/05107	111-6	ST	EXT	6	111.0	0.0	1.50	
445/12307	139-54	ST	INT	54	139.1	98.5	1.80	
445/12314	139-54-A	ST	EXT	54	139.1	98.5	1.60	
445/12315	139-18	ST	EXT	18	139.1	97.9	6.00	
445/19807	120-6	ST	EXT	6	120.0	0.0	1.00	
445/30011	133-45-E	PA	INT	45	133.2	92.8	2.30	
446/01310	171-40	ST	EXT	40	171.0	130.0	1.40	
446/01317	162-38	PA		38	162.0	121.1	2.50	
447/00506	128-57-25	BZ	INT	57	128.3	87.8	2.50	
447/00507	137-64	ST	EXT	64	137.0	96.2	1.50	
447/06706	169-79	ST	EXT	70	168.6	104.0	1.50	
450/10212	238-6-3	ST	EXT	6	238.0	140.0	3.00	
450/10219	238-6-3	ST	EXT	6	238.0	140.0	3.00	
450/10224	222-15-A4	PA	INT	15	222.0	50.0	3.90	
450/10226	238-6C-4	ST	EXT	6	238.0	140.0	3.80	
451/01702	203-23-B	BZ	INT	23	203.3	46.5	4.60	
451/08002	230-8-A	ST	EXT	8	230.0	0.0	2.30	
451/13302	230-8-C23	ST	EXT	8	230.0	0.0	2.30	
451/13303	203-23	BZ	INT	23	203.3	46.5	4.60	
451/22702	230-8-C	ST	EXT	8	230.0	0.0	3.00	
451/24201	230-8	ST	EXT	8	230.0	130.0	3.00	
453/01808	240-9	ST	EXT	9	240.0	130.0	3.00	
453/14001	222-15-A	PA	INT	15	222.0	50.0	4.80	
453/15301	240-9-4B	ST	EXT	9	240.0	0.0	3.80	
458/20281	166-16-A	PA	INT	16	165.8	34.3	3.80	
458/20285	238-6C-4	ST	EXT	6	238.0	140.0	3.80	
458/20286	175-9-A	ST	EXT	3	175.0	80.0	3.80	
458/20289	240-9-4	ST	EXT	9	240.0	130.0	3.80	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
458/20353	222-15-B4	PA	INT	15	222.0	50.0	3.80
814/00207	135-8-X	ST	INT	8	135.0	74.0	1.80
TBA24	170-12-A	PA	INT	12	169.9	32.7	4.80
<b>JOHN DEERE</b>							
110335-part	349-6-A	PA		0	349.0	58.3	6.60
110835-part	349-6	PA		0	349.0	58.3	7.40
A-168484	238-9-BZ	PA		9	238.0	159.0	3.80
A5145R	143-6-A	ST	EXT	6	142.8	85.7	1.40
AH125490	235-48	PA	INT	48	235.0	149.6	4.20
AL 38238	192-6	PA	INT	6	191.9	152.3	2.25
AL108105	133-45-DG	PA	INT	45	133.2	92.8	2.50
AL111498	313-14-5	PA	INT	14	313.0	43.4	4.90
AL112982	313-14A-6	PA	INT	14	313.0	43.4	5.90
AL114526	146-5	ST	EXT	5	146.0	100.0	2.00
AL162808	306-14-4	PA	INT	15	306.0	36.0	4.00
AL29645	306-12-8	PA	INT	12	306.0	45.5	7.20
AL30095	306-15-10	PA	INT	15	306.0	57.3	0.00
AL38234	306-12-8	PA	INT	12	306.0	45.5	7.20
AL38235	306-15-10	PA	INT	15	306.0	57.3	0.00
AL38236	306-12-10	PA	INT	12	306.0	45.5	10.00
AL38238	192-6	PA	INT	6	191.9	152.3	2.25
AL38239	133-45-DG	PA	INT	45	133.2	92.8	2.50
AL38240	133-45-C	PA	INT	45	133.2	92.8	1.60
AL55075	110-19	PA	INT	19	110.0	28.5	5.90
AL65871	306-15-4	PA	INT	15	306.0	0.0	4.90
AL65872	306-12-4	PA	INT	12	306.0	0.0	4.00
AL69559	133-45-DG	PA	INT	45	133.2	92.8	2.50
AL69560	133-45-C	PA	INT	45	133.2	92.8	1.60
AL76887	306-14-4	PA	INT	15	306.0	36.0	4.00
AR108105	133-45-C	PA	INT	45	133.2	92.8	1.60
AR39128	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
AR60082	306-48-A	PA	INT	48	306.0	149.6	3.50
AR67458	178-54-A	PA	INT	54	177.8	112.8	2.90
AR68945	197-42	PA	INT	42	197.2	130.5	3.50
AR69152	115-6	PA	EXT	6	115.2	82.5	2.00
AR69154	152-6	ST	EXT	6	152.0	99.0	1.50
AR69610	295-95	PA	INT	95	295.2	239.9	3.00
AR69611	178-54	PA	INT	54	177.8	112.8	2.90
AR71560	197-6-	PA	INT	6	197.0	150.0	2.40
AR71561	133-45-AG	PA	INT	45	133.2	92.3	1.90
AR78361	133-45-DG	PA	INT	45	133.2	92.8	2.50
AR87999-PAR	155-48-23	PA	EXT	48	154.9	125.0	2.30
AR87999-PART	147-42	ST	INT	42	147.0	118.0	1.50
AR89320	306-48	PA	INT	48	306.0	149.6	3.50

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH		DIMENSION		
AR94515	323-104	PA	INT	104	323.0	262.7	3.30
AR94516	178-54	PA	INT	54	177.8	112.8	2.90
AR94517	197-42	PA	INT	42	197.2	130.5	3.50
AR94519	279-48	PA	INT	48	279.5	149.4	3.50
AR95827	306-48	PA	INT	48	306.0	149.6	3.50
AT 339059	233-48-A	PA	INT	48	233.0	141.4	5.50
AT 339543	233-20	PA	INT	20	233.0	59.1	5.50
AT100837	190-59-BZ	BZ	INT	59	190.0	147.0	3.00
AT101001	133-45-A	PA	INT	45	133.2	92.8	1.60
AT22034	306-12-10	PA	INT	12	306.0	45.5	10.00
AT26632	133-45-A	PA	INT	45	133.2	92.8	1.60
AT315888	306-12A-10	PA	INT	12	306.0	45.7	9.70
AT63106	306-12A-10	PA	INT	12	306.0	45.7	9.70
AZ40478	306-12-10	PA	INT	12	306.0	45.5	10.00
B 208496	487-94-4	ST	EXT	94	487.2	318.5	4.00
B 226813	450-60	PA	INT	60	450.3	300.0	5.40
B221014	276-2	ST	EXT	2	275.5	124.0	1.75
ER117167	183-2	ST	EXT	2	170.0	93.0	2.70
ER143847	165-22	PA	INT	22	165.0	41.0	4.80
L 33163	194-6	ST	EXT	6	195.0	168.0	2.30
L 77359	352-6	ST	EXT	6	351.8	241.5	6.00
L28665	143-10-A	ST	EXT	10	143.0	99.0	6.00
L33125	121-3	ST	EXT	3	121.0	86.0	3.00
L33563	143-10-45	ST	EXT	10	143.0	99.0	4.50
L34062	156-6-A	ST	EXT	6	155.9	98.9	1.35
L34064	141-51	ST	INT	51	140.8	79.5	1.50
L64752	143-10	ST	EXT	10	143.1	99.0	2.30
L77358	347-3	ST	EXT	3	346.5	241.5	6.00
L78682	134-20	ST	INT	20	134.2	48.0	2.50
LVU 803583	180-3	ST	EXT	3	179.6	96.0	2.70
LVU 803908	147-16	PA	INT	16	147.3	27.0	3.30
M8721	236-6	ST	EXT	6	235.5	162.0	2.30
R 48236-27	308-8-27	ST	EXT	8	307.7	246.0	2.70
R 82908	107-4	ST	EXT	4	107.0	58.0	1.60
R101158	334-8	ST	EXT	8	333.9	238.0	3.00
R101160	347-4-A	ST	EXT	4	347.0	238.0	10.00
R107264	194-6-B	ST	EXT	6	194.2	117.0	4.80
R108481	260-8	ST	EXT	8	259.7	218.2	3.00
R108507	195-6-C	ST	EXT	6	194.7	120.0	3.00
R108509	250-8-6	ST	EXT	8	249.7	144.5	6.00
R108510	250-8	ST	EXT	8	249.7	144.5	3.00
R108530	195-6-B	ST	EXT	6	194.7	120.0	7.80
R110464	110464	PA		0	110.0	0.0	3.20
R111122	111122	PA		0	95.0	0.0	3.20
R112385	362-6	ST	EXT	6	362.0	176.3	10.00

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
R114215	334-4-A	ST	EXT	4	333.9	238.0	4.00	
R116894	216-12	ST	EXT	12	215.7	118.0	3.00	
R135537	370-4-A	ST	EXT	4	370.0	269.5	4.80	
R209938	347-4-A5	ST	EXT	4	347.0	238.0	5.00	
R216292	334-4-A	ST	EXT	4	333.9	238.0	4.00	
R26767	382-18	ST	INT	18	381.7	103.8	4.70	
R31373	197-6-A	ST	EXT	6	196.6	120.5	2.20	
R32313	197-6-A	ST	EXT	6	196.6	120.5	2.20	
R39259	142-6	ST	EXT	6	142.1	99.0	1.60	
R39325	197-6-A	ST	EXT	6	196.6	120.5	2.20	
R46391	195-6	ST	EXT	6	195.0	120.6	3.00	
R46416	349-8	ST	EXT	8	348.9	269.2	3.00	
R46417	370-4	ST	EXT	4	369.7	269.0	3.00	
R46418	217-6-3	ST	EXT	6	217.0	138.0	3.00	
R46419	217-6-23	ST	EXT	6	217.0	138.0	2.30	
R48235	337-4	ST	EXT	4	337.3	246.3	3.00	
R48236	308-8	ST	EXT	8	307.7	246.0	3.00	
R50152	231-9	ST	EXT	9	291.0	171.0	2.50	
R51676	217-6-23A	ST	EXT	6	217.0	138.0	2.30	
R544016	362-6	ST	EXT	6	362.0	176.3	10.00	
R56547	195-6-A	ST	EXT	6	195.0	120.6	3.00	
R56548	217-6-3A	ST	EXT	6	217.0	138.0	3.00	
R57345	197-6-W	ST	EXT	6	196.6	120.5	2.30	
R58758	381-14	ST	INT	14	381.0	62.7	5.00	
R59690	360-6	ST	EXT	6	360.0	176.3	7.00	
R61066	360-6-A	ST	EXT	6	360.0	176.3	5.00	
R62686	384-15	ST	INT	15	383.8	86.6	4.60	
R63069	120-6-A	ST	EXT	6	119.4	91.6	1.20	
R64197	152-6	ST	EXT	6	152.0	99.0	1.50	
R70856	162-6	ST	EXT	6	162.1	99.0	4.50	
R71035	162-6-A	ST	EXT	6	162.0	100.0	1.60	
R71162	275-4	ST	EXT	4	275.0	214.5	3.00	
R77663	217-6	ST	EXT	6	217.0	138.0	2.00	
R77671	197-6-A	ST	EXT	6	196.6	120.5	2.20	
R78430	382-15	ST	INT	15	381.7	88.0	5.00	
R78715	335-4	ST	EXT	4	335.2	246.0	3.00	
R80813	195-6	ST	EXT	6	195.0	120.6	3.00	
R81922	217-6-3	ST	EXT	6	217.0	138.0	3.00	
R85029	384-15	ST	INT	15	383.8	86.6	4.60	
R85626	339-8	ST	EXT	8	339.0	175.0	7.00	
R86308	360-8	ST	EXT	8	360.0	271.0	3.00	
R94876	370-4-A	ST	EXT	4	370.0	269.5	4.80	
R95110	216-12-A	ST	EXT	12	215.8	137.9	3.00	
R95211	234-12	ST	EXT	12	233.8	113.6	4.80	
R95313	334-4	ST	EXT	4	333.9	238.0	4.00	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
R95378	330-8	ST	EXT	8	330.0	247.0	6.00	
R95422	347-4	ST	EXT	4	347.0	247.0	6.00	
R96791	304-4	ST	EXT	4	304.0	213.0	7.00	
R96805	251-12	ST	EXT	12	251.0	140.0	7.00	
R96806	277-6	ST	EXT	6	277.1	135.0	7.00	
R96830	226-6	ST	INT	6	226.0	162.5	2.00	
RE 211947	428-14-A	PA	INT	14	427.5	74.4	10.00	
RE 294013	94-25-B	PA	INT	25	93.5	51.0	5.50	
RE 294014	94-25-A	PA	INT	25	93.5	51.0	3.30	
RE 294017-	178-53	PA	INT	53	177.8	112.8	3.00	
RE 294020	242-6-A	PA	INT	6	241.9	198.0	2.90	
RE 58267	94-25	ST	INT	25	93.5	51.0	1.20	
RE151059	292-87-5	PA	INT	87	292.0	219.0	5.20	
RE154280	428-14	PA	INT	14	427.5	73.5	10.20	
RE155958	242-6-3	PA	INT	6	242.0	198.0	3.00	
RE160072	334-15	PA	INT	15	334.5	57.5	7.80	
RE17162	295-95	PA	INT	95	295.2	239.9	3.00	
RE17420	306-48-A	PA	INT	48	306.0	149.6	3.50	
RE186965	388-15	PA	INT	15	387.7	63.2	7.70	
RE186966	334-15	PA	INT	15	334.5	57.5	7.80	
RE203900	178-39-C	PA	INT	39	178.0	60.6	4.60	
RE204407	428-14-B	PA	INT	14	427.8	74.4	10.40	
RE227812	133-45-16Z	BZ	INT	45	133.1	92.7	1.60	
RE23286	197-42	PA	INT	42	197.2	130.5	3.50	
RE234259	323-104-A	PA	INT	104	323.0	262.7	3.30	
RE234264	306-48	PA	INT	48	306.0	149.6	3.50	
RE234305	295-95	PA	INT	95	295.2	239.9	3.00	
RE234306	306-48-A	PA	INT	48	306.0	149.6	3.50	
RE238864	323-104-A	PA	INT	104	323.0	262.7	3.30	
RE239059	279-48	PA	INT	48	279.5	149.4	3.50	
RE273492	285-54	PA	INT	54	285.2	112.6	3.30	
RE292441	388-15	PA	INT	15	387.7	63.2	7.70	
RE292445	334-15	PA	INT	15	334.5	57.5	7.80	
RE293333	279-48	PA	INT	48	279.5	149.4	3.50	
RE294016	231-66	PA	INT	66	231.0	137.2	2.90	
RE294017	178-54	PA	INT	54	177.8	112.8	2.90	
RE294020	242-6-3	PA	INT	6	242.0	198.0	3.00	
RE29428	229-47	PA	INT	47	228.9	146.0	3.20	
RE29784	127-11	PA	INT	11	127.0	33.4	3.00	
RE29794	127-14	PA	INT	14	126.5	33.8	7.50	
RE29815	197-6-	PA	INT	6	197.0	150.0	2.40	
RE29816	133-45-AG	PA	INT	45	133.2	92.3	1.90	
RE321696	295-95-A	PA	INT	95	295.2	239.9	3.00	
RE33706	242-6	PA	INT	6	242.0	198.0	4.50	
RE34784	292-87	PA	INT	87	292.0	219.0	3.40	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
RE34786	285-54	PA	INT	54	285.2	112.6	3.30	
RE35512	225-50	PA	INT	50	224.9	125.0	3.60	
RE35515	178-39	PA	INT	39	178.0	60.6	4.60	
RE35517	235-88	PA	EXT	88	234.6	187.4	3.30	
RE36170	110-55	PA	INT	55	109.9	85.9	1.80	
RE37011	133-45-A	PA	INT	45	133.2	92.8	1.60	
RE37104	115-6	PA	EXT	6	115.2	82.5	2.00	
RE37119	RE37119	ST		0	0.0	0.0	0.00	
RE37120-PART	147-8	ST	INT	8	147.3	108.0	2.30	
RE37120-PART1	155-48	PA	EXT	48	154.9	125.0	3.00	
RE39036	388-15	PA	INT	15	387.7	63.2	7.70	
RE43390	306-11-10	PA	INT	14	306.0	45.5	9.70	
RE45370	231-66	PA	INT	66	231.0	137.2	2.90	
RE45415	323-104-A	PA	INT	104	323.0	262.7	3.30	
RE46262	178-39-A	PA	INT	39	178.0	60.6	4.60	
RE48092	295-95-A	PA	INT	95	295.2	239.9	3.00	
RE51685	388-15	PA	INT	15	387.7	63.2	7.70	
RE53823	229-47	PA	INT	47	228.9	146.0	3.20	
RE62896	178-39	PA	INT	39	178.0	60.6	4.60	
RE62897	323-104	PA	INT	104	323.0	262.7	3.30	
RE65197	388-15	PA	INT	15	387.7	63.2	7.70	
RE65324	178-39-A	PA	INT	39	178.0	60.6	4.60	
RE67457	231-66	PA	INT	66	231.0	137.2	2.90	
RE67458	178-54	PA	INT	54	177.8	112.8	2.90	
RE70175	334-15	PA	INT	15	334.5	57.5	7.80	
T 14339	276-6	ST	EXT	6	275.9	177.9	2.30	
T 159409	244-81-3	ST	EXT	81	243.6	153.0	3.00	
T 159474	159-8-A	ST	EXT	6	158.5	109.4	4.00	
T 159475	147-34-BZ	BZ	INT	34	146.9	99.3	2.00	
T 161233	244-81-4	ST	EXT	81	243.6	153.0	4.00	
T 211817	275-38	PA	INT	38	274.5	188.2	4.80	
T 228727	251-4	ST	EXT	4	251.0	153.7	4.00	
T 44804	152-40-A	ST	INT	40	152.4	82.0	1.60	
T100680	139-54	ST	INT	54	139.1	98.5	1.80	
T100681	215-3	ST	EXT	3	215.0	155.6	1.70	
T13030	209-6	ST	EXT	6	209.3	114.3	3.50	
T140926-	139-51	ST	EXT	51	138.7	99.0	1.75	
T21315	246-6	ST	EXT	6	245.6	174.6	2.30	
T23609	165-24	BZ	INT	24	165.2	97.7	3.20	
T28664	143-10	ST	EXT	10	143.1	99.0	2.30	
T28665	143-10-45	ST	EXT	10	143.0	99.0	4.50	
T31732	301-6	ST	EXT	6	301.1	206.4	2.50	
T70309	257-6	ST	EXT	6	256.8	162.0	4.00	
YZ 80748	152-12-A	PA	INT	12	152.2	34.6	3.30	
YZ250314-	169-60	PA	INT	60	169.4	124.7	2.80	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>JOY</b>							
10650	254-9	ST	INT	9	253.6	162.4	2.30
1069446-0004	274-63	PA	EXT	63	273.7	189.5	2.40
15195-CM	274-63	PA	EXT	63	273.7	189.5	2.40
15196-CM	254-9	ST	INT	9	253.6	162.4	2.30
<b>KALMAR CLIMAX</b>							
113-668	137-64	ST	EXT	64	137.0	96.2	1.50
119-251	139-54	ST	INT	54	139.1	98.5	1.80
923436.0790	253-62	PA	INT	62	253.3	193.6	3.50
9234360802	152-45	ST	INT	45	152.3	92.4	1.60
923468.0193	341-42-A	PA	INT	42	340.8	206.0	5.60
924015.028	342-45	PA	INT	45	341.4	221.6	4.00
DV 38410/1	162-38	PA		38	162.0	121.1	2.50
N2219018H	435-63	PA	INT	63	434.5	253.4	6.50
N2220119H	453-12	ST	EXT	12	453.3	298.2	5.00
<b>KAWASAKI</b>							
37213-60080	360-95	BZ	INT	95	359.6	279.5	4.10
37213-60280	375-24	PA	INT	24	374.5	110.3	7.10
37213-60400	134-38	PA	INT	38	133.9	77.2	2.80
37213-60410	134-38	PA	INT	38	133.9	77.2	2.80
602894 104	134-8-A	ST	EXT	8	134.3	81.2	1.60
K372 122 0340	203-95	ST	EXT	95	203.0	133.1	2.50
K372 136 0150	192-40	PA	INT	40	191.9	124.0	3.20
YK-115 831 0300	165-12	ST	EXT	12	165.5	100.0	2.00
YK1188 300 40	210-50	BZ	INT	50	209.5	120.4	3.20
YK1188 300 41	210-50	BZ	INT	50	209.5	120.4	3.20
YK1188 300 510	210-50	BZ	INT	50	209.5	120.4	3.20
YK1188 310 200	222-12	ST	EXT	12	221.7	135.0	2.30
YK1188 310 40	222-12	ST	EXT	12	221.7	135.0	2.30
YK1208 300 40	237-56	BZ	INT	56	237.5	162.3	4.00
YK1208 300 510	237-56	BZ	INT	56	237.5	162.3	4.00
YK1208 310 20	248-12	ST	EXT	12	248.3	180.1	2.30
<b>KESSLER</b>							
140-244-047	466-60	PA	INT	60	465.5	184.2	5.60
507-275-223	358-70	ST	EXT	70	357.8	229.5	5.00
507-275-293	341-42-B	PA	INT	42	340.8	206.0	5.50
507-275-303	488-96-6	ST	EXT	96	487.6	310.0	6.00
507-275-343	466-60	PA	INT	60	465.5	184.2	5.60
507-275-773	488-96	ST	EXT	96	487.6	310.0	4.00
507-275-913	342-45	PA	INT	45	341.4	221.6	4.00
<b>KIA</b>							
45561-22701	123-36	PA		36	122.9	89.7	1.65
FU64-19334 B	74114A	ST		38	114.5	93.3	2.30

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
FU9D-19334 B	74114C	ST		38	114.5	93.3	3.20
KFW30-19-370	74104	PA		22	110.0	92.1	1.60
<b>KOBELCO</b>							
37212-20270	181-85	ST	EXT	85	180.8	112.8	1.70
<b>KOMATSU</b>							
113-15-22710	215-56	PA	INT	56	214.7	169.0	3.00
113-15-22711	215-56	PA	INT	56	214.7	169.0	3.00
113-15-42711	215-56	PA	INT	56	214.7	169.0	3.00
120-22-31221	287-73	ST	INT	73	287.0	214.7	2.50
120-22-31231	301-99	PA	EXT	99	301.2	230.0	4.20
120-22-31232	301-99	PA	EXT	99	301.2	230.0	4.20
120-22-31233	301-99	PA	EXT	99	301.2	230.0	4.20
216-54-A3	216-54-A3	PA	INT	54	215.9	168.7	3.00
234-25-31350	399-105	PA	INT	105	399.2	309.5	3.80
235-25-11360	399-105	PA	INT	105	399.2	309.5	3.80
23S-15-12740	250-100	PA	INT	100	249.7	197.2	3.00
23S-15-42730	215-56	PA	INT	56	214.7	169.0	3.00
312-15-11280	190-8	ST	EXT	8	189.7	128.0	1.90
324-15-12650	131-8	ST	EXT	8	131.5	77.2	1.00
324-15-12650	132-8	ST	EXT	8	131.6	77.3	1.00
324-15-12660	125-41	PA	INT	41	124.9	68.3	2.60
34B-15-11340	125-41-32	PA	INT	41	124.9	68.3	3.20
34C 15 11350	152-47	BZ	INT	47	152.2	90.3	2.90
34C 15 11360	157-8	ST	EXT	8	157.0	100.5	1.40
381-11-46211	276-15	PA	INT	15	276.2	50.0	8.70
381-114622-1	259-15	PA	INT	15	259.0	51.0	7.60
381-922539-1	181-85-A	ST	EXT	85	180.8	86.2	1.70
381-922549-1	181-85	ST	EXT	85	180.8	112.8	1.70
381-922551-1	167-32	PA	INT	34	166.8	105.0	1.80
381-922551-1	167-34-R	PA		34	166.8	105.0	1.80
381-98-4439-1	259-3	ST	INT	3	259.1	206.2	7.00
382-399734-1	259-15	PA	INT	15	259.0	51.0	7.60
385-10-272561	259-15	PA	INT	15	259.0	51.0	7.60
3AB-15-11360	138-4	ST	EXT	4	138.0	79.8	3.20
3EA-15-11170	125-41-32	PA	INT	41	124.9	68.3	3.20
3EA-15-11171	125-41	PA	INT	41	124.9	68.3	2.60
3EA-15-11172	125-41-32	PA	INT	41	124.9	68.3	3.20
3EA-15-11172	125-41	PA	INT	41	124.9	68.3	2.60
3EA-15-11173	125-41-32	PA	INT	41	124.9	68.3	3.20
3EA-15-11180	138-4	ST	EXT	4	138.0	79.8	3.20
3EA-15-11190	138-4	ST	EXT	4	138.0	79.8	3.20
3EA-15-11340	125-41-32	PA	INT	41	124.9	68.3	3.20
3EA-15-12721	125-41-32	PA	INT	41	124.9	68.3	3.20
3EC 15 11350	152-47	BZ	INT	47	152.2	90.3	2.90

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
3EC 15 19280	157-8	ST	EXT	8	157.0	100.5	1.40	
3EC 15 29280	157-8	ST	EXT	8	157.0	100.5	1.40	
3EC-16-31490	138-4-A	ST	EXT	4	137.7	79.8	2.30	
3EE-15-11510	174-60	BZ	INT	60	174.0	116.2	3.20	
417-33-11243	265-15	PA	INT	15	264.7	50.0	8.50	
417-33-11252	265-3	ST	INT	3	264.7	172.7	6.30	
417-33-11253	265-3	ST	INT	3	264.7	172.7	6.30	
418-33-11241	276-15	PA	INT	15	276.2	50.0	8.70	
418-33-21430	303-15	PA	INT	15	302.8	58.3	8.70	
419-15-12122	160-26	PA	INT	26	160.0	97.4	2.10	
419-15-12290	160-26	PA	INT	26	160.0	97.4	2.10	
419-15-12310	174-68	ST	EXT	68	173.9	110.0	1.70	
419-15-12920	174-68	ST	EXT	68	173.9	110.0	1.70	
419-33-11243	320-15	PA	INT	15	320.0	64.5	8.20	
421-3311280	495-164	ST	EXT	164	495.0	346.0	2.30	
423-33-21240	350-18	PA	INT	18	350.0	77.6	8.10	
423-33-21251	383-75-A	ST	EXT	75	382.7	275.8	6.00	
425-33-11510	480-112	PA	INT	112	480.0	330.0	5.10	
444-971C1	292-11	ST	EXT	11	292.1	224.3	2.50	
561-15-42730	543-6	ST	EXT	6	543.2	401.2	5.80	
561-15-42740	455-150	ST	EXT	150	455.3	367.0	6.00	
561-15-42820	544-6	ST	EXT	6	543.8	406.8	6.00	
561-15-52560	544-6-A	ST	EXT	6	543.8	414.0	4.00	
561-15-52931	544-6	ST	EXT	6	543.8	406.8	6.00	
561-15-52940	498-6	ST	EXT	6	498.0	367.0	5.80	
561-15-52950	543-6	ST	EXT	6	543.2	401.2	5.80	
561-15-52950	480-112	PA	INT	112	480.0	330.0	5.10	
561-15-52960	455-150	ST	EXT	150	455.3	367.0	6.00	
561-15-930	544-6	ST	EXT	6	543.8	406.8	6.00	
566-15-62732	448-6	ST	EXT	6	447.8	322.0	5.00	
566-157-2710	383-105	PA	INT	105	383.0	300.8	5.00	
566-33-41230	495-164	ST	EXT	164	495.0	346.0	2.30	
566-33-41240	480-112	PA	INT	112	480.0	330.0	5.10	
566-33-41242	480-112	PA	INT	112	480.0	330.0	5.10	
566-33-42130	495-164	ST	EXT	164	495.0	346.0	2.30	
569-15-32721	375-103	PA	INT	103	374.8	304.8	4.90	
569-15-32730	498-6	ST	EXT	6	498.0	367.0	5.80	
569-15-32741	396-130	ST	EXT	130	395.6	320.2	5.00	
714-07-12670	180-26	PA	INT	26	179.9	110.4	3.20	
714-07-19680	198-70	ST	EXT	70	197.9	128.0	2.00	
714-07-19720	180-26	PA	INT	26	179.9	110.4	3.20	
714-12-19730	198-70-A	ST	EXT	70	197.9	128.0	4.00	
714-16-19730	174-68	ST	EXT	68	173.9	110.0	1.70	
7720-50-2590	160-26	PA	INT	26	160.0	97.4	2.10	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>KRAMER AXLE</b>							
TBA14	137-6	PA	EXT	6	136.6	82.9	2.50
TBA18	141-25	ST	INT	25	140.5	96.5	2.00
TBA23	156-6	PA	EXT	6	156.0	107.0	2.50
TBA5	122-21	ST	INT	21	122.0	80.0	1.70
<b>KUBOTA</b>							
156-40	156-40	PA	INT	40	155.7	100.5	3.00
171-6-A	171-6-A	ST	EXT	6	170.5	110.0	3.20
171-6-A45	171-6-A45	ST	EXT	6	170.5	110.0	4.50
32530-28280	244-20	PA	INT	20	244.0	50.0	4.30
36330-65130	268-6	ST	EXT	6	268.0	170.0	2.30
37150/28200	210-16	PA	INT	16	210.0	40.0	4.70
37720-28170	240-4	ST	EXT	4	240.0	151.8	2.50
6C090-22340	117-12	ST	EXT	12	116.6	59.8	2.00
6C090-22350	110-13	PA	INT	13	109.6	26.2	3.40
6C140-22340	117-12	ST	EXT	12	116.6	59.8	2.00
6C140-22350	110-13	PA	INT	13	109.6	26.2	3.40
<b>LANCER BOSS</b>							
8534954	163-38-24	BZ	INT	38	163.2	92.6	2.40
8576361	133-45-A	PA	INT	45	133.2	92.8	1.60
8665904	148-52-18G	PA	INT	52	148.5	107.6	1.80
8665912	154-60	ST	EXT	60	154.2	113.8	1.80
8668988	139-54-3	ST	EXT	54	139.1	98.5	3.00
8668996	133-45-BG	PA	INT	45	133.2	92.3	2.20
8699199	148-52-29Z	BZ	INT	52	148.5	107.4	2.90
8755951	133-45-BG	PA	INT	45	133.2	92.3	2.20
8827688	133-45-DS	PA	INT	45	133.2	92.8	2.50
910 4559	152-40	ST	INT	40	152.4	82.2	1.60
9104727	137-64	ST	EXT	64	137.0	96.2	1.50
9105615	169-79	ST	EXT	70	168.6	104.0	1.50
9167461	340-0	ST		0	340.0	133.3	1.50
9425283	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
<b>LANDINI</b>							
3304636	183-2-A	ST	EXT	2	170.0	93.0	2.70
3308295M1	178-23	PA	INT	23	177.8	44.2	4.90
3308296M2	184-2	ST	EXT	2	183.7	114.0	2.50
3550896M1	178-23	PA	INT	23	177.8	44.2	4.90
4202184M1	165-19-A	PA	INT	19	165.0	34.0	4.50
4203638M91	165-19-A	PA	INT	19	165.0	34.0	4.50
VP119517	170-2	ST	EXT	2	170.0	94.0	2.70
<b>LANSING</b>							
1036-328-001	206-64	ST	EXT	64	205.5	145.5	1.80
1036-329-001	196-44	PA	INT	44	196.6	138.5	2.50

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
5408064	195-64	PA	INT	64	195.4	156.7	2.30	
T004-001-127	128-57-25Z	BZ	INT	57	128.3	87.8	2.50	
T005-001-128	137-64	ST	EXT	64	137.0	96.2	1.50	
T012-001-170	152-40	ST	INT	40	152.4	82.2	1.60	
T719-001-170	152-40	ST	INT	40	152.4	82.2	1.60	
T735-001-039	139-54-3	ST	EXT	54	139.1	98.5	3.00	
T735-001-040	133-45-BG	PA	INT	45	133.2	92.3	2.20	
<b>LEYLAND</b>								
37 H 8180	228-2-A	ST	EXT	2	228.0	127.0	2.50	
37H8457	224-22A-BZ	BZ	INT	22	224.0	53.3	4.80	
NTT32	209-2-A	ST	EXT	2	209.3	114.3	2.70	
NTT33	204-22-48Z	BZ	INT	22	204.5	53.3	4.80	
<b>LIEBHERR</b>								
10046889	178-54-B	PA	INT	54	178.0	105.6	3.80	
10046890	200-4	ST	EXT	4	199.5	114.0	3.80	
540196414	544-108	ST	EXT	108	544.5	375.4	5.00	
592013814	518-72	PA	EXT	72	518.0	354.0	6.50	
7622077	190-4	ST	EXT	4	190.3	92.3	3.20	
<b>LINDE</b>								
503 504 1300	142-44	PA	INT	44	141.9	105.1	2.20	
503 504 1305	157-6	ST	EXT	6	156.8	113.2	1.60	
504 504 1300	162-44	PA	INT	44	162.0	105.5	2.00	
505 504 1302	118-18	PA	INT	18	118.4	88.2	2.10	
558 504 1300	140-28-A	PA	INT	28	140.0	93.1	2.20	
SO 75041300	123-4	ST	EXT	4	122.7	82.2	1.50	
<b>MACK TRUCK</b>								
305SH133	372-72	PA	INT	72	371.5	303.0	5.30	
308SH108	372-72	PA	INT	72	371.5	303.0	5.30	
308SH135	372-72	PA	INT	72	371.5	303.0	5.30	
308SH79	372-73	BZ	INT	73	371.5	302.8	5.20	
495-KB-361	184-6	ST	EXT	6	184.1	127.3	1.50	
495-KB-367	170-30	PA	INT	30	169.8	114.4	2.30	
62SC-2551.18	343-53	PA	INT	53	342.6	220.5	6.30	
<b>MAN</b>								
81.33214-0018	257-43	PA	INT	43	256.8	213.0	3.00	
81.33214-0019	177-10	PA	EXT	10	176.7	126.0	3.00	
81.33214-0020	278-46	PA	INT	46	277.7	228.0	3.00	
81.33214-0021	329-18	PA	INT	18	329.0	285.5	3.00	
81.33214-0022	306-24	ST	EXT	24	306.0	236.5	2.00	
81.33214-0023	163-32	ST	INT	32	163.0	94.0	2.00	
81.33214-0025	281-45	ST	EXT	45	280.7	221.0	3.00	
81.33214-0027	306-24-3	ST	EXT	24	306.0	236.5	3.00	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>MANITOU</b>							
105055	182-12	ST	EXT	12	182.0	120.0	1.50
106604	202-3	ST	EXT	3	201.6	130.0	2.70
109594	139-54	ST	INT	54	139.1	98.5	1.80
109604	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
128947	156-22	ST	INT	22	155.9	79.0	2.00
133987	204-22-48Z	BZ	INT	22	204.5	53.3	4.80
133989	209-2-A	ST	EXT	2	209.3	114.3	2.70
136083	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
136103	139-50	ST	EXT	50	139.1	98.5	1.80
209373	340-0	ST		0	340.0	133.3	1.50
449375	129-4	ST	EXT	4	129.0	76.0	1.50
449376	118-33	PA	INT	33	118.0	68.2	2.20
473725	133-45-2Z	BZ	INT	45	133.1	92.7	2.00
473832	215-15	PA	INT	15	214.6	43.4	10.00
475796	178-19	PA	INT	19	177.9	34.0	4.80
477279	202-3	ST	EXT	3	201.6	130.0	2.70
477709	199-6	ST	EXT	6	199.6	129.6	2.70
478031	98-4-15	ST	EXT	4	97.6	84.8	1.50
478128	143-19	PA	INT	19	142.9	34.0	4.90
501266	163-2	ST	EXT	2	162.9	80.0	2.70
508332	94-36-1	ST	EXT	36	93.5	71.8	1.00
508333	94-36-3	ST	EXT	36	93.5	71.8	3.00
547511	127-40	PA	INT	40	127.0	82.0	2.50
549313	195-4	ST	EXT	2	195.8	109.9	2.50
549314	170-28	PA	INT	28	169.6	56.2	4.80
561573	206-3	ST	EXT	3	205.8	125.8	9.60
561798	127-40	PA	INT	40	127.0	82.0	2.50
562516	201-16	PA	INT	16	201.0	40.6	4.80
562516A	201-16-G	PA	INT	16	201.0	40.6	4.80
562525	217-3	ST	EXT	3	217.5	145.0	2.70
<b>MASSEY FERGUSON</b>							
1089578	304-57	PA	INT	57	303.6	235.3	4.00
1669474M1	224-27-48Z	BZ	INT	27	224.0	55.1	4.80
1672626M1	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
1686359M1	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
1692157M1	144-27	ST	INT	27	144.1	94.4	1.40
1754344M1	139-54	ST	INT	54	139.1	98.5	1.80
1754345M1	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
1804831M1	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
185464M1	144-6	ST	EXT	6	144.1	94.5	1.70
1860964M2	224-27-48Z	BZ	INT	27	224.0	55.1	4.80
1860965M2	228-2-A	ST	EXT	2	228.0	127.0	2.50
1862289M2	128-57-25Z	BZ	INT	57	128.3	87.8	2.50

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
1870074M1	128-57-25Z	BZ	INT	57	128.3	87.8	2.50	
1870860M1	144-33	ST	EXT	33	144.1	94.5	1.40	
1870879M1	128-57-25Z	BZ	INT	57	128.3	87.8	2.50	
190177M1	128-57-25Z	BZ	INT	57	128.3	87.8	2.50	
224-12	224-12	PA	INT	12	223.5	38.1	7.00	
2757328M1	133-45-16Z	BZ	INT	45	133.1	92.7	1.60	
3384488M1	142-34	ST	INT	34	141.9	66.1	1.75	
3385987M1	144-24-A	BZ	INT	24	144.0	46.0	3.60	
3386896M91	356-13	PA	INT	14	355.6	70.0	7.70	
3386896M92	356-13-A	PA	INT	14	355.6	70.0	7.70	
3386897M91	356-14	PA	INT	14	355.6	70.0	7.50	
3386897M92	356-14-A	PA	INT	14	355.6	70.0	7.70	
3387346M1	165-6-A	ST	EXT	6	164.8	95.8	2.50	
3387347M1	135-57	BZ	INT	57	134.9	87.8	3.50	
3582085M92	356-14-B	PA	INT	14	355.6	70.0	7.60	
3613538M1	228-2-B	ST	EXT	2	228.0	127.0	2.70	
3616400M2	157-6-C	BZ	EXT	6	157.0	110.0	2.90	
3616538M92	343-14-C	PA	INT	14	342.8	70.2	7.90	
3616741M1	235-6	BZ	EXT	6	234.7	177.5	2.50	
3616742M1	212-6	ST	INT	6	211.7	148.9	2.50	
3616745M1	129-27	BZ	INT	27	128.4	54.3	2.50	
3616746M1	146-6-A	ST	EXT	6	145.5	84.4	2.50	
3617346M1	192-6-BZ	BZ	EXT	6	191.8	143.6	2.55	
3617347M1	100-27	BZ	INT	27	99.9	54.3	2.50	
3617348M1	123-6-A	ST	EXT	6	123.0	72.5	2.45	
3617649M91-	343-14-A	PA		14	343.0	70.0	4.90	
3617651M91	343-14-B	PA	INT	14	343.0	70.0	5.00	
3617652M91	343-13	PA	INT	13	343.0	70.0	5.00	
3617653M91	343-14-4	PA	INT	14	343.0	70.0	5.00	
3619155M1	230-25	PA	INT	25	229.5	150.2	2.50	
3619156M1	260-6	ST	EXT	6	259.7	163.0	4.00	
3700134M1	223-27-A	PA	INT	27	223.4	55.1	4.70	
3716223M1	313-14-B	PA	INT	14	313.0	43.4	5.00	
3761845M91	3761845M91	ST		0	0.0	0.0	0.00	
3761845M91/1	176-6A-2	ST	INT	6	175.9	146.4	2.00	
3761845M91/2	185-8	PA	EXT	8	184.9	155.0	2.00	
3761845M91/3	176-6A-16	ST	INT	6	175.9	146.4	1.50	
3779324M2	169-60	PA	INT	60	169.4	124.7	2.80	
3790270M1	286-6	PA	INT	6	286.0	201.8	3.50	
3790271M1	335-6	ST	EXT	6	335.0	218.8	4.00	
3795499H01	354-14	PA	INT	14	353.8	70.0	4.90	
3795499H01-K	354-14-K	PA	INT	14	353.8	70.0	4.90	
3795499M1	354-14	PA	INT	14	353.8	70.0	4.90	
3795499M1-K	354-14-K	PA	INT	14	353.8	70.0	4.90	
3795762H1	354-14-A	PA	INT	14	353.8	70.0	5.00	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
3823952M1	223-27-A	PA	INT	27	223.4	55.1	4.70
3907494M91	133-45-A16	PA	INT	45	133.2	92.8	1.60
3907495M91	139-54	ST	INT	54	139.1	98.5	1.80
503029M1	165-19	ST	EXT	19	165.0	119.0	1.50
511106M1	150-72	PA	INT	72	150.3	111.8	2.50
513242M1	144-33	ST	EXT	33	144.1	94.5	1.40
514276M1	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
521282M1	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
523552M1	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
533326M2	128-57-25Z	BZ	INT	57	128.3	87.8	2.50
71715098	165-24-A	BZ	INT	24	164.8	46.0	3.65
772813M1	144-11	ST	EXT	11	143.6	94.4	1.40
772962M1	179-4	PA	INT	4	179.2	144.2	4.10
80104609	254-60	BZ	INT	60	253.6	187.4	4.00
822100010120-	178-41-BZ	BZ	INT	41	178.0	119.0	2.60
822100010130	188-73-A	ST	EXT	73	187.9	140.0	2.00
F822100150040	224-36-B	BZ	INT	36	223.2	71.2	4.90
PBB77573A	154-60	ST	EXT	60	154.2	113.8	1.80
PO-3811462M91-F	188-36-A	PA	INT	36	188.0	111.2	2.40
PO-38811462M91S	202-8	ST	EXT	8	201.7	122.0	3.50
<b>MATBRO</b>							
4802056	204-22-K	PA	INT	22	204.0	53.4	4.90
4802056-	205-22-48Z	BZ	INT	22	204.5	53.3	4.80
501544	215-15-A	PA	INT	15	214.6	43.4	10.10
502697	261-27	PA	INT	27	260.8	66.0	10.10
503259	199-6	ST	EXT	6	199.6	129.6	2.70
503260	178-19	PA	INT	19	177.9	34.0	4.80
504598	178-19	PA	INT	19	177.9	34.0	4.80
<b>MAZDA</b>							
0338-19-500A	91103	PA		44	114.8	90.2	1.50
144-27-A	144-27-A	ST	EXT	30	143.8	123.0	2.00
144-30-A	144-30-A	ST	EXT	30	143.8	123.0	1.40
150-8-C	150-8-C	ST	EXT	8	149.7	107.0	3.00
150-8-C2	150-8-C2	ST	EXT	8	149.7	107.0	2.00
158-20	158-20	ST	EXT	20	157.9	129.1	2.00
178-15-18	178-15-18	ST	EXT	15	178.3	144.6	1.75
178-15-35	178-15-35	ST	EXT	15	178.3	144.6	3.50
31532-AA131	167-30	PA		30	166.6	137.9	1.70
94140871	91100	ST		28	121.5	92.0	1.60
F5RZ-7B442A	MG70801A	ST		28	140.7	104.5	3.00
FN01-19-4FX	154-42	PA		42	154.3	136.2	1.60
FN01-19-5JX	140-32-A	PA		32	139.8	126.8	1.60
FN11-19-370	115-32	PA		32	115.0	87.8	1.60
FP01-19-5J0-	138-30-17	PA	INT	30	137.8	116.2	1.70

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
FT01-19-499	91100	ST	28	121.5	92.0	1.60	
FT01-19-610	91102	PA	62	146.5	128.4	1.50	
FU01-19-561	71113	ST	12	202.2	180.6	1.60	
FU01-19-571	71111	ST	8	151.3	122.2	1.60	
FU01-19-621A	71112	ST	32	136.6	112.3	1.60	
FU08 19-370A	71104	PA	50	117.8	97.0	1.60	
FU08 19-580A	71101	PA	48	144.9	115.8	1.60	
FU2G-10-334	71114C	ST	30	123.6	102.0	3.20	
FU32-19-334	71114-B	ST	29	123.6	102.2	2.30	
FU3K 19-590	71102A	PA	44	130.9	104.5	1.60	
FU50 19-460	71103A	PA	58	195.9	172.6	1.60	
FU50-19-334	71114A	ST	29	123.6	102.2	1.60	
FU50-19-561	71113	ST	12	202.2	180.6	1.60	
FU60 19-370A	74104	PA	22	110.0	92.1	1.60	
FU60 19-4F0A	74105	PA	48	180.0	164.8	1.60	
FU60 19-590A	74102	PA	16	115.0	97.2	1.60	
FU60 19-5J0A	74103	PA	45	175.0	159.7	1.60	
FU60 19-610A	74101	PA	42	126.5	109.2	1.60	
FU9D-19-334	71114C	ST	30	123.6	102.0	3.20	
FUO1-19-451A	71115	ST	15	205.7	180.3	1.60	
FX01-19-4F0	64108	PA	20	125.6	106.8	1.60	
FX01-19-571	64101	PA	21	12.2	85.8	1.50	
FX01-19-587	64109	ST	8	144.0	113.0	1.60	
FX01-19-5J0	64102	PA	28	139.2	119.0	1.60	
FX01-19-5J0	63100	PA	21	112.2	85.8	1.50	
FX01-19-609	63103	ST	10	173.0	150.0	1.80	
<b>McCORMIK</b>							
345334A1-	134-40	PA	INT	40	133.8	82.0	2.90
345335A2-	142-66-A	ST	EXT	66	142.2	89.5	1.80
<b>MERCEDES</b>							
109 272 0626	68101	ST	12	143.8	103.5	3.00	
109 272 1426	68102	ST	12	143.8	103.5	3.50	
109-272-1526	68100	ST	12	143.8	103.5	2.00	
112 272 0025	68103W	PA	51	135.0	102.2	2.50	
112 272 0025	68103C	PA	51	135.0	102.2	2.10	
112 272 0225	68103	PA	51	135.0	102.2	2.50	
112 272 0325	68103A	PA	51	135.0	102.2	2.10	
112 272 0325	68103AW	PA	51	135.0	102.2	2.10	
115 272 0025	68103BW	PA	51	135.0	102.2	2.10	
115 272 0025	68103B	PA	51	135.0	102.2	2.10	
115 272 0125	68103C	PA	51	135.0	102.2	2.10	
123 272 0025	68103CW	PA	51	135.0	102.2	2.10	
123 272 0025	68103C	PA	51	135.0	102.2	2.10	
123 272 0125	68108	PA	36	107.5	75.0	2.10	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION		
123 272 0125	68108W	PA	36	107.5	75.0	2.10
123 272 0225	68109	PA	36	118.7	81.7	2.10
123 272 0225	68109W	PA	36	118.7	81.7	2.10
123 272 0325	68110	PA	30	153.0	120.7	2.10
123 272 1126	68128	ST	6	117.0	83.0	2.00
123 272 1226	68128A	ST	6	117.0	83.0	3.50
123 272 1426	68128C	ST	6	117.0	83.0	4.50
123 272 1526	68129	ST	6	128.0	90.0	2.00
123 272 1626	68129A	ST	6	128.0	90.0	3.00
123 272 1726	68129B	ST	6	128.0	90.0	3.50
123 272 1826	68129D	ST	6	128.0	90.0	4.50
123 272 2326	68141	ST	36	159.8	128.6	3.00
123 272 2426	68141A	ST	36	159.8	128.6	3.50
123 272 2626	68128B	ST	6	117.0	83.0	4.00
123 272 2726	68129C	ST	6	128.0	90.0	4.00
124 272 0025	68134	PA	28	139.8	113.6	2.10
124 272 0125	68132	PA	22	106.2	84.0	2.10
124 272 0226	68131	ST	28	114.2	89.2	2.00
124 272 0326	68131A	ST	28	114.2	89.2	3.50
126 272 0325	68106	PA	24	123.0	87.2	2.10
126 272 0325	68106W	PA	24	123.0	87.2	2.10
126 272 0326	68116	ST	6	134.0	88.0	2.00
126 272 0425	68105W	PA	24	133.8	103.2	2.10
126 272 0425	68105	PA	24	133.8	103.2	2.10
126 272 0426	68116A	ST	6	134.0	88.0	3.00
126 272 0525	68107W	PA	36	169.8	146.0	2.10
126 272 0525	68107	PA	36	169.8	146.0	2.10
126 272 0526	68116B	ST	6	134.0	88.0	3.50
126 272 0625	68105	PA	24	133.8	103.2	2.10
126 272 0626	68116C	ST	6	134.0	88.0	4.50
126 272 0725	68106	PA	24	123.0	87.2	2.10
126 272 0726	68116D	ST	6	134.0	88.0	5.00
126 272 0826	68116E	ST	6	134.0	88.0	5.50
126 272 0925	68107	PA	36	169.8	146.0	2.10
126 272 0926	68115	ST	6	144.0	104.0	2.00
126 272 0926	68116	ST	6	134.0	88.0	2.00
126 272 1026	68115A	ST	6	144.0	104.0	3.50
126 272 1026	68116B	ST	6	134.0	88.0	3.50
126 272 11 26	68115B	ST	6	144.0	104.0	4.00
126 272 1126	68116C	ST	6	134.0	88.0	4.50
126 272 12 26	68115C	ST	6	144.0	104.0	4.50
126 272 13 26	68115D	ST	6	134.0	88.0	5.00
126 272 1326	68116E	ST	6	134.0	88.0	5.50
126 272 14 26	68115E	ST	6	144.0	104.0	5.50
126 272 2026	68117	ST	36	176.9	147.2	2.30

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
126 272 2126	68117A	ST		36	176.9	147.2	2.70
126 272 2326	68117	ST		36	176.9	147.2	2.30
126 272 2426	68117A	ST		36	176.9	147.2	2.70
126 272 32 26	68115C	ST		6	144.0	104.0	4.50
126 272 33 26	68115D	ST		6	134.0	88.0	5.00
126 272 3426	68116C	ST		6	134.0	88.0	4.50
126 272 3526	68116D	ST		6	134.0	88.0	5.00
126 272 3626	68116A	ST		6	134.0	88.0	3.00
126 272 3826	68117A	ST		36	176.9	147.2	2.70
126 272 3926	68117	ST		36	176.9	147.2	2.30
126 272 4726	68116	ST		6	134.0	88.0	2.00
126 272 4826	68116B	ST		6	134.0	88.0	3.50
126 272 4926	68115	ST		6	144.0	104.0	2.00
126 272 5026	68115A	ST		6	144.0	104.0	3.50
126 272 51 26	68115B	ST		6	144.0	104.0	4.00
126 272 6426	68117B	ST		36	176.9	147.2	3.30
126 272 6726	68117	ST		36	176.9	147.2	2.30
126 272 6826	68117A	ST		36	176.9	147.2	2.70
129 272 0226	68133A	ST		8	146.7	121.7	5.50
140 272 0025	173-30	PA		30	173.0	146.4	2.15
140 272 0026	166-40	PA		0	166.0	0.0	1.60
140 272 0125	165-36-A	PA		0	165.0	0.0	2.15
140 272 0225	114-24-16	PA	INT	24	114.0	0.0	1.60
140 272 0226	180-12-18	ST		12	180.4	154.0	1.75
140 272 0325	180-46	PA		0	180.0	0.0	1.60
140 272 0326	180-12-35	ST		12	180.4	154.0	3.50
140 272 0425	155-24	ST		24	155.0	122.5	1.80
140 272 0426	180-12-4	ST		12	180.4	154.0	4.00
140 272 0625	180-46	PA		0	180.0	0.0	1.60
140 272 0626	171-30-18	ST		30	171.4	146.4	1.80
140 272 0725	114-24	PA	INT	24	114.0	0.0	2.15
140 272 0726	171-30	ST		30	171.4	146.4	3.50
140 272 0826	171-30-4	ST		30	171.4	146.4	4.00
140 272 1026	122-24-18	ST		24	122.0	87.9	1.80
140 272 1126	122-24-35	ST		24	122.0	87.9	3.50
140 272 1226	122-24-4	ST		24	122.0	87.9	4.00
140 272 1725	114-24-16	PA	INT	24	114.0	0.0	1.60
140 272 1826	191-30	ST		30	191.0	155.0	1.70
140 272 2726	122-24-27	ST		24	122.0	87.9	2.70
140 272 2826	180-12-27	ST		12	180.4	154.0	2.70
140 272 2926	171-30-27	ST		30	171.4	146.4	2.70
140-272-2326	164-40-A65	ST	EXT	40	163.9	132.4	6.35
145-24	145-24	PA	EXT	24	144.7	115.7	2.10
148-30-A	148-30-A	PA	INT	30	148.4	119.8	1.85
148-54	148-54	PA	INT	54	147.6	118.3	2.10

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
155-36	155-36	PA	EXT	36	154.8	127.6	1.85	
168-372-0426	122-30-A	PA	EXT	30	122.0	91.2	1.60	
168-372-0725	111-24	PA	INT	24	110.7	79.0	1.60	
168-372-0825	108-32	PA	INT	32	107.7	86.0	1.60	
168-372-0925	115-24	PA	INT	24	114.8	79.0	1.60	
168-372-1026	115-24-A	PA	EXT	24	115.0	93.3	1.60	
168-372-1126	118-24	PA	EXT	24	117.9	89.3	1.60	
188-36	188-36	ST	INT	36	187.9	141.9	1.75	
190-36	190-36	PA	INT	36	190.4	161.4	2.05	
196-40	196-40	PA	EXT	40	196.0	156.5	2.80	
198-18	198-18	PA	EXT	18	198.4	170.4	2.05	
201 272 0025	68110	PA		30	153.0	120.7	2.10	
201 272 0025	68110W	PA		30	153.0	120.7	2.10	
201 272 0126	68128	ST		6	117.0	83.0	2.00	
201 272 0226	68128A-1	ST		6	117.0	83.0	3.00	
201 272 0326	68128A	ST		6	117.0	83.0	3.50	
201 272 0426	68128B	ST		6	117.0	83.0	4.00	
201 272 0526	68128C	ST		6	117.0	83.0	4.50	
201 272 0726	68129	ST		6	128.0	90.0	2.00	
201 272 0826	68129A	ST		6	128.0	90.0	3.00	
201 272 0926	68129B	ST		6	128.0	90.0	3.50	
201 272 1026	68129C	ST		6	128.0	90.0	4.00	
201 272 1126	68129D	ST		6	128.0	90.0	4.50	
201 272 1226	68141	ST		36	159.8	128.6	3.00	
201 272 1326	68141A	ST		36	159.8	128.6	3.50	
201 272 2126	68141	ST		36	159.8	128.6	3.00	
201 272 2226	68141A	ST		36	159.8	128.6	3.50	
201 272 2526	68141-1	ST		36	159.8	128.6	2.50	
201 272 2626	68141B	ST		36	159.8	128.6	4.00	
210 272 0025	165-36	PA		36	164.5	133.4	2.15	
220 272 0325	12750A	PA		45	125.8	97.6	2.20	
220 272 0325	114-24-A	PA		24	114.0	80.1	2.05	
220 272 0725	180-46	PA		0	180.0	0.0	1.60	
220 272 0926	122-24-B	PA		0	122.0	0.0	2.05	
220 272 1026	122-24-4	ST		24	122.0	87.9	4.00	
220 272 1726	166-40	PA		0	166.0	0.0	1.60	
220 272 2026	180-12-4	ST		12	180.4	154.0	4.00	
220 272 2126	171-30-4	ST		30	171.4	146.4	4.00	
220 272 2226	171-30-27	ST		30	171.4	146.4	2.70	
220 272 2326	171-30-18	ST		30	171.4	146.4	1.80	
220-272-0726	174-30	PA	EXT	30	174.4	152.5	2.05	
220-272-2526	164-40-A65	ST	EXT	40	163.9	132.4	6.35	
221 272 0025	155-24	ST		24	155.0	122.5	1.80	
221 272 0026	122-24-4	ST		24	122.0	87.9	4.00	
221 272 1926	171-30-18	ST		30	171.4	146.4	1.80	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
221 272 2126	171-30-4	ST		30	171.4	146.4	4.00
221 272 2226	180-12-4	ST		12	180.4	154.0	4.00
221 272 2326	166-40	PA		0	166.0	0.0	1.60
221-272-1526	164-40-A	ST	EXT	40	163.9	132.4	1.75
221-272-1726	164-40-A65	ST	EXT	40	163.9	132.4	6.35
240 272 0025	173-30-A	PA		30	173.0	146.4	2.05
240 272 0026	180-12-A	PA		12	180.4	154.0	2.05
240 272 0225	165-36-A	PA		0	165.0	0.0	2.15
301 272 0226	308-10A-5	ST	EXT	10	308.0	231.0	5.00
301 272 0426	308-6-4	ST	EXT	6	308.0	231.0	4.00
301 272 0526	308-6-3	ST	EXT	6	308.0	231.0	3.00
301 272 0626	308-6-35	ST	EXT	6	308.0	231.0	3.50
305 272 0126	308-10-5	ST	EXT	10	308.0	231.0	5.00
307 270 2338	282-56	PA	INT	56	282.3	221.7	3.50
307 272 0426	308-6-5	ST	EXT	6	308.0	231.0	5.00
307 272 1126	308-6-45	ST	EXT	6	308.0	231.0	4.50
307 272 1426	308-10-3	ST	EXT	10	308.0	231.0	3.00
307 272 1526	308-10-4	ST	EXT	10	308.0	231.0	4.00
307 272 1626	308-10-5	ST	EXT	10	308.0	231.0	5.00
307 272 2425	197-8A-2	ST	INT	8	197.5	139.0	2.00
307 272 2525	197-8A-25	ST	INT	8	197.5	139.0	2.50
307 272 2525-	198-8	ST	INT	8	198.2	151.2	2.50
307 272 2625	197-8A-3	ST	INT	8	197.5	139.0	3.00
307 272 2725	197-8A-35	ST	INT	8	197.5	139.0	3.50
307 272 2825	197-8A-5	ST	INT	8	197.5	139.0	5.00
307 272 3625	197-8-3	ST	INT	8	197.5	139.0	3.00
307 272 3725	197-8-35	ST	INT	8	197.5	139.0	3.50
307 272 3825	197-8-4	ST	INT	8	197.5	139.0	4.00
307 272 3825 5	197-8-5	ST	INT	8	197.5	139.0	5.00
307 272 3825 OS	197-8-45	ST	INT	8	197.5	139.0	4.50
307 272 3925	197-8A-45	ST	INT	8	197.5	139.0	4.50
307 272 4125	197-8-25	ST	INT	8	197.5	139.0	2.50
307 272 XXXX	197-8A-4	ST	INT	8	197.5	139.0	4.00
357 270 0138	209-12	PA	EXT	12	208.8	161.3	2.70
357 270 2338	282-56	PA	INT	56	282.3	221.7	3.50
389 264 0009	154-60-A	PA	EXT	60	154.2	113.8	1.80
389 264 0108	148-56	ST	INT	56	148.4	109.7	1.60
5108528AA	114-24-A	PA		24	114.0	80.1	2.05
52108507AA	173-30-A	PA		30	173.0	146.4	2.05
52108508AA	180-12-A	PA		12	180.4	154.0	2.05
52108529AA	122-24-B	PA		0	122.0	0.0	2.05
52108572AA	166-40	PA		0	166.0	0.0	1.60
624 272 0126	306-18	ST	EXT	18	305.6	231.2	4.00
624-272-0226-	321-27	ST	EXT	27	320.9	231.0	4.00
A673 272 0125	193-72G	PA	INT	72	193.0	154.3	2.10

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
Conv.	176-34-27	PA	INT	34	176.0	134.0	2.75
Converter	176-34	PA	INT	34	176.0	134.0	2.50
TBA25	185-20-4	ST	EXT	20	185.0	143.0	4.00
<b>MG</b>							
3713694	8305	PA	INT	8	135.0	102.2	2.50
3779904	38210	PA		45	128.9	92.8	2.50
8661569	34101	ST		14	142.4	114.8	2.50
8685879	33105	ST		16	126.1	94.0	1.80
8685879	MG51879	ST		16	126.0	94.1	1.80
<b>MICHIGAN</b>							
232779	292-60	PA	INT	60	292.0	207.1	3.80
<b>MITSUBISHI</b>							
122-30	122-30	PA		30	121.8	81.2	1.70
154-20-17	154-20-17	ST		20	154.6	123.0	1.75
16703-02481	390-35	PA	INT	35	389.9	126.1	7.30
188-16-A	188-16-A	ST	EXT	16	188.2	152.2	2.00
45446-39500	173-20	ST	EXT	20	172.6	153.3	1.75
45449-22770	41102A	PA		38	126.9	99.3	1.70
45625-39500	179-30	PA		30	178.5	145.3	1.70
45633-39500	188-16	ST	EXT	16	188.2	159.7	1.00
60335-00200	314-71	PA	INT	71	314.0	207.4	3.50
62625-05200	311-101-47	PA	INT	101	311.3	252.8	4.70
62625-05201	311-101-47	PA	INT	101	311.3	252.8	4.70
62625-05300	353-10	ST	EXT	10	353.0	262.5	6.30
62625-05302	353-10	ST	EXT	10	353.0	262.5	6.30
62635-00300	314-71	PA	INT	71	314.0	207.4	3.50
64323-45200	137-4	ST	EXT	4	137.0	79.0	2.30
64323-45300	125-41-37	PA	INT	41	124.9	68.3	3.70
65425-13700	125-41-37	PA	INT	41	124.9	68.3	3.70
65425-23800	137-4	ST	EXT	4	137.0	79.0	2.30
69241-03400	353-10-5	ST	EXT	10	353.0	262.5	5.00
69241-03403	353-10-5	ST	EXT	10	353.0	262.5	5.00
91224-06500	125-41-37	PA	INT	41	124.9	68.3	3.70
91224-16500	125-41-37	PA	INT	41	124.9	68.3	3.70
91324 04700	132-24	ST	EXT	24	131.6	80.2	3.80
91324 04XXX	132-24-16	ST	EXT	24	131.6	80.2	1.60
91324 12600	132-24-16	ST	EXT	24	131.6	80.2	1.60
91324-02700	125-41	PA	INT	41	124.9	68.3	2.60
91824-08100	156-37-26	PA	INT	37	155.5	87.8	2.60
91824-12600	156-37	PA	INT	37	155.5	87.8	2.90
91824-12700	165-12	ST	EXT	12	165.5	100.0	2.00
92326 04700	248-78	PA	INT	78	247.9	195.5	3.50
MD704433	42111	PA		40	123.0	99.0	1.80

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
MD707255	42102	ST		24	134.5	100.7	1.80
MD707256	42101	ST		24	134.5	100.7	3.80
MD707257	42100	PA		38	127.0	100.5	1.90
MD707401	42104	ST		6	160.9	127.1	1.80
MD707403	42103	PA		48	152.0	120.5	1.90
MD713655	42100	PA		38	127.0	100.5	1.90
MD714345	42100A	PA		10	127.0	100.5	1.90
MD715367	42103	PA		48	152.0	120.5	1.90
MD719833	42107	PA		52	151.9	127.5	1.85
MD722555/737892	42100B	PA		38	126.9	99.3	1.90
MD722556	42102A	ST		24	134.5	104.4	1.80
MD722559	42101A	ST		24	134.5	104.4	3.80
MD727779	42113	ST		20	163.8	134.5	1.00
MD727798	42114	ST		20	163.8	134.5	1.80
MD729333	42107	PA		52	151.9	127.5	1.85
MD729333	42111	PA		40	123.0	99.0	1.80
MD731587	42114M	ST		20	166.3	140.7	1.00
MD759407	179-30-A	PA		30	178.5	145.3	1.70
MD760067	148-30	PA		30	148.0	116.3	1.70
<b>MOXY</b>							
152073	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
<b>NEW HOLLAND</b>							
251106	209-12-A	ST	EXT	12	209.3	114.0	1.80
41577	327-14-K	PA	INT	14	326.8	60.1	10.00
47123297	205-22-48Z	BZ	INT	22	204.5	53.3	4.80
5143721	152-50-A	ST	EXT	50	151.5	98.4	1.60
5153840	150-6	ST	EXT	6	150.0	97.0	1.50
5154521	327-14	PA	INT	14	326.8	60.1	10.00
5158919	140-32-24	PA	INT	32	140.0	91.0	2.40
5158919	140-32-B	PA	INT	32	140.0	91.0	1.80
5159755	140-32	PA	INT	32	140.0	91.0	1.80
5163904	140-32-2	PA	INT	32	140.0	91.0	2.00
6783226	177-17	PA	INT	17	177.4	50.7	3.30
710531	177-17	PA	INT	17	177.4	50.7	3.30
7105372	209-12-A	ST	EXT	12	209.3	114.0	1.80
760 38192	359-8	ST	EXT	8	358.9	210.4	10.00
760 68777	359-18	ST	EXT	18	359.0	237.0	10.00
760 87705	359-18	ST	EXT	18	359.0	237.0	10.00
81801897	133-45-2Z	BZ	INT	45	133.1	92.7	2.00
81802479	204-22-48Z	BZ	INT	22	204.5	53.3	4.80
81802536	209-2-A	ST	EXT	2	209.3	114.3	2.70
81804831	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
81808607	154-60-3	ST	EXT	60	154.2	113.8	3.00
81816970	133-45-2Z	BZ	INT	45	133.1	92.7	2.00

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
81818854	224-22A-BZ	BZ	INT	22	224.0	53.3	4.80	
81822308	148-52-23Z	BZ	INT	52	148.5	107.4	2.30	
81824512	239-15	ST	EXT	15	239.0	190.5	3.00	
81824528	249-15	ST	EXT	15	248.6	190.6	2.50	
81825844	148-52-23Z	BZ	INT	52	148.5	107.4	2.30	
81830026	148-52-23Z	BZ	INT	52	148.5	107.4	2.30	
81833734	229-80-A	BZ	INT	80	229.0	168.5	2.10	
81874478	209-2-B	ST	EXT	2	209.3	121.0	4.50	
81879076	167-66	ST	EXT	66	167.0	119.6	1.80	
82001345	167-66-2	ST	EXT	66	167.0	119.6	2.00	
83917372	148-52-23Z	BZ	INT	52	148.5	107.4	2.30	
83918314	139-54	ST	INT	54	139.1	98.5	1.80	
83924789	133-45-2Z	BZ	INT	45	133.1	92.7	2.00	
83945586	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
83947188	229-80-B	BZ	INT	80	229.0	168.5	4.50	
83955538	209-2-A	ST	EXT	2	209.3	114.3	2.70	
83956598	228-2-C	ST	EXT	8	228.0	147.0	2.70	
83959970	204-22-K	PA	INT	22	204.0	53.4	4.90	
83959971	236-4	ST	EXT	4	209.3	84.7	2.70	
83959971-	209-4	ST	EXT	4	209.3	84.7	2.70	
83983209	205-22-48Z	BZ	INT	22	204.5	53.3	4.80	
83997678	264-4	ST	EXT	4	264.0	147.0	2.70	
85807016	201-16-B	PA	INT	16	201.0	40.6	5.00	
8603581	345-64	PA	INT	64	344.9	252.4	4.50	
8603582	378-20	ST	EXT	20	377.7	262.4	4.00	
86519646	205-22-48Z	BZ	INT	22	204.5	53.3	4.80	
87516068	205-22-48Z	BZ	INT	22	204.5	53.3	4.80	
9968289	143-26	ST	EXT	26	143.0	89.5	2.30	
9968290	127-40	PA	INT	40	127.0	82.0	2.50	
TBA17	140-29-24	PA	INT	29	140.0	91.0	2.40	
<b>NIGATA</b>								
3-8089,C	133-38	ST	INT	38	132.5	77.2	1.50	
SSGY140K-46	164-76	PA	EXT	76	164.0	103.5	2.90	
SSGY140K-46-PART	303-55	PA	INT	55	303.0	169.5	4.90	
<b>NISSAN</b>								
31532 80X10	63100-A	PA	INT	24	112.2	84.9	1.60	
31532-01X00	83103	PA		8	128.2	106.2	1.80	
31532-21X01	93100	PA		8	149.4	128.1	2.00	
31532-21X02	93104A	PA		30	128.0	111.1	1.60	
31532-21X03	93104B	PA		30	128.0	111.1	2.00	
31532-21X04	93104A	PA		30	128.0	111.1	1.60	
31532-22H00	125-41	PA	INT	41	124.9	68.3	2.60	
31532-25H01	125-41	PA	INT	41	124.9	68.3	2.60	
31532-31X00	99100	PA		18	130.0	110.0	2.00	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
31532-31X01	99102A	PA		20	103.8	81.0	2.00
31532-31X02	99104	PA		30	126.1	108.2	1.80
31532-31X03	99106	PA		18	116.7	98.0	1.50
31532-31X04	99108	PA		30	149.6	132.0	2.00
31532-31X08	99102	PA		20	103.8	81.0	1.50
31532-40K00	125-41	PA	INT	41	124.9	68.3	2.60
31532-41X02	69103	PA		18	133.4	112.0	2.00
31532-41X02	62540	PA		18	133.4	112.0	2.00
31532-41X08	62532	PA		30	147.3	120.1	2.00
31532-41X10	93100A	PA		34	149.3	131.1	2.00
31532-41X11	93104C	PA		30	132.9	105.1	1.60
31532-41X11	62534	PA		30	132.9	105.1	1.60
31532-41X12	69101	PA		36	148.4	127.0	2.00
31532-41X16	62536	PA		36	148.4	127.0	2.00
31532-41X16	69102	PA		36	148.4	127.0	1.60
31532-41X69	69104-B	PA	INT	30	147.3	120.2	1.60
31532-51H00	134-38	PA	INT	38	133.9	77.2	2.80
31532-51X01	62524	PA		50	167.5	148.0	2.00
31532-51X01	69102A	PA		50	167.5	148.0	2.00
31532-51X04	69116	PA		64	155.8	126.0	1.60
31532-51X04-	62542	PA		64	155.8	126.0	1.60
31532-51X05	93100B	PA		64	155.8	126.0	2.00
31532-51X05-	62525	PA		64	155.8	126.0	2.00
31532-51X06	69103B	PA		20	155.6	129.0	2.00
31532-51X06-	62550	PA		20	154.7	129.0	2.00
31532-51X09-	62549	PA		33	155.6	130.0	1.60
31532-80X02	63806	PA		32	138.7	118.8	1.50
31532-80X02	64106	PA		32	138.7	118.8	1.50
31532-80X05	63100	PA		21	112.2	85.8	1.50
31532-80X05	63808	PA		21	112.2	85.8	1.50
31532-80X06	64102	PA		28	139.2	119.0	1.60
31532-80X06	63802	PA		28	139.2	119.0	1.60
31532-80X07	64108	PA		20	125.6	106.8	1.60
31532-80X07	63804	PA		20	125.6	106.8	1.60
31532-L1500	125-41	PA	INT	41	124.9	68.3	2.60
31532-L6000	134-38	PA	INT	38	133.9	77.2	2.80
31532-L6001	134-38	PA	INT	38	133.9	77.2	2.80
31536-22H00	131-8-B	ST	EXT	8	131.0	80.0	1.60
31536-25H00	131-42	ST	EXT	42	131.4	80.0	1.60
31536-31X01	99103	ST		18	110.7	87.0	2.00
31536-31X02	99105	ST		30	133.2	105.2	2.00
31536-31X03	99107	ST		3	132.7	105.3	2.00
31536-31X05	99101	ST		30	136.7	118.0	2.00
31536-41K00	132-24-16	ST	EXT	24	131.6	80.2	1.60
31536-41x14	93102B	ST		30	156.4	129.1	2.00

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
31536-4G000	131-8-B	ST	EXT	8	131.0	80.0	1.60	
31536-4G000	131-8-16	ST	EXT	8	131.5	77.2	1.60	
31536-51X00	69119	ST		40	161.2	132.1	2.00	
31536-51X00-	62546	ST		40	161.2	132.1	2.00	
31536-51X02	69113A	ST		12	174.2	136.6	2.00	
31536-51X02-	62545	ST		12	174.2	136.6	2.00	
31536-51X04-	62543	ST		40	161.2	132.1	3.00	
31536-51X06	69119A	ST		40	161.2	132.1	3.00	
31536-51X07	69111A	ST		36	174.7	155.4	2.00	
31536-51X07	62544	ST		36	174.7	155.4	2.00	
31536-80X00	64101	PA		21	12.2	85.8	1.50	
31536-80X00	63803	ST		30	146.2	126.0	1.80	
31536-80X02	64107	ST		32	144.0	125.1	1.80	
31536-80X02	63807	ST		32	144.0	125.1	1.80	
31536-80X03	64109	ST		8	144.0	113.0	1.60	
31536-80X03	63805	ST		8	144.0	113.0	1.60	
31536-80X04	63809	ST		28	119.0	91.7	2.00	
31536-80X04	63101-A	ST		28	119.0	91.7	2.00	
31536-80X05	63809A	ST		28	119.0	91.7	1.40	
31536-80X05	63101	ST		28	119.0	91.7	1.40	
31536-80X06	63101-A	ST		28	119.0	91.7	2.00	
31536-80X07	63101	ST		28	119.0	91.7	1.40	
31536-FJ100	132-24-16	ST	EXT	24	131.6	80.2	1.60	
31536-L1002	131-8-16	ST	EXT	8	131.5	77.2	1.60	
31536-L1500	131-8-16	ST	EXT	8	131.5	77.2	1.60	
31536-L6001	150-8-B	ST	EXT	8	150.1	87.3	2.30	
31536-L9060	140-54	ST	EXT	54	139.5	87.2	2.30	
31536-X5001	91100	ST		28	121.5	92.0	1.60	
31537-25H00	131-42-4	ST	EXT	42	131.4	80.0	4.00	
31562-21X00	93104E	PA		30	128.0	111.1	1.90	
31592-21X00	93109	PA		30	144.0	122.1	2.00	
31662-01X01	83102	PA		8	176.5	152.1	2.20	
31662-21X00	93115	PA		12	182.0	164.3	2.00	
31662-80X02	63800	PA		0	164.0	144.6	1.80	
31662-80X02	63102	PA		32	164.0	144.8	1.90	
31666-31X01	99109	ST		10	159.8	139.4	2.00	
31666-51X00	69114A	ST		11	161.2	132.1	2.00	
31666-51X00-	62548	ST		11	172.4	140.0	2.00	
31666-80X00	63103	ST		10	173.0	150.0	1.80	
31666-80X00	63801	ST		10	173.0	150.0	1.80	
<b>O &amp; K</b>								
141 7003	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
4920200	246-28-A	PA	INT	28	245.8	139.7	4.50	
<b>OKAMURA</b>								

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
1158300600	156-37	PA	INT	37	155.5	87.8	2.90
1158310300	165-12	ST	EXT	12	165.5	100.0	2.00
1158310400	165-12	ST	EXT	12	165.5	100.0	2.00
483116A	132-24-16	ST	EXT	24	131.6	80.2	1.60
<b>ORTLINGHAUS</b>							
115-4433-902	178-41-A	ST	INT	41	177.6	119.0	2.30
115-4446-071	157-6-B	ST	EXT	6	156.9	102.1	1.75
115-4446-075	141-38-A	PA	INT	38	140.6	90.0	3.70
178-41	178-41	PA	INT	41	177.6	119.0	3.50
3002-340-47-0000	178-41-A	ST	INT	41	177.6	119.0	2.30
3-100-040-39	157-6-B	ST	EXT	6	156.9	102.1	1.75
3-100-140-39-0	141-6	ST	INT	6	141.0	91.0	2.30
3-100-340-39-001	141-38	ST	INT	38	140.5	90.0	2.30
3-100-610-39-0	151-36	BZ	EXT	36	150.6	102.0	2.40
<b>P&amp;H</b>							
1015Z834	126-39-A	ST	EXT	39	126.1	92.1	0.80
1018Z3302	119-39	PA	INT	39	119.0	78.6	1.80
14Q45D2	135-51	PA	INT	51	135.0	94.6	2.40
<b>PETTIBONE</b>							
TBA1	119-39	PA	INT	39	119.0	78.6	1.80
TBA1-	110-54	BZ	EXT	54	109.5	81.9	1.60
TBA7	126-39	ST	EXT	39	126.1	77.5	1.00
TBA8	126-39-A	ST	EXT	39	126.1	92.1	0.80
<b>RABA</b>							
578.00-3340-041	449-29	PA	INT	29	448.8	164.0	7.40
<b>REINTJES</b>							
K22-BGA 180	141-38	ST	INT	38	140.5	90.0	2.30
K23 BGA 180	151-36	BZ	EXT	36	150.6	102.0	2.40
<b>RENAULT</b>							
164-12	164-12	PA		12	164.2	132.7	1.60
-52163	52103	PA		48	154.3	124.8	1.50
6005018577	230-25-A	PA	INT	25	229.5	150.2	2.50
6005-019455	343-14-4	PA	INT	14	343.0	70.0	5.00
600518590	260-6-A	ST	EXT	6	259.7	163.0	4.00
7700015006	224-46	PA	INT	46	223.6	48.2	4.90
7700055217	224-46	PA	INT	46	223.6	48.2	4.90
7700-063-962	343-14-4	PA	INT	14	343.0	70.0	5.00
7700-1001-413	159-8	PA		8	159.2	120.5	1.60
7700-101-410	199-6-A	PA		6	199.0	146.1	1.60
7700-101-427	124-8	PA		8	123.9	82.1	1.60
7700-102-010	118-20	PA		20	118.0	77.5	1.60
7700-408-236	165-12-A	PA		12	164.7	132.7	1.60

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
7701-101-411	171-6	PA		6	170.7	137.0	1.60
77-01-462-297	52101	PA		3	178.0	151.8	2.00
77-01-462-298	52105	PA		3	190.0	161.8	2.00
7701-463-363	52106	ST		3	202.6	171.0	1.60
7701-463-364	52102	ST		12	185.8	159.2	1.60
77-01-596-732	52108	PA		3	155.5	132.9	2.00
<b>ROCKFORD</b>							
02004089	158-36	ST	EXT	36	158.0	95.4	4.70
03013668	343-53-B	PA	INT	53	342.6	220.5	5.00
03025367	353-53	PA	INT	53	352.5	220.7	5.20
03038021	343-53-A	PA	INT	53	342.6	220.5	5.00
<b>ROCKWELL</b>							
3281-P-42	462-72-5	ST	EXT	72	462.0	350.0	5.00
3281-W-23	462-72	ST	EXT	72	462.0	350.0	3.50
A-3281-S19	450-54	BZ	INT	54	450.1	269.5	5.50
C-317753-X1	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
CL-11-551-3	355-83-63	ST	EXT	83	354.8	238.7	6.30
UCL-16-11553	343-53	PA	INT	53	342.6	220.5	6.30
<b>SAFHAS</b>							
100146	418-36	PA	INT	36	417.7	222.4	5.30
100147	418-54	PA	INT	54	417.9	269.4	5.50
100149	442-16	ST	EXT	16	441.8	298.0	3.50
100403	332-12	ST	EXT	12	332.0	240.0	3.50
101641	315-32	PA	INT	32	315.0	197.0	5.40
103705	418-42	PA	INT	54	417.9	206.0	5.50
285-34	285-34	PA	INT	34	284.8	167.5	5.30
<b>SAME</b>							
0.900.0801.3	248-2	ST	EXT	2	247.9	156.2	3.00
007.7714.0	138-6	ST	EXT	6	137.8	88.0	1.40
008.4255.0	145-19	ST	INT	19	144.8	59.0	3.50
008.4303.0	115-3-A	ST	EXT	3	115.0	71.5	1.60
008.4661.0	223-27	PA	INT	27	223.4	55.1	7.00
008.5046.0	178-3	ST	EXT	3	178.3	122.0	2.00
008.5074.2	106-22	PA	INT	22	105.9	64.0	1.90
008.5079.2	168-58	PA	INT	58	168.0	116.3	3.50
008.5095.0	178-3-3	ST	EXT	3	178.3	122.0	3.00
008.5203.0	180-6	ST	EXT	6	179.8	121.8	2.00
008.5203.10	180-6	ST	EXT	6	179.8	121.8	2.00
008.5205.10	180-6-18	ST	EXT	6	179.8	121.8	1.80
008.5206.10	180-6-3	ST	EXT	6	179.8	121.8	3.00
008.5632.2/10	129-32	PA	INT	32	129.3	80.1	2.10
008.5681.0	138-6-A	ST	EXT	6	137.8	88.0	4.00
010.0221.2	281-12-A	PA	INT	12	281.3	47.3	7.20

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
04428557	248-2	ST	EXT	2	247.9	156.2	3.00
08.5173.2	224-12	PA	INT	12	223.5	38.1	7.00
154.5460.0	228-2-A	ST	EXT	2	228.0	127.0	2.50
154.5959.0	224-27-48Z	BZ	INT	27	224.0	55.1	4.80
163.3654.0	148-52-23Z	BZ	INT	52	148.5	107.4	2.30
163.3655.0	154-60	ST	EXT	60	154.2	113.8	1.80
164.3643.0	139-54-B	ST	INT	54	139.1	98.5	1.80
164.3655.0	154-60	ST	EXT	60	154.2	113.8	1.80
170.5434.0	304-12-B	PA	INT	12	303.7	50.8	9.00
170.5434.OLD	296-12	PA	INT	12	296.1	50.8	9.00
194.5464.2	178-13	PA	INT	13	178.0	38.3	5.00
213225281	194-6-BZ	BZ	EXT	6	194.0	136.3	3.00
256.5434.0/10-	178-23-A	PA	INT	23	177.8	44.0	5.00
256.5456.0	184-2	ST	EXT	2	183.7	114.0	2.50
270.4351.0	211.2	ST	EXT	2	211.0	100.0	2.70
445.5447.2	281-12	PA	INT	12	281.3	47.3	7.20
70804407	194-6-BZ	BZ	EXT	6	194.0	136.3	3.00
<b>SAMSUNG</b>							
3340-800110	200-61	PA	INT	61	200.0	148.0	3.20
3354.14.097.01	110-22	PA	INT	22	109.9	64.1	2.00
354.14.094.02	157-6-A	PA	EXT	6	156.8	102.1	2.20
354.14.095.02	140-28-D	ST	INT	28	140.0	93.2	1.40
354.14.096.02	122-6-A	ST	EXT	6	122.0	72.5	1.40
4472 310 059L	244-81	ST	EXT	81	243.6	152.8	2.00
4472-20900-22	233-48	PA	INT	48	232.7	142.0	4.00
7114 32530	235-75	ST	EXT	75	235.2	154.1	3.50
7114-32540	235-75-4	ST	EXT	75	235.2	154.1	4.00
7114-32550	235-75-45	ST	EXT	75	235.2	154.1	4.50
7114-32560	219-48	PA	INT	48	219.0	144.0	4.50
7124 22550	345-75-A42	ST	EXT	75	345.0	243.0	4.20
7124 22560	345-75-A45	ST	EXT	75	345.0	243.0	4.50
7124 22650	345-75-A32	ST	EXT	75	345.0	243.0	3.20
7124 22670	345-75-A25	ST	EXT	75	345.0	243.0	2.50
7124-22440	325-54	PA	INT	54	324.6	224.6	4.50
7124-22570	345-75-A	ST	EXT	75	345.0	243.0	5.00
7124-22660	345-75-A38	ST	EXT	75	345.0	243.0	3.80
7124-52500	383-75	ST	EXT	75	383.0	254.0	4.00
7173 00410	209-70-35	ST	EXT	70	209.0	160.7	3.50
7173 00420	209-70-45	ST	EXT	70	209.0	160.7	4.50
7173 00430	209-70-38	ST	EXT	70	209.0	160.7	3.80
7173 00820	204-62	PA	INT	62	203.8	152.8	4.00
7173 00830	209-70-25	ST	EXT	70	209.0	160.7	2.50
7173 00840	209-70-4	ST	EXT	70	209.0	160.7	4.00
7173-01561	152-6-A4	ST	EXT	6	152.3	95.0	4.00

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
7173-01570	134-36	PA	INT	36	134.0	88.0	2.20
7173-01580	152-6-A	ST	EXT	6	152.3	95.0	2.00
7173-02140	340-0	ST		0	340.0	133.3	1.50
<b>SANDERSON</b>							
500215	190-59	PA	INT	59	190.0	147.0	2.90
<b>SCANIA</b>							
1102539	254-62	BZ	INT	62	253.8	193.8	3.00
194 428	203-68	PA	EXT	68	203.3	161.5	1.80
194 429	195-50	ST	INT	0	194.8	150.6	2.30
284540	303-75	ST	EXT	75	302.7	240.0	2.50
315346	264-87-A	ST	EXT	87	263.9	206.0	2.00
317463	290-77	PA	INT	77	289.9	228.9	3.60
325 114	203-68	PA	EXT	68	203.3	161.5	1.80
351364	264-87-AW	ST	EXT	87	263.9	206.0	2.00
374267	290-77-A	BZ	INT	77	289.6	228.8	3.60
<b>SISU</b>							
N2219018H-	435-63	PA	INT	63	434.5	253.4	6.50
N2220119H-	453-12	ST	EXT	12	453.3	298.2	5.00
<b>SOILMEC</b>							
TBA10	127-28	ST	INT	28	126.8	97.2	1.80
TBA16	139-64	BZ	EXT	64	138.5	95.3	2.80
<b>SPECIAL</b>							
265-88	265-88	PA	EXT	88	265.2	197.3	4.00
TBA6	125-34	PA	INT	34	124.5	82.5	2.00
<b>SPICER</b>							
CKC 66118	139-54	ST	INT	54	139.1	98.5	1.80
CKC 66409	133-45-BG	PA	INT	45	133.2	92.3	2.20
P18609	154-60	ST	EXT	60	154.2	113.8	1.80
P20602	148-52-18G	PA	INT	52	148.5	107.6	1.80
<b>STEYER</b>							
133100320168	189-46-A	BZ	EXT	46	189.0	132.3	2.60
155 700 34003	254-4	ST	EXT	4	254.0	150.0	2.70
155700340029	223-28-A	PA	INT	28	223.2	56.0	4.50
357 0022 0126	141-38	ST	INT	38	140.5	90.0	2.30
395 34 0112	228-2-A	ST	EXT	2	228.0	127.0	2.50
<b>STILL</b>							
516252	194-6-A	ST	EXT	6	194.0	130.5	2.70
<b>SUABRU</b>							
147-39	147-39	PA	INT	39	147.0	117.0	1.55
30208KA070	43100	PA		0	168.0	0.0	0.00
31536-AA-070	69121	ST		27	138.6	111.5	2.70

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
3156-41X04	69117	ST		27	138.6	111.5	1.80
3156-AA-030	93107C	ST		27	138.6	111.5	3.00
3156-AA-040	93107D	ST		27	138.6	111.5	2.00
31588-AA-020	69108	PA		24	117.9	98.5	2.00
31588-AA-060	69108-A	PA		24	117.9	98.5	1.80
31662-AA-010	66504-B	PA		48	135.4	113.8	2.40
31662-AA-020	66504-C	PA		48	135.4	113.8	2.30
31662-AA050	69104	PA		30	147.3	120.2	2.00
31662-AA060	69104B	PA		30	147.3	120.2	1.60
31662-AA060-	69104-B	PA	INT	30	147.3	120.2	1.60
31662-AA090	69104C	PA		30	147.3	120.2	1.80
31668-AA-010	69112	ST		24	155.3	149.2	2.00
34079 8700	66504	PA		51	130.2	100.9	1.90
34079-8710	66504A	PA		51	129.5	106.6	2.50
45321 0100	66304	PA		44	114.8	90.3	1.50
<b>SUMITOMO</b>							
NFH 0431	199-12	ST	EXT	12	199.0	169.0	1.50
NFH 0432	190-60-A	PA	INT	60	189.6	155.2	4.00
<b>SUZUKI</b>							
124-55	124-55	PA		55	124.0	108.2	1.65
129-16	129-16	ST	EXT	16	129.5	113.5	1.75
129-54	129-54	PA		54	129.3	108.2	1.65
130-50	130-50	PA	INT	50	129.5	114.4	1.50
131-36	131-36	PA		36	131.1	113.0	1.65
133-42-A	133-42-A	PA	INT	42	133.2	105.4	1.65
139-36	139-36	PA	INT	36	139.2	113.0	1.65
96-28	96-28	PA	INT	28	96.0	79.8	1.65
96-40	96-40	PA		40	96.2	80.8	1.65
<b>SVETRUCK</b>							
904018	457-142	ST	EXT	142	457.0	342.8	3.20
910-737	342-45	PA	INT	45	341.4	221.6	4.00
<b>T.C.M</b>							
11243-82141	125-41	PA	INT	41	124.9	68.3	2.60
11243-82151	134-8-A14	ST	EXT	8	134.0	80.0	1.40
124U3-82351A	134-38	PA	INT	38	133.9	77.2	2.80
124U3-82351B	134-38	PA	INT	38	133.9	77.2	2.80
15943-82451	150-8-A	ST	EXT	8	150.0	87.5	2.30
15943-82462	133-38-A	PA	INT	38	132.7	77.1	2.50
AE 410-802-073	137-8	ST	EXT	8	136.5	81.0	1.80
AE 410-802-081	137-8	ST	EXT	8	136.5	81.0	1.80
AE 602-894-102	135-8	ST	EXT	8	134.6	81.3	1.60
AE 602-894-104	134-8-A	ST	EXT	8	134.3	81.2	1.60
AE 602-894-108	135-8	ST	EXT	8	134.6	81.3	1.60

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
AE-41080-2075A	132-24-16	ST	EXT	24	131.6	80.2	1.60	
AE602893108	125-41	PA	INT	41	124.9	68.3	2.60	
BK 703-100-8000	151-8	ST	EXT	8	150.5	85.4	1.50	
BK 703-100-9000	134-38	PA	INT	38	133.9	77.2	2.80	
BK 703-701-0001	172-10	ST	EXT	10	172.1	108.0	2.00	
BK 703-701-1001	155-38	PA	INT	38	154.6	95.3	3.60	
BK 706-500-8000	150-8-B	ST	EXT	8	150.1	87.3	2.30	
BK 708-900-9000	136-8-14	ST	EXT	8	136.2	80.0	1.40	
BK 708-900-9000	136-8	ST	EXT	8	136.2	80.0	1.60	
BK 750-110-9000	134-38	PA	INT	38	133.9	77.2	2.80	
BK7501024000	125-41	PA	INT	41	124.9	68.3	2.60	
G3 1015	131-8-A	ST	EXT	8	131.3	61.3	1.60	
G3 8673	103-8	BZ	EXT	8	102.7	58.0	2.50	
G3 8674	87-34	ST	INT	34	87.0	51.6	1.20	
G3 8675	87-34	ST	INT	34	87.0	51.6	1.20	
<b>TAMROCK</b>								
4697094	292-60	PA	INT	60	292.0	207.1	3.80	
<b>TEREX</b>								
021 004 09398589	165-4	ST	EXT	4	165.0	82.2	3.00	
143874	224-36-A	PA	INT	36	223.5	71.0	4.90	
15269366	186-45-25	ST	INT	45	185.5	133.0	2.50	
15269367	186-45-3	ST	INT	45	185.5	133.0	3.00	
15269368	186-45-35	ST	INT	45	185.5	133.0	3.50	
15269369	186-45-4	ST	INT	45	185.5	133.0	4.00	
15271597	196-64	PA	EXT	64	196.3	142.0	2.30	
15271599	196-64-A	PA	EXT	64	196.3	142.0	1.90	
152716602	196-64-A	PA	EXT	64	196.3	142.0	1.90	
15501754	334-11	ST	EXT	11	333.6	225.0	3.00	
15502718	298-49	PA	INT	49	27.7	116.0	4.70	
208-4	208-4	ST	EXT	4	208.3	94.7	3.80	
208-4-45	208-4-45	ST	EXT	4	208.3	94.7	4.50	
6012325	334-11-25	ST	EXT	11	333.6	225.0	2.50	
6012326	298-45	PA	INT	45	298.0	106.2	4.70	
6193395M1	224-36	PA	INT	36	223.6	71.0	4.90	
6193397M1	230-64	ST	EXT	64	229.8	152.8	5.00	
9398081	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
<b>THWAITES</b>								
T 2855	202-3-A	ST	EXT	3	202.1	140.0	2.50	
T2503	133-45-A	PA	INT	45	133.2	92.8	1.60	
T3947	228-2-A	ST	EXT	2	228.0	127.0	2.50	
T3948	224-27-48Z	BZ	INT	27	224.0	55.1	4.80	
<b>TIRNAK</b>								
288220016	132-3	ST	INT	3	131.7	82.7	1.50	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
288220017	147-6-A	ST	EXT	6	146.6	95.3	1.50
<b>TORO</b>							
4690267	228-2-A	ST	EXT	2	228.0	127.0	2.50
4690268	224-27-48Z	BZ	INT	27	224.0	55.1	4.80
4697094-	292-60	PA	INT	60	292.0	207.1	3.80
4698030	477-9	ST	EXT	9	477.5	338.2	4.80
4698069	195-60	BZ	INT	60	194.5	145.0	4.00
4699659	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
4699660	139-54	ST	INT	54	139.1	98.5	1.80
4699665	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
4699943	394-36-6	PA	INT	36	394.3	237.3	6.20
4699959	148-52-29Z	BZ	INT	52	148.5	107.4	2.90
4700428	257-16	ST	EXT	16	257.0	190.6	2.70
<b>TOYOTA</b>							
112-40	112-40	PA	INT	40	112.4	87.8	1.65
112-40-A	112-40-A	PA	INT	40	112.4	87.8	1.65
118-24-A	118-24-A	ST	EXT	24	117.5	95.4	1.75
118-40	118-40	ST	EXT	40	117.5	95.4	1.75
25667-21010	157-40	PA		40	157.0	135.3	1.80
32153-32381-71	173-43	BZ	INT	43	173.0	102.6	2.50
32345-3052071	162-52	ST	EXT	52	161.6	100.0	6.00
32412-22030-71	165-12	ST	EXT	12	165.5	100.0	2.00
32412-33900-71	173-34	PA	INT	34	172.6	104.7	2.50
32413-31710-71	166-18	ST	EXT	18	165.6	100.0	2.00
32418-31710-71	166-15	ST	EXT	15	165.5	100.0	4.50
32431-12050-71	161-8	ST	EXT	8	161.0	114.0	1.80
32432-10510-71	136-8-B	ST	EXT	8	136.2	88.2	1.20
32432-12030-71	150-42	PA	INT	42	149.8	107.7	2.70
32432-12050-71	150-42-29	PA	INT	42	149.8	107.7	2.90
32432-12051-71	150-42-29	PA	INT	42	149.8	107.7	2.90
32432-22010-71	156-37	PA	INT	37	155.5	87.8	2.90
32432-22030-71	156-37-26	PA	INT	37	155.5	87.8	2.60
32433-10510-71	124-30	BZ	INT	30	124.4	79.1	3.00
32439-23630-71	143-6	ST	EXT	6	143.2	88.4	2.30
32451-33060-71	161-8	ST	EXT	8	161.0	114.0	1.80
32452-33060-71	150-42	PA	INT	42	149.8	107.7	2.70
32461-23030-71	150-42	PA	INT	42	149.8	107.7	2.70
32461-23330-71	131-30	PA	INT	30	130.7	79.2	2.70
32461-23630-71	131-30	PA	INT	30	130.7	79.2	2.70
32551-31190-71	173-43	BZ	INT	43	173.0	102.6	2.50
34261-32020	114-40	PA		40	114.0	85.3	1.80
34262-12020	89109	PA		26	108.1	64.7	1.90
34262-32020	113-28	PA		28	112.5	70.4	1.80
34264-12010	89110	ST		18	113.9	90.5	1.80

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
34264-12020	89110A	ST		8	119.0	87.1	1.80
34627-33010	151-40	PA	INT	40	151.2	111.5	1.70
35633-12010	58206	PA		8	108.0	84.8	2.50
35633-21010	137-40	PA		40	136.9	107.7	1.80
35633-22020	67103	PA		16	126.7	101.7	2.20
35633-30010	49206	PA		39	107.7	84.8	2.50
35633-32010	89103	PA		40	126.0	100.5	1.80
35633-33010	89103A	PA		40	126.0	100.5	1.50
35633-33050	89103	PA		40	126.0	100.5	1.80
35634 32010	89102	ST		8	131.9	105.2	1.60
35634-12010	58205	ST		6	115.6	85.0	1.80
35634-22030	67101	ST		8	137.4	102.3	1.80
35634-22040	67102	ST		8	132.2	102.3	1.80
35634-22060	67101	ST		8	137.4	102.3	1.80
35634-22070	67102	ST		8	132.2	102.3	1.80
35634-22090	67101	ST		8	137.4	102.3	1.80
35634-30020	49205A	ST		44	114.9	85.1	1.40
35634-30060	67101	ST		8	137.4	102.3	1.80
35634-30080	67127	ST		7	157.5	116.3	2.00
35634-30090	46101B	ST		8	132.3	102.4	1.60
35634-30110	132-16	ST		16	132.2	105.0	2.30
35634-30120	46101C	ST		8	132.3	102.4	2.30
35647-21010	164-40	ST		40	163.8	140.5	3.00
35647-22010	67104A	ST		15	136.2	102.4	1.80
35647-22010	67104-A	ST		15	136.2	102.4	1.80
35647-22010	46507A	ST		15	136.2	102.4	1.80
35647-33030	164-40-17	ST		40	163.8	140.5	1.75
35648-22010	46510A	ST		0	137.3	102.4	3.00
35648-30020	67107	ST		8	137.4	102.3	2.30
35667-21010	157-40	PA		40	157.0	135.3	1.80
35677-12060	89100A	PA		33	142.1	110.6	1.80
35677-22020	67100	PA		24	126.7	101.7	2.30
35677-22060	67123	PA		24	126.7	101.7	2.00
35677-30010	67110	PA		33	142.0	110.0	2.30
35677-32010	89100	PA		33	142.0	111.0	1.70
35677-32020	89100	PA		33	142.0	111.0	1.70
35677-32050	89100	PA		33	142.0	111.0	1.70
35677-33040	89100	PA		33	142.0	111.0	1.70
35677-33040	89115A	PA		33	142.0	111.0	1.50
35681-21010	170-40	PA		40	170.1	135.3	1.80
35682-21010	163-40	PA		40	162.8	135.3	1.80
35883-12010	58221	PA		22	132.2	115.7	2.50
40511-20060-71	125-41-32	PA	INT	41	124.9	68.3	3.20
40512-20060-71	132-8	ST	EXT	8	131.6	77.3	1.00
40516-40120-71	173-43	BZ	INT	43	173.0	102.6	2.50

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
40521-30261-71	156-37	PA	INT	37	155.5	87.8	2.90
40522-30261-71	165-12	ST	EXT	12	165.5	100.0	2.00
40586-40120-71	173-43	BZ	INT	43	173.0	102.6	2.50
40615-20060-71	125-41	PA	INT	41	124.9	68.3	2.60
40616-20060-71	131-8-16	ST	EXT	8	131.5	77.2	1.60
42425-23330-71	139-16-A	ST	EXT	16	139.1	88.6	2.00
MD609069	67107	ST		8	137.4	102.3	2.30
MD609069	67127	ST		7	157.5	116.3	2.00
MD609499	67104A	ST		15	136.2	102.4	1.80
MD609499	67104-A	ST		15	136.2	102.4	1.80
MD609499	46507A	ST		15	136.2	102.4	1.80
MD951814	67102	ST		8	132.2	102.3	1.80
TBA22	156-37-3	PA	INT	37	155.5	87.8	3.00
TBA22-	152-50	BZ	EXT	50	152.0	108.5	2.70
<b>TROJAN</b>							
6901705	257-16	ST	EXT	16	257.0	190.6	2.70
6901914	195-60	BZ	INT	60	194.5	145.0	4.00
<b>TWIN DISC</b>							
1002233	95-88	PA	EXT	88	95.0	63.6	2.00
1002234	89-54	ST	INT	54	88.6	55.6	1.20
127-40-C	127-40-C	ST	INT	40	127.0	82.2	1.60
139-64	139-64	BZ	EXT	64	138.5	95.3	2.80
139-64-A	139-64-A	BZ	EXT	64	138.5	95.3	2.30
206 063 B	229-64	ST	INT	64	228.6	158.7	2.50
206 0638	228-64	ST	EXT	64	227.5	157.9	2.70
206 067	240-93	PA	EXT	93	239.8	171.6	3.60
206 106X	215-100	PA	EXT	100	214.8	151.5	3.00
206 106Y	215-100	PA	EXT	100	214.8	151.5	3.00
206 1078	202-56	ST	EXT	56	202.2	136.9	2.30
206 177A,M	189-88	PA	EXT	88	189.3	142.0	3.00
206 178	177-52	ST	INT	52	177.0	129.5	2.30
206200	276-108	PA	EXT	108	276.2	191.5	3.70
206232C	267-72	ST	INT	72	266.5	179.6	2.70
215 736	202-56	ST	EXT	56	202.2	136.9	2.30
5784A	254-9	ST	INT	9	253.6	162.4	2.30
A 4480 Q	164-76	PA	EXT	76	164.0	103.5	2.90
A 4480 R	164-76-23	PA	EXT	76	164.0	103.5	2.30
A4481A	152-40	ST	INT	40	152.4	82.2	1.60
P 4374 A	202-56	ST	EXT	56	202.2	136.9	2.30
P 4374 B	202-56	ST	EXT	56	202.2	136.9	2.30
<b>VALMET</b>							
30030000	108-24-A	BZ	INT	24	107.7	69.0	2.20
30030100	117-28	ST	EXT	28	117.0	78.1	1.20

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
30184800	224-27-48Z	BZ	INT	27	224.0	55.1	4.80
32584900	228-2	ST	EXT	1	228.0	127.0	2.60
32618700	133-45-18	PA		45	133.4	93.0	1.80
328.005.00	224-27-A	PA	INT	27	224.0	55.0	4.80
32800600	224-15	PA	INT	15	223.6	46.2	4.75
411010	228-2-A	ST	EXT	2	228.0	127.0	2.50
450.373.00	228-2-D	ST	EXT	2	228.6	150.0	2.70
70029600	143-6-B	ST	EXT	6	142.5	98.9	1.50
802311013	341-42-B	PA	INT	42	340.8	206.0	5.50
802311014	358-70	ST	EXT	70	357.8	229.5	5.00
<b>VALTRA</b>							
30030000-	108-24-A	BZ	INT	24	107.7	69.0	2.20
30030100-	117-28	ST	EXT	28	117.0	78.1	1.20
32773200	176-72	ST	EXT	72	175.5	117.9	2.50
34401400	224-27	PA		27	223.8	55.0	4.70
<b>VIBROMAX</b>							
1	151-36	BZ	EXT	36	150.6	102.0	2.40
<b>VOITH</b>							
48.0133.23	317-63-BZ	BZ	INT	63	317.4	250.0	3.50
50.5520.14	340-12	ST	EXT	12	339.6	264.8	2.50
50.7147.10	317-63	PA	INT	63	317.5	250.0	3.50
50.7147.13	317-63	PA	INT	63	317.5	250.0	3.50
50.7147.16	317-63	PA	INT	63	317.5	250.0	3.50
50.7493.10	242-8	ST	EXT	8	242.0	170.0	2.00
50.7715.20	299-24	ST	EXT	24	299.0	207.5	3.00
50.7802.10	280-12	ST	EXT	12	280.0	207.6	2.00
50.7920.10	280-12	ST	EXT	12	280.0	207.6	2.00
50.8935.12	139-34	ST	EXT	34	138.8	96.8	1.50
50.9743.10	340-12-B	ST	EXT	12	339.6	264.8	2.50
50.9743.13	340-12-B	ST	EXT	12	339.6	264.8	2.50
52.6303.10	299-22	ST	EXT	22	299.0	207.5	3.00
52.6306.10	280-12-35	ST	EXT	12	280.0	207.6	3.50
54.8208.10	280-12-A	ST	EXT	12	280.0	207.6	2.00
54.9141.10	340-12	ST	EXT	12	339.6	264.8	2.50
58.2182.10	340-12A	PA	EXT	12	339.6	264.8	3.20
58.2305.10	268-56A	PA	INT	56	267.8	221.1	3.30
58.2460.10	258-50	PA	INT	50	257.9	197.2	3.00
58.2460.12	258-50	PA	INT	50	257.9	197.2	3.00
58.2460.13	258-50-T	PA	INT	50	257.9	197.2	3.00
58.2676.21	222-41	PA	INT	41	222.1	162.0	3.30
58.2678.10	222-41	PA	INT	41	222.1	162.0	3.30
58.3965.10	130-30	PA	INT	30	129.6	89.2	2.50
58.4150.10	258-50-A	PA	INT	50	257.9	197.2	3.00

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
58.4150.11	258-50-A	PA	INT	50	257.9	197.2	3.00
58.4150.12	258-50-A	PA	INT	50	257.9	197.2	3.00
68.3001.13	258-50-T	PA	INT	50	257.9	197.2	3.00
<b>VOLVO</b>							
1103 5631	420-36	PA	INT	36	419.8	100.2	8.00
1103 5902	359-36	PA	INT	36	359.3	86.7	8.50
1103 6733	315-30-3	ST	EXT	30	315.0	248.0	3.00
1103 7030	224-23-A	PA	INT	23	223.7	70.0	4.80
1103 7031	228-2-B	ST	EXT	2	228.0	127.0	2.70
1103 7156	139-54-A	ST	EXT	54	139.1	98.5	1.60
1103 7468	328-54	PA	INT	54	328.0	265.0	3.60
1103 7469	218-65	PA	INT	65	218.0	162.4	2.80
1103 7474	294-96	PA	INT	96	293.7	240.5	3.80
1103 7475	316-50	PA	INT	50	315.9	246.6	3.90
11035240-8	269-36	PA	INT	36	269.0	60.5	8.50
11035867	269-36-A	PA	INT	36	269.3	65.2	9.50
11036734	232-48-3	ST	EXT	48	232.2	171.2	3.00
11038192	294-96	PA	INT	96	293.7	240.5	3.80
11038193	316-50	PA	INT	50	315.9	246.6	3.90
11038722	294-96	PA	INT	96	293.7	240.5	3.80
11038723	316-50	PA	INT	50	315.9	246.6	3.90
1110 2321	360-36	PA	INT	36	359.5	100.4	9.50
11144415-F	202-48	PA	EXT	48	201.7	133.3	2.75
11144415-S	193-36	ST	INT	36	192.7	125.2	2.70
11144483-S	133-45-V	ST	INT	45	133.3	92.8	1.60
11144483-S-	133-45-V18	ST	INT	45	133.3	92.8	1.80
11144486-F	139-54-V	PA	EXT	54	139.0	99.0	1.60
11144486-S	133-45-V	ST	INT	45	133.3	92.8	1.60
11144486-S-	133-45-V18	ST	INT	45	133.3	92.8	1.80
11144487-S	133-45-V	ST	INT	45	133.3	92.8	1.60
11144487-S-	133-45-V18	ST	INT	45	133.3	92.8	1.80
11145206-F	164-64	PA	EXT	64	163.7	99.2	2.20
11145206-S	155-45	ST	INT	45	154.5	92.5	2.00
1170 0826	474-30	ST	EXT	30	473.6	338.2	4.70
11712160	292-60	PA	INT	60	292.0	207.1	3.80
11716579	289-15	PA	INT	15	289.5	43.4	6.70
11716580	336-12-5	ST	EXT	12	335.6	188.4	5.00
11716581	336-12-8	ST	EXT	12	335.6	188.4	8.00
1199 9724-5	183-71	ST	EXT	71	182.7	118.0	1.80
11992887	139-54	ST	INT	54	139.1	98.5	1.80
11997615	140-28-D	ST	INT	28	140.0	93.2	1.40
11997616	157-6-A	PA	EXT	6	156.8	102.1	2.20
11997643	122-6-A	ST	EXT	6	122.0	72.5	1.40
11997644	110-22	PA	INT	22	109.9	64.1	2.00

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
11999723-7	260-40	ST	EXT	40	260.0	190.5	2.70
11999748	314-21	ST	EXT	21	314.0	227.0	2.70
11999749-2	292-60	PA	INT	60	292.0	207.1	3.80
14558958	263-8	PA	EXT	8	262.6	155.4	4.40
148-52-25G	148-52-25G	PA	INT	52	148.5	107.6	2.50
1529868	19206A	PA		36	108.0	78.0	1.50
1529868-	108-36	PA	INT	36	107.8	73.7	1.60
1650310-4	232-48-25	ST	EXT	48	232.2	171.2	2.50
1650313	350-31-A25	ST	EXT	31	350.0	266.0	2.50
1650314	350-31-25	ST	EXT	31	350.0	278.0	2.50
1650317	350-31-A3	ST	EXT	31	350.0	266.0	3.00
1650318	350-31-3	ST	EXT	31	350.0	278.0	3.00
1650322	316-50	PA	INT	50	315.9	246.6	3.90
1650357	337-31-3	ST	EXT	31	337.0	226.1	3.00
1650358	315-30-25	ST	EXT	30	315.0	248.0	2.50
16503880	294-96	PA	INT	96	293.7	240.5	3.80
1650996	337-31-35	ST	EXT	31	337.0	226.1	3.50
1668723	19205	ST		44	113.5	79.6	1.80
1668723-	114-44	ST	EXT	44	113.6	79.6	1.70
193-36-A	193-36-A	PA	INT	36	192.7	125.2	2.80
202-48-A	202-48-A	ST	EXT	48	202.3	133.3	2.00
203-48	203-48	ST	EXT	48	202.6	133.6	5.50
24224889	135-32-A	PA	INT	32	135.0	82.8	1.55
24224890	152-6-C	PA	EXT	6	151.8	91.0	1.55
4.720.762	155-45	ST	INT	45	154.5	92.5	2.00
4.720.763	155-45-16	ST	INT	45	154.5	92.5	1.60
4.720.945	228-2-A	ST	EXT	2	228.0	127.0	2.50
4.780.005	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
4.786.524	133-45-A	PA	INT	45	133.2	92.8	1.60
4.786.525	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
4.871.796	133-45-A	PA	INT	45	133.2	92.8	1.60
4.871.796-1	133-45-2	PA	INT	45	133.2	92.3	2.00
4.871.966	139-54-A	ST	EXT	54	139.1	98.5	1.60
4.871.979	133-45-2	PA	INT	45	133.2	92.3	2.00
4.873.042	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
4.873.042-8	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
4.873.043-6	133-45-2	PA	INT	45	133.2	92.3	2.00
6.231.577	228-2-A	ST	EXT	2	228.0	127.0	2.50
795322	143-8	ST	EXT	8	142.5	99.3	1.60
<b>VW</b>							
001-323-465	156-30-B	PA		30	156.3	132.6	1.60
001-398-105K	126-24	PA		24	126.0	106.9	1.65
001-398-205AK	100-20	PA		20	100.3	74.8	1.60
001-398-921K	120-36	PA		36	119.6	90.4	1.60

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
003-323-131	39264	PA		43	105.0	88.6	2.30
003-323-241B	39266	PA		43	105.0	88.6	1.50
010-323-141B	79103	PA		49	120.8	97.5	2.30
010-323-141C	79103G	PA		49	120.8	97.5	2.30
010-323-231	79106	PA		30	169.5	151.5	1.50
010-323-241	79105	PA		49	120.8	97.5	1.50
01J 323 139 C	204-9-2	ST	EXT	9	204.0	163.6	2.00
01J 323 139 D	204-9-23	ST	EXT	9	204.0	163.6	2.30
01J 323 139 F	204-9-27	ST	EXT	9	204.0	163.6	2.70
01J 323 139 G	204-9-3	ST	EXT	9	204.0	163.6	3.00
01J 323 139 H	204-9-32	ST	EXT	9	204.0	163.6	3.20
01J 323 241 F	182-40	PA	INT	40	182.4	157.0	2.70
01J 323 941	144-30	PA	EXT	30	143.8	110.0	2.70
01J 323 941 B	138-26	ST	INT	26	138.0	105.0	2.00
01J 323 941 C	138-26-27	ST	INT	26	138.0	105.0	2.70
01J 323 941 D	138-26-3	ST	INT	26	138.0	105.0	3.00
01J 323 941 E	138-26-32	ST	INT	26	138.0	105.0	3.20
087-323-120	79103A	PA		49	126.4	97.5	2.30
087-323-139	79103A	PA		49	126.4	97.5	2.30
095 323 941C	119108-A	PA	INT	22	103.0	66.7	1.60
095-323-227	119100	ST		12	155.4	129.0	2.00
095-323-231A	119103	PA		50	145.9	122.0	1.60
095-323-231C	119103A	PA		50	145.9	122.0	1.55
095-323-241A	119107A	ST		32	128.0	104.0	1.50
095-323-241A	119106	PA		24	121.8	98.1	1.60
095-323-241A	119918F	PA		24	121.8	98.1	1.55
095-323-465D	119102	PA		32	154.6	129.2	1.60
095-323-941C	119110	PA		22	103.0	66.7	1.60
097 323 463A	119104A	ST		3	183.8	136.2	2.30
097 323 463B	119104B	ST		3	183.8	136.2	2.40
097 323 463C	119104C	ST		3	183.4	136.0	3.00
097-323-463	119104	ST		3	183.8	136.2	2.00
119112A	119112-A	ST	EXT	20	109.4	71.9	1.40
119112-B	119112-B	ST	EXT	28	109.4	71.9	2.00
138-32-A	138-32-A	PA	INT	32	138.0	99.4	2.30
138-32-A18	138-32-A18	PA	INT	32	138.0	99.4	1.80
163-36-38	163-36-38	ST		0	162.8	142.5	3.80
192-28	192-28	PA	INT	28	192.4	158.0	2.30
94385851	58104	PA		20	102.2	87.0	1.60
94385852	58105	ST		28	119.2	94.0	2.30
98	119109A	ST		28	109.4	71.9	1.60
98	119112	ST		28	109.4	71.9	1.60
A15-37-PRO-27	163-36-4	ST		0	162.8	142.5	4.00
FP01-19-3N4	205-7	ST		7	204.8	169.2	3.00
FP01-19-3V0	191-32	PA	INT	32	191.4	160.2	1.60

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
FP01-19-499	108-24	ST		24	108.0	86.0	2.00
FP01-19-561	144-32	ST		32	144.0	123.0	1.40
FP01-19-571	163-36	ST		36	162.8	142.5	2.00
FP01-19-580	102-24	PA	INT	24	102.3	79.0	1.70
FP01-19-590	63800	PA		0	164.0	144.6	1.80
FP01-19-5J0	138-30-17	PA	INT	30	137.8	116.2	1.70
FP01-19-609	173-10	ST		10	173.0	166.6	1.40
FP01-19-610	156-32-A	PA	INT	32	156.0	133.6	1.50
FP01-19-620	63100-A	PA	INT	24	112.2	84.9	1.60
FP01-19-6E1	119-18	ST		18	119.2	91.7	2.30
FP01-19-6JO-	138-30	PA	INT	30	137.8	116.0	1.80
N.L.	119107	ST		32	128.0	104.0	2.00
N.L.	119107P	ST		32	128.0	104.0	5.00
N.L.	119109	ST		26	102.9	72.2	2.00
N.L.	119920F	PA		22	95.7	66.5	1.50
N.L.	119108	PA	INT	22	95.7	66.5	1.55
N.L.	119918S	ST		32	128.0	104.0	2.00
N.L.	119920S	ST		26	102.9	72.2	2.00
N.L.	119107-3	ST		32	128.0	104.0	3.00
R146-55	146-55	PA	INT	55	145.5	122.3	1.65
R146-60	146-60	PA		60	145.5	122.3	1.55
R147-56	147-56	PA		56	147.0	126.2	1.75
R151-24	151-24	ST	EXT	24	151.4	127.0	1.75
R153-40	153-40	ST	EXT	40	152.8	130.8	1.75
R157-56	157-56	PA		56	157.0	126.2	1.75
R171-56	171-56	PA		56	170.6	142.1	1.75
R184-40	184-40	PA	INT	40	183.9	163.2	1.75
<b>WABCO</b>							
A010437	400-16	PA	INT	16	399.9	214.7	5.00
A010438	372-72	PA	INT	72	371.5	303.0	5.30
A101438	372-72	PA	INT	72	371.5	303.0	5.30
<b>WAGNER</b>							
333867	154-60	ST	EXT	60	154.2	113.8	1.80
334282	219-14	ST	EXT	14	218.9	158.8	2.70
334290	195-60	BZ	INT	60	194.5	145.0	4.00
339692	257-16	ST	EXT	16	257.0	190.6	2.70
339706	292-60	PA	INT	60	292.0	207.1	3.80
353131	462-72	ST	EXT	72	462.0	350.0	3.50
353132	450-54	BZ	INT	54	450.1	269.5	5.50
353183	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
355996	133-45-23Z	BZ	INT	45	133.1	92.7	2.30
361674	394-36-6	PA	INT	36	394.3	237.3	6.20
366161	204-22-48Z	BZ	INT	22	204.5	53.3	4.80
366162	209-2-A	ST	EXT	2	209.3	114.3	2.70

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
367134	148-52-29Z	BZ	INT	52	148.5	107.4	2.90
369816	394-36-6	PA	INT	36	394.3	237.3	6.20
370357	477-9	ST	EXT	9	477.5	338.2	4.80
378857	400-48	PA	INT	48	399.6	240.2	4.70
378858	422-12	ST	EXT	12	421.8	254.0	3.20
409040	422-12	ST	EXT	12	421.8	254.0	3.20
409165	400-48	PA	INT	48	399.6	240.2	4.70
5540904050	422-12	ST	EXT	12	421.8	254.0	3.20
5540916500	400-48	PA	INT	48	399.6	240.2	4.70
5540981200	169-60	PA	INT	60	169.4	124.7	2.80
5542004300	169-60	PA	INT	60	169.4	124.7	2.80

## WARNER GEAR

1000 666 001	140-87	PA	EXT	87	140.1	97.0	1.60
1000-166-103	133-59	ST	INT	59	133.2	89.8	1.70
10-08-666-001	196-44	PA	INT	44	196.6	138.5	2.50
10-08-666-004	196-44-3	PA	INT	44	196.6	138.5	2.80
10-17-666-001	190-59	PA	INT	59	190.0	147.0	2.90
10-21-166-001	139-54-D	ST	EXT	54	139.1	98.5	3.00
10-21-666-003	133-45-2	PA	INT	45	133.2	92.3	2.00
12A66	133-45-A	PA	INT	45	133.2	92.8	1.60
3-176-1	139-54-C	ST	EXT	54	139.1	98.5	2.30
3-176-2	139-54-2	ST	EXT	54	139.1	98.5	2.00
3-645-154-20210	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
366161-	205-22-BZ	BZ	INT	22	204.5	53.3	4.80
3A66	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
5C-A66A	133-45-16Z	BZ	INT	45	133.1	92.7	1.60
72/176	215-3	ST	EXT	3	215.0	155.6	1.70
72/A66B	190-59-BZ	BZ	INT	59	190.0	147.0	3.00
T22176A	206-64	ST	EXT	64	205.5	145.5	1.80
TBA12	133-45-BR	PA	INT	45	133.2	92.3	2.00
TBA13	133-45X-16	PA	INT	45	133.2	92.8	1.60

## WHITE

10P1459	167-12-BZ	BZ	EXT	12	166.6	116.0	2.00
10P2664	152-6-B	ST	INT	6	152.4	89.4	1.50
159097A	140-6	ST	INT	6	139.6	79.8	1.60
20-7000653	152-18	ST	INT	18	152.2	61.5	1.50
30-3309487	150-34	PA	INT	34	149.8	105.0	2.80
70257504	219-3	ST	EXT	3	218.5	115.8	5.00
72151738	139-54	ST	INT	54	139.1	98.5	1.80
72161788	160-72	ST	EXT	72	160.0	115.9	1.80
72161817	150-34-3	PA	INT	34	149.8	105.0	3.00
72161818	121-28	ST	EXT	28	121.3	91.5	1.50
72161819	116-42	PA	INT	42	116.0	87.3	1.90
E1657	127-6	ST	INT	6	126.9	79.8	1.40

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
<b>YALE</b>							
0805288-00	340-0	ST		0	340.0	133.3	1.50
1341464-00	340-0	ST		0	340.0	133.3	1.50
514 132 600	136-39	ST	INT	39	136.4	60.5	2.00
519 744 400	147-12	PA	EXT	12	147.3	81.7	2.50
580 014 555	133-45-25G	PA	INT	45	133.2	92.8	2.50
580 020 036	139-54-25	ST	EXT	54	139.1	98.5	2.50
630 243	192-37	PA	EXT	37	192.0	117.6	2.40
641 409	176-36	ST	INT	36	176.3	102.7	2.00
900 314 805	178-52	ST	INT	52	178.1	106.6	2.50
900 682 813	142-66	BZ	EXT	66	142.4	85.9	2.80
900 952 803	150-8-B	ST	EXT	8	150.1	87.3	2.30
900 952 804	134-38	PA	INT	38	133.9	77.2	2.80
900-682-814	133-38	ST	INT	38	132.5	77.2	1.50
901 194 880	136-8	ST	EXT	8	136.2	80.0	1.60
902 152 850	131-42	ST	EXT	42	131.4	80.0	1.60
904 478 05	142-66	BZ	EXT	66	142.4	85.9	2.80
<b>YONG</b>							
0000	140-6	ST	INT	6	139.6	79.8	1.60
<b>ZETOR</b>							
71723023	223-15-A	PA	INT	15	223.1	60.0	4.40
938514	253-4	ST	EXT	4	252.6	149.0	4.00
938515	223-15	PA	INT	15	223.1	60.0	4.00
<b>ZETTELMAYER</b>							
2200 2405	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00
228 33498	293-91-4	ST	EXT	91	293.0	184.5	4.00
228 33498	293-73	ST	EXT	73	293.0	184.5	4.00
228 33501	277-34	PA	INT	34	277.4	167.0	4.50
228 38180	355-91	ST	EXT	91	355.2	216.5	5.00
228 38198	341-42	PA	INT	42	340.7	217.3	5.50
228 52123	293-73-45	ST	EXT	73	293.0	184.5	4.50
228 52123-	293-91-47	ST	EXT	91	293.0	184.5	4.70
228 52123-X	293-73-47	ST	EXT	73	293.0	184.5	4.70
2283 3498	293-88-4	ST	EXT	88	293.0	184.5	4.00
2285 2123	293-88-45	ST	EXT	88	293.0	184.5	4.50
229 06851	277-34	PA	INT	34	277.4	167.0	4.50
<b>Z-F</b>							
0301-302-004	82104PR	ST		15	156.0	119.0	4.50
0501 208 264	277-34	PA	INT	34	277.4	167.0	4.50
0501 208 457	277-34	PA	INT	34	277.4	167.0	4.50
0501 209 446	329-30	PA	INT	30	328.5	285.3	3.00
0501 210 138	196-64	PA	EXT	64	196.3	142.0	2.30
0501 210 139	196-64-A	PA	EXT	64	196.3	142.0	1.90

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530



# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
0501 212 249	379-66	PA	INT	66	378.8	326.0	3.00	
0501 212 370	159-44-A	PA	EXT	44	158.7	111.5	2.80	
0501 212 371	159-44	PA	EXT	44	158.7	111.5	2.00	
0501 212 372	177-34-A	PA	EXT	34	177.4	111.5	2.80	
0501 212 373	177-34	PA	EXT	34	177.4	111.5	2.00	
0501 213 173	257-43	PA	INT	43	256.8	213.0	3.00	
0501 213 150	339-59	PA	INT	59	338.7	291.0	3.05	
0501 213 172	177-10	PA	EXT	10	176.7	126.0	3.00	
0501 213 174	278-46-27	PA	INT	46	277.7	228.0	2.70	
0501 308 205	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
0501 308 328	177-35	BZ	EXT	35	177.2	108.8	2.00	
0501 309 329	137-27	PA	EXT	27	137.4	91.1	2.00	
0501 309 329	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
0501 309 330	177-35	BZ	EXT	35	177.2	108.8	2.00	
0501 309 534	177-35	BZ	EXT	35	177.2	108.8	2.00	
0501 309 541	177-35	BZ	EXT	35	177.2	108.8	2.00	
0501 309 600	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
0501 310 174	177-35	BZ	EXT	35	177.2	108.8	2.00	
0501 314 215	147-34	PA	INT	34	146.9	99.3	2.00	
0501 314 216	162-8	ST	EXT	8	162.0	107.0	1.75	
0501 314 381	179-35-A	PA	INT	35	179.0	103.0	3.50	
0501 314 382	233-48	PA	INT	48	232.7	142.0	4.00	
0501 316 591	167-42	ST	INT	42	167.0	101.5	2.50	
0501 316 592	151-42	ST	INT	42	150.7	102.3	2.50	
0501 318 589	410-16-35	ST	EXT	16	409.9	336.8	3.50	
0501 318 590	410-16-4	ST	EXT	16	409.9	336.8	4.00	
0501 318 591	410-16-45	ST	EXT	16	409.9	336.8	4.50	
0501.322.355	233-48-A	PA	INT	48	233.0	141.4	5.50	
0501.323.355	233-20	PA	INT	20	233.0	59.1	5.50	
0501.325.244	251-4	ST	EXT	4	251.0	153.7	4.00	
0501-316-028	177-35-B	PA	EXT	35	177.2	142.0	2.00	
0501-323-004	263-8	PA	EXT	8	262.6	155.4	4.40	
0501-348-023	236-36	ST	INT	36	235.8	144.3	2.50	
0501-348-025	236-36-2	ST	INT	36	235.8	144.3	2.00	
0750 140 009	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
0750 140 010	177-35	BZ	EXT	35	177.2	108.8	2.00	
0750 140 012	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
0750 140 028	179-35	PA	INT	35	179.0	103.0	3.50	
0750 140 029	233-48	PA	INT	48	232.7	142.0	4.00	
076 914 9080	164-24-2	ST	EXT	24	163.6	133.9	2.00	
100-21	100-21	PA	INT	21	99.7	41.0	2.20	
1019 273 019	168-40	PA	INT	40	168.4	137.5	1.60	
1019-231-002	197-30-A	PA		30	197.0	148.4	1.60	
1019-231-027	214-24	PA		24	214.0	154.8	2.20	
1019-331-030	214-24-A	ST		63	214.0	154.8	1.70	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION		
1019-331-031	214-24-A3	ST	24	214.0	154.8	3.00
1019-331-034	214-24-A	ST	63	214.0	154.8	1.70
1019-331-037	197-30	ST	30	197.0	148.4	3.50
1019-377-034	181-17	ST	17	181.0	145.9	2.70
1019-377-035	181-17-3	ST	17	181.0	145.9	3.00
1019-377-036	181-17-32	ST	17	181.0	145.9	3.20
1019-377-037	181-17-35	ST	17	181.0	145.9	3.50
1024 302 050	81100	ST	6	153.0	115.5	1.60
1024-202-022	81103	PA	56	138.2	115.0	1.90
1024-202-036	81101	PA	56	138.2	115.0	1.90
1036 302 015	85121	ST	24	139.7	120.0	1.80
1036-202-018	85101	PA	0	135.0	0.0	1.50
1036-202-028	85102-A	PA	30	134.8	114.0	2.00
1036-230-034	85104	PA	0	98.0	0.0	1.50
1036-302-016	85121B	ST	24	139.7	120.0	2.00
1036-317-066	85123	ST	24	148.0	120.2	1.20
1043 217 015	82109A	PA	58	142.9	116.1	1.60
1043 230 009	82110	PA	40	128.0	102.3	1.55
1043 302 001	82100B	ST	21	108.0	76.5	1.00
1043 302 020	82104B	ST	12	156.0	119.0	1.60
1043 302 021	82104A	ST	12	156.0	119.0	2.00
1043 302 046	82100	ST	24	108.0	76.3	1.80
1043 302 092	85105	ST	12	156.0	119.0	3.00
1043 317 040	82113	ST	12	156.1	122.0	1.20
1043-202-010	82102	PA	24	142.9	118.0	1.50
1043-202-011	82107	PA	34	100.0	72.9	1.50
1043-202-041	82108	PA	24	142.9	118.0	1.50
1043-202-183	82103	PA	34	100.0	72.9	1.50
1043-202-189	82210	PA	40	128.0	117.3	1.50
1043-217-003	82101	PA	48	142.9	117.8	1.50
1043-217-009	82109	PA	48	142.9	117.8	1.50
1050 230 059	85134	ST	30	114.4	78.1	1.80
1050 302 011	85122	ST	24	153.1	132.1	1.80
1050 330 017	85124	ST	30	103.8	75.8	1.80
1050 330 017	85134	ST	30	114.4	78.1	1.80
1050-202-002	85115	PA	30	146.9	126.0	1.55
1050-202-024	85112	PA	30	146.9	126.0	2.00
1050-202-035	85115	PA	30	146.9	126.0	1.55
1050-217-002	85115	PA	30	146.9	126.0	1.55
1050-217-002	85116	PA	30	134.8	114.0	1.60
1050-230-032	85113	PA	36	107.9	71.0	1.55
1050-230-033	85113	PA	36	107.9	71.0	1.55
1050-230-037	85113	PA	36	107.9	71.0	1.55
1055 271 025	204-30	PA	30	203.9	176.0	1.55
1055 271 054	204-30-A	PA	30	203.9	176.0	1.55

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
1055 370 047	211-32-47	ST		32	10.9	182.0	4.70
1055 370 089	150-24-3	ST		24	150.0	119.0	3.00
1055 370 090	150-24-6	ST		24	150.0	119.0	6.00
1055 371 003	211-32	ST		32	210.9	182.0	3.00
1055 374 024	150-24	ST		24	150.0	119.0	1.80
1055 376 052	150-24-08	ST		24	150.0	119.0	0.80
1055-270-030	85118	PA		30	143.0	113.0	1.60
1055-270-030	143-30-B	PA		30	143.0	113.0	1.55
1055-270-069	143-30	PA		30	143.0	113.0	1.60
1055-270-072	143-30	PA		30	143.0	113.0	1.60
1055-270-072	85118	PA		30	143.0	113.0	1.60
1055-271-054	204-30	PA		30	203.9	176.0	1.55
1055-374-030	150-24	ST		24	150.0	119.0	1.80
1056-210-031	85112-A	PA	INT	30	146.9	126.0	1.80
1056-210-053	82109	PA		48	142.9	117.8	1.50
1056-272-024	85112	PA		30	146.9	126.0	2.00
1056-277-012	85101	PA		0	135.0	0.0	1.50
1056-277-036	85101	PA		0	135.0	0.0	1.50
1056-329-002	85121A	ST		24	139.7	120.0	3.00
1056-377-045	85121A	ST		24	139.7	120.0	3.00
1058 270 020	128-40	PA		40	128.0	102.3	1.55
1058 270 028	128-40	PA		40	128.0	102.3	1.55
1058-270-003	178-30	PA		30	178.4	148.4	1.60
1058-270-025	178-30	PA		30	178.4	148.4	1.60
1058-270-029	178-30	PA		30	178.4	148.4	1.60
1058-370-070	185-30-2	ST		30	184.9	154.8	2.00
1058-370-071	185-30-23	ST		30	184.9	154.8	2.30
1058-370-076	185-30-38	ST		30	184.9	154.8	3.80
1060 370 002	85122	ST		24	153.1	132.1	1.80
1060 371 002	85134	ST		30	114.4	78.1	1.80
1060 377 003	85121	ST		24	139.7	120.0	1.80
1060 377 004	85121	ST		24	139.7	120.0	1.80
1060-210-037	168-40-W	PA		40	168.4	137.3	1.55
1060-270-039	85111-GW	PA		30	146.9	126.0	1.55
1060-271-005	85111-G	PA		30	146.9	126.0	1.55
1060-271-005	85111G	PA		30	146.9	126.0	1.55
1060-271-008	85113-W	PA		36	107.9	71.0	1.55
1060-272-003	155-30-A	PA		30	154.8	126.0	2.00
1060-272-009	155-30-AW	PA		30	154.8	126.0	2.00
1060-273-005	85101	PA		0	135.0	0.0	1.50
1060-273-024	85112	PA		30	146.9	126.0	2.00
1060-277-031	85101-W	PA		30	134.8	114.0	1.55
1060-310-004	176-24-18	ST		24	175.5	145.8	1.80
1060-310-052	176-24-2	ST		24	175.5	145.8	2.00
1060-310-053	176-24-23	ST		24	175.5	145.8	2.30

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
1060-372-002	162-24	ST		24	162.2	132.0	1.75
1063 273 002	157-40-A	PA	INT	40	156.5	125.3	1.60
1063 277 002	167-30-A	PA	INT	30	166.5	136.3	1.60
1063 370 025	175-16-25	ST	EXT	16	174.7	142.9	2.50
1063 370 044	173-30-B25	ST	EXT	30	173.0	143.0	2.50
1063 370 045	173-30-B	ST	EXT	30	173.0	143.0	2.00
1063 373 039	164-24	ST	EXT	24	163.6	133.9	1.75
1063 373 039	173-30-B17	ST	EXT	30	173.0	143.0	1.75
1063 375 016	203-24	PA	EXT	24	202.6	142.9	2.20
1063 377 025	175-16	ST	EXT	16	174.7	142.9	1.75
1068 371 047	137-24-24	ST	EXT	24	137.3	107.0	2.30
1068 377 019	195-30-21	ST	EXT	30	195.0	163.7	2.00
1068 377 020	195-30-3	ST	EXT	30	195.0	163.7	3.00
1068 377 021	195-30-39	ST	EXT	30	195.0	163.7	4.00
1068 377 022	195-30-24	ST	EXT	30	195.0	163.7	2.30
1068 377 023	195-30-27	ST	EXT	30	195.0	163.7	2.70
1068 377 024	195-30-33	ST	EXT	30	195.0	163.7	3.20
1068 377 025	195-30-36	ST	EXT	30	195.0	163.7	3.50
1068 377 029	195-30-18	ST	EXT	30	195.0	163.7	1.75
1068-271-018	131-30-B	PA	INT	30	130.7	101.4	1.60
1068-277-002	187-30	PA	INT	30	187.2	156.5	2.10
1068-277-004	187-30-16	PA	INT	30	187.2	156.5	1.60
1068-371-030	137-24-3	ST	EXT	24	137.3	107.0	3.00
1071 271 033	124-30-A	PA	INT	30	123.9	91.8	1.60
1071 272 004	169-30-2	PA	INT	30	168.7	147.3	2.00
1071 272 005	169-30-16	PA	INT	30	168.7	147.3	1.60
1071 273 003	151-30	PA	INT	30	150.6	123.2	1.60
1071 275 005	155-24-A	PA	INT	24	154.9	113.0	1.60
1071 371 048	129-24A-2	ST	EXT	24	129.4	97.0	2.00
1071 371 093	129-24A-35	ST	EXT	24	129.4	97.0	3.50
1071 371 094	129-24A-35	ST	EXT	24	129.4	97.0	3.50
1071 372 010	176-30-23	ST	EXT	30	175.8	153.9	2.30
1071 372 025	176-30-23	ST	EXT	30	175.8	153.9	2.30
1071 372 061	176-30-3	ST	EXT	30	175.8	153.9	3.00
1071 373 006	157-24-35	ST	EXT	24	157.0	129.2	3.50
1071 373 009	157-24-18	ST	EXT	24	157.0	129.2	1.80
1071 375 006	161-24-25	ST	EXT	25	161.0	119.0	2.50
1071 375 007	161-24-35	ST	EXT	24	161.0	119.0	3.50
130-24-B	130-24-B	PA	INT	24	129.8	100.0	1.50
1414 204 001	199-10	PA	EXT	10	199.4	140.0	2.30
1414 304 012	188-44	ST	INT	44	188.0	129.0	1.20
1419 222 006	279-41	PA	INT	41	279.4	140.0	3.70
1419 322 036	300-12	ST	EXT	12	300.0	222.1	3.70
1419 322 037	300-24	ST	EXT	24	300.0	222.0	3.70
145-24-	145-24	PA	EXT	24	144.7	115.7	2.10

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH	DIMENSION			
145-24-19	145-24-19	PA	EXT	24	144.7	115.7	1.90
148-54-	148-54	PA	INT	54	147.6	118.3	2.10
155-30-A16	155-30-A16	PA		30	154.8	126.0	1.55
178-38	178-38	PA	INT	38	178.3	148.2	2.00
188-48	188-48	PA	INT	48	187.9	141.7	2.50
205-50	205-50	ST	EXT	50	204.6	150.4	3.00
24 231 205171	82103	PA		34	100.0	72.9	1.50
24 231 205935	82104	ST		12	156.0	119.0	1.80
24 231 205955	82101	PA		48	142.9	117.8	1.50
24 231 205955	82109	PA		48	142.9	117.8	1.50
24 231 215440	82111	ST		24	134.0	116.9	1.60
24 231 215441	82110A	PA		40	128.0	102.3	1.55
24 231 215441	82110	PA		40	128.0	102.3	1.55
24 231 215453	82112	ST		24	134.0	116.9	2.00
24 231 215770	82102	PA		24	142.9	118.0	1.50
24 231 215770	82108	PA		24	142.9	118.0	1.50
24 231 217 131	82107	PA		34	100.0	72.9	1.50
2423 1205 937	82111PR	ST		24	134.0	116.9	4.50
2423 1209 825	82104A	ST		12	156.0	119.0	2.00
24231-205-919	82100A	ST		24	108.0	76.3	1.20
331386A1	159-44	PA	EXT	44	158.7	111.5	2.00
4061-310-070	139-4	ST	EXT	4	138.5	66.0	3.00
4061-310-267	131-6-A	ST	EXT	6	130.3	66.5	2.50
4061-312-64	131-6-A2	ST	EXT	6	130.3	66.5	2.00
4061-312-66	131-6-A23	ST	EXT	6	130.3	66.5	2.30
4139 219 007	118-29	PA	INT	29	117.7	84.1	1.80
4139 219 054	118-29	PA	INT	29	117.7	84.1	1.80
4139 233 013	257-43	PA	INT	43	256.8	213.0	3.00
4139 233 014	177-10	PA	EXT	10	176.7	126.0	3.00
4139 233 083	278-46	PA	INT	46	277.7	228.0	3.00
4139 233 137	257-43	PA	INT	43	256.8	213.0	3.00
4139 233 177	257-43	PA	INT	43	256.8	213.0	3.00
4139 233 178	278-46	PA	INT	46	277.7	228.0	3.00
4139 233 218	257-43-31	PA	INT	43	256.8	213.0	3.10
4139 233 274	278-46-27	PA	INT	46	277.7	228.0	2.70
4139 233 303	278-46	PA	INT	46	277.7	228.0	3.00
4139 233 307	278-46-27	PA	INT	46	277.7	228.0	2.70
4139 270 021	177-10	PA	EXT	10	176.7	126.0	3.00
4139 270 025	177-10	PA	EXT	10	176.7	126.0	3.00
4139 270 032	177-10	PA	EXT	10	176.7	126.0	3.00
4139 270 034	257-43	PA	INT	43	256.8	213.0	3.00
4139 270 035	177-10	PA	EXT	10	176.7	126.0	3.00
4139 270 036	257-43	PA	INT	43	256.8	213.0	3.00
4139 310 017	130-6	ST	EXT	6	129.7	89.1	1.50
4139 333 015	306-24	ST	EXT	24	306.0	236.5	2.00

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
4139 333 036	163-32	ST	INT	32	163.0	94.0	2.00	
4139 333 172	280-34	ST	EXT	34	280.5	257.5	2.00	
4139 333 263	306-24-3	ST	EXT	24	306.0	236.5	3.00	
4139 333 281	280-34-3	ST	EXT	34	280.5	257.5	3.00	
4139 333 373	281-45	ST	EXT	45	280.7	221.0	3.00	
4139 333 437	282-45	ST	EXT	45	281.8	221.0	3.00	
4139 333 480	305-24	ST	EXT	24	305.0	236.5	2.00	
4139 333 745	306-24-25	ST	EXT	24	306.0	236.5	2.50	
4139 333 759	280-34-25	ST	EXT	34	280.5	257.5	2.50	
4139 333 765	163-32-25	ST	INT	32	163.0	94.0	2.50	
4139 333 766	306-24-A	ST	EXT	24	306.0	236.5	3.00	
4139 334 002	360-24-2	ST	EXT	24	359.5	301.5	2.00	
4139 334 002 OLD	360-12	ST	EXT	12	359.5	301.5	2.00	
4139 334 005	360-24-4	ST	EXT	24	359.5	301.5	4.00	
4139 373 004	305-24	ST	EXT	24	305.0	236.5	2.00	
4139 373 029	306-24-B	ST	EXT	24	306.0	236.5	2.00	
4149 333 009	306-24-35	ST	EXT	24	306.0	236.5	3.50	
4149 370 001	282-34-3	ST	EXT	34	281.8	220.8	3.00	
4149 370 004	282-34-25	ST	EXT	34	281.8	220.8	2.50	
4149 370 005	282-34	ST	EXT	34	281.8	220.8	2.00	
4166 236 098	329-18	PA	INT	18	329.0	285.5	3.00	
4166 236 129	329-18	PA	INT	18	329.0	285.5	3.00	
4166 236 134	329-18	PA	INT	18	329.0	285.5	3.00	
4166 237 012	329-35	PA	INT	35	329.3	276.5	3.50	
4166 238 037	392-36	PA	INT	36	391.6	345.6	3.10	
4166 238 042	392-36	PA	INT	36	391.6	345.6	3.10	
4166 238 047	392-36	PA	INT	36	391.6	345.6	3.10	
4166 337 101	350-4	ST	EXT	4	349.8	290.2	2.50	
4166 338 202	418-16	ST	EXT	16	417.8	364.0	3.00	
4166 338 206	418-16-35	ST	EXT	16	417.8	364.0	3.50	
4402-320-10	244-81-4	ST	EXT	81	243.6	153.0	4.00	
4405 319 012	159-8-A	ST	EXT	6	158.5	109.4	4.00	
4462 305 025	189-90	ST	EXT	90	189.2	131.0	2.50	
4462 305 046	189-90	ST	EXT	90	189.2	131.0	2.50	
4462 305 047	189-90	ST	EXT	90	189.2	131.0	2.50	
4462 305 075	190-67-3	ST	EXT	67	190.0	129.5	3.00	
4462 305 079	190-67-2	ST	EXT	67	190.0	129.5	2.00	
4462 305 080	190-67	ST	EXT	67	190.0	129.5	2.50	
4462 305 081	190-67	ST	EXT	67	190.0	129.5	2.50	
4472 209 002	233-48	PA	INT	48	232.7	142.0	4.00	
4472 320 104	244-81-25	ST	EXT	81	243.6	153.0	2.50	
4472 320 104-	244-81-3	ST	EXT	81	243.6	153.0	3.00	
4472-348-023	236-36	ST	INT	36	235.8	144.3	2.50	
4472-348-024	236-36-3	ST	INT	36	235.8	144.3	3.00	
4472-348-025	236-36-2	ST	INT	36	235.8	144.3	2.00	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530

# RATEK INDUSTRIES

CAT. November 2015

O.E.M. No	RATEK No	TYPE	TEETH			DIMENSION		
4474 252 008	345-64	PA	INT	64	344.9	252.4	4.50	
4474 304 048	293-88-45	ST	EXT	88	293.0	184.5	4.50	
4474 304 049	293-88-4	ST	EXT	88	293.0	184.5	4.00	
4474 305 202	293-88-4	ST	EXT	88	293.0	184.5	4.00	
4474 305 203	293-88-45	ST	EXT	88	293.0	184.5	4.50	
4474-252-023	345-64	PA	INT	64	344.9	252.4	4.50	
4474-352-052	378-20	ST	EXT	20	377.7	262.4	4.00	
4474-352-121	378-20-2	ST	EXT	20	377.7	262.4	2.00	
4475 205 001	277-34	PA	INT	34	277.4	167.0	4.50	
4475-308-017	244-81-4	ST	EXT	81	243.6	153.0	4.00	
4642 208 034	137-27-BZ	BZ	EXT	27	137.4	91.1	2.00	
4642 308 096	131-29-2	ST	INT	29	131.0	85.2	2.00	
4642 308 330	131-29-15	ST	INT	29	131.0	85.2	1.50	
4642 308 331	131-29-25	ST	INT	29	131.0	85.2	2.50	
4642 308 332	131-29-2	ST	INT	29	131.0	85.2	2.00	
4644 208 013	171-35-2	ST	INT	35	171.0	103.3	2.00	
4644 308 115	171-35-15	ST	INT	35	171.0	103.3	1.50	
4644 308 328	171-35-15	ST	INT	35	171.0	103.3	1.50	
4644 308 329	171-35-2	ST	INT	35	171.0	103.3	2.00	
4644 308 330	171-35-25	ST	INT	35	171.0	103.3	2.50	
4646-076-009	177-35-A	PA	EXT	35	177.2	142.0	2.50	
4646-351-099	186-45-25	ST	INT	45	185.5	133.0	2.50	
4646-351-100	186-45-3	ST	INT	45	185.5	133.0	3.00	
4646-351-101	186-45-35	ST	INT	45	185.5	133.0	3.50	
4646-351-162	186-45-4	ST	INT	45	185.5	133.0	4.00	
4646-351-171	186-45-25	ST	INT	45	185.5	133.0	2.50	
4646-351-172	186-45-3	ST	INT	45	185.5	133.0	3.00	
4646-351-173	186-45-35	ST	INT	45	185.5	133.0	3.50	
4646-351-174	186-45-4	ST	INT	45	185.5	133.0	4.00	
4646-351-181	170-45-35	ST	EXT	45	170.0	133.0	3.50	
4646-351-182	170-45-3	ST	EXT	45	170.0	133.0	3.00	
4646-351-183	170-45-25	ST	EXT	45	170.0	133.0	2.50	
4646-351-184	170-45-2	ST	EXT	45	170.0	133.0	2.00	
4646-351-212	170-45-35	ST	EXT	45	170.0	133.0	3.50	
4646-351-213	170-45-3	ST	EXT	45	170.0	133.0	3.00	
4646-351-214	170-45-25	ST	EXT	45	170.0	133.0	2.50	
4646-351-225	186-45-2	ST	INT	45	185.5	133.0	2.00	
4646-351-284	186-45-25	ST	INT	45	185.5	133.0	2.50	
4646-351-285	186-45-3	ST	INT	45	185.5	133.0	3.00	
4646-351-286	186-45-35	ST	INT	45	185.5	133.0	3.50	
4646-351-287	186-45-4	ST	INT	45	185.5	133.0	4.00	
4646-351-561	170-45-4	ST	EXT	45	170.0	133.0	4.00	
481 636	168-24	PA		0	168.0	0.0	0.00	
481-636-	43100	PA		0	168.0	0.0	0.00	
NA (72.130)	195-26	ST	EXT	26	195.0	163.7	0.80	

RATEK INDUSTRIES LTD.

BARKAN INDUSTRIAL PARK P.O.BOX 18 BARKAN 44820 ISRAEL

TEL: +972 3 9366241 E-MAIL: info@ratek.biz www.ratek.biz FAX: +972 3 9364530